INCH-POUND

MIL-F-70673 (AR)
AMENDMENT 2
7 December 1992
SUPERSEDING
AMENDMENT 1
12 JUNE 1990

MILITARY SPECIFICATION

Fuze, Rocket, Base Detonating, M442

This amendment forms a part of Military Specification MIL-F-70673 (AR), dated 30 June 1987, and is approved for use by the U.S. Army Armament, Munitions, and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

* 2.1.2, Under Drawings: Delete "9335671 - Housing, Drogue, M257 Warhead".

* Delete "9335675 - Plate, Pusher".

* Add "12960829 - Body".

* Add "12960830 - Stop Block".

Add "9357963 - Box, Packing for MK66 Motor".

PAGE 5

4.3.1: Delete "Delay Assembly	9341730	25"
and substitute "Delay Assembly, Integrated, w/ Propellant Charge	12926859	25".
Delete "Expulsion Charge Assembly	9298752	25".

PAGE 6

Table I: Delete "Expulsion Charge Assembly Dwg. 9298752	25	3.1	4.4.2.4".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-23T03:50Z
Check the source to verify that this is the current version before use.

Delete "Delay Assembly	25	3.1	4.4.2.5"
and substitute			
"Delay Assembly, Integrated, w/ Propellant Charge	25	3.1	4.4.2.4".
Delete			
"Forty Foot Drop Test	8	3.7.3	4.6.3"
and substitute			
"Forty Foot Drop Test	12	3.7.3	4.6.3".

PAGE 8

* 4.4.1, Delete "(except for mechanical fuzes as descibed in c. below)".

* Delete "c. Mechanical fuzes per MIL-F-50541 from not more than one lot.".

PAGE 12

4.4.2.4: Delete "Charge, Expulsion, Assembly" and substitute "Delay Assembly, Integrated, w/ Propellant Charge".

Delete "9298752" and substitute "12926859".

Category 101: Delete "Thickness of assembly" and substitute "Shoulder length".

Category 102: Delete "Weight" and substitute "Outside diameter".

Category 103: Delete
"Charge of assembly properly seated .40%" and substitute
"Presence of 9370145 closure disk 100%".

PAGE 13

4.4.2.5: Delete in its entirety.

PAGE 14

4.4.2.6: Delete Major 104 in its entirety.

PAGE 15

4.6.3: Delete "8883479/9230114" and substitute "8883479/9357963".

PAGE 17

FIGURE 1: Delete "6 HOLES EQUALLY SPACED" and substitute "12 HOLES EQUALLY SPACED".

PAGE 18

FIGURE 2: Delete "6-SCREW. HEX" and substitute "12-SCREW. HEX".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:50Z
Check the source to verify that this is the current version before use.

The margin of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1340-A875)

Source: https://assist.dla.mil -- Downloaded: 202610-23T03:50Z
Check the source to verify that this is the current version before use.