METRIC

A-A-54891
16 July 1993

COMMERCIAL ITEM DESCRIPTION

PLUG, EAR, HEARING PROTECTION, TRIPLE FLANGE

The General Services Administration has authorized the use of this Commercial Item Description as a replacement for Military Specification MIL-P-36714B, which is cancelled.

This Commercial Item Description covers the requirements for triple flange ear plugs suitable for attenuating high intensity noises.

Salient characteristics:

Classification. Ear plugs shall be classified according to size and color coded as follows:

Size	Color Code
Regular (Medium)	International Orange
Small	Green
Large	Blue

Material. Ear plugs shall be fabricated from non-toxic, non-allergenic, sterilizable vulcanized silicone elastomer. The plugs shall be resistant to ear wax, alcohol, skin oils, and common detergents. Each size plug shall be color coded as specified.

Each finished ear plug shall conform to the following physical requirements:

Tensile Strength	500 psi
Ultimate elongation	600 percent
Hardness (Shore Durometer)	20 ± 2

AMSC N/A FSC 6515

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:39Z
Check the source to verify that this is the current version before use.

Style, design and dimensions. The ear plugs shall be of the size as specified, and shall comfortably fit small, medium or large ear openings as applicable. When properly placed in the ear openings, the ear plugs shall attenuate high noise levels to a comfortable level. Style, design, and dimensions shall be in accordance with Figure 1.

Performance

Sound attenuation. When tested in accordance with ANSI S3-19, the mean sound attenuation shall exceed the following minimum values.

Frequency (Hz)	Attenuation(dB)	Standard deviation
125	22	3
250	24	3
500	29	3
1000	30	3
2000	33	3
3150	38	3
4000	41	3
6300	40	3
8000	41	3

Resistance to temperature. The ear plugs shall show no visible signs of cracks or other damage, and shall retain their noise attenuation properties when subjected to a temperature range of -10 to 120 degrees centigrade.

Resistance to volume change. When immersed for twenty four hours at 70°F, the percentage change in volume of elastomeric material in 93 percent (by weight) ethyl alcohol, oil percent (by weight) sodium hydroxide or light mineral oil shall not exceed 10 percent.

Identification marking. Each ear plug shall be colored and marked with a single letter indicating size as follows:

Medium (M)	International Orange
Small (S)	Green
Large (L)	Blue

Workmanship. The ear plugs shall be free from defects which detract from their appearance or impair their serviceability. They shall be free from objectionable odor at the time of delivery, and shall not develop an obnoxious odor during storage and use.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:39Z
Check the source to verify that this is the current version before use.

Unit. Package (PG). One package containing 24 ear plugs of one size only as specified, constitutes one unit.

QUALITY ASSURANCE PROVISIONS.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspection are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Tests. Tests shall be conducted to determine compliance with specification requirements. Where feasible, the same sample shall be used for determination of two or more test characteristics.

Sampling for tests. Sampling for tests shall be conducted in accordance with MIL-STD-105 and as specified. Inspection level shall be S-1, and acceptance number shall be zero.

Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:39Z
Check the source to verify that this is the current version before use.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerance specified using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Regulatory requirements.

Federal Food, Drug, and Cosmetic Act If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

Ordering data. Intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:39Z
Check the source to verify that this is the current version before use.

NOTE: The following National Stock Numbers, Sizes, and Item Identifications, are covered by this document:

NATIONAL STOCK NUMBER	SIZE	ITEM IDENTIFICATION
6515-00-442-4818	Medium (Regular)	PLUG, EAR, Hearing Protection, International Orange, Triple Flange, 24s
6515-00-442-4821	Small	PLUG, EAR, Hearing Protection, Green, Triple Flange, 24s
6515-00-467-0092	Large	PLUG, EAR, Hearing Protection, Blue, Triple Flange, 24s

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

Preparing Activity:

DoD-MB

Agent:


DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
USPHS
FDA-MPQAS

Project Number: 6515-5466
Location: c:\word\doc\gandhi\plugcid

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:39Z
Check the source to verify that this is the current version before use.



NOTES.

1 ALL DIMENSIONS ARE IN MILLIMETERS
2 TOLERANCES ARE ± 0.2 MM UNLESS OTHERWISE SPECIFIED.
3 DIMENSIONS "C" AND "F" ARE NOMINAL DIMENSION "L" TOLERANCE IS ± 1 MM
4 DIMENSION "P" MAY BE 30 MM MAXIMUM

NSN	SIZE	A	B	C	D	E	F	G	H	J	K	L	M	N	P
6515-00-442-4821	SMALL	4 13	254	508	492	116	157	11.00	9 00	6 98	2 76	16 5	6 31	3.95	2934
6515-00-442 4818	REGULAR	5 15	254	508	595	1.16	1.57	12.70	11.10	9 52	2 76	16 5	6 31	3.95	2934
6515 00- 467 0092	LARGE	5 66	254	508	653	116	157	14.7	12 3	11 3	2 76	16 5	6 31	3.95	2934

FIGURE 1 PLUG, EAR, TRIPLE FLANGE

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:39Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1 The preparing activity must complete blocks 1, 2, 3, and 8 In block 1, both the document number and revision letter should be given

2 The submitter of this form must complete blocks 4, 5, 6, and 7

3 The preparing activity must provide a reply within 30 days from receipt of the form

NOTE This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

I RECOMMEND A CHANGE:	1 DOCUMENT NUMBER	2 DOCUMENT DATE (YYMMDD)
	A-A-54891	930716

3 DOCUMENT TITLE
PLUG, EAR, HEARING PROTECTION, TRIPLE FLANGE

4 NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible Attach extra sheets as needed)

5 REASON FOR RECOMMENDATION

6 SUBMITTER		
a NAME (Last, First, MI)	b ORGANIZATION	
c ADDRESS (Include Zip Code)	d TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7 DATE SUBMITTED (YYMMDD)

8 PREPARING ACTIVITY

a NAME	b TELEPHONE (Include Area Code) (1) Commercial	(2) AUTOVON
Defense Personnel Support Center ATTN: DPSC-MSE	(215)7372870	444-2870
c ADDRESS (Include Zip Code) 2800 South 20th Street Philadelphia, PA 19145	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT Defense Quality and Standardization Office 5203 Leesburg Pike Suite 1403 Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 Previous editions are obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:39Z
Check the source to verify that this is the current version before use.