MILITARY SPECIFICATION SHEET

HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-50/U

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the crystal holder described herein shall consist of this document and the latest issue of Specification MIL-H-10056.





FIGURE 1. Type HC-50/U resistance-weld enclosure.

FSC 5955

Source: https://assist.dla.mil -- Downloaded: 202610-17T13:29Z
Check the source to verify that this is the current version before use.



INCHES	MM
.002	.05
.008	.20
.009	.23
.010	.25
.015	.38
.024	.61
.040	1.02
.050	1.27
.055	1.40
.119	3.02
.145	3.68
.171	4.34
.172	4.37
.183	4.65
.192	4.88
.238	6.05
.371	9.42
.374	9.50
.398	10.11
.422	10.72
.424	10.77
.440	11.18
.490	12.45
.530	13.46

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.005 (.13 mm).
4. Cover - Corrosion Resistant Steel with Electroless Nickel plate or nickel.
5. Weld projection - optional; located on approximately centerline of base flange, when used the flange will be .025 (.64 mm).
6. Finish - nickel plate-100-200 microinch on all materials except nickle.
7. Frame - Corrosion Resistant Steel 1010-1018 alloy or Kovar or equal.
8. Pins - 52 alloy, Kovar or equivalent.
9. Insulator - suitable sealing glass.
10. The pin undercut is optional.

FIGURE 1. Type HC-50/U resistance-weld enclosure - Continued

Source: https://assist.dla.mil -- Downloaded: 202610-17T13:29Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Materials: See figure 1.

Note: This item is similar to the HC-25/U holder.

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Army - MI, AR, SM
Navy - SH
Air Force - 11, 99
DLA - ES

User activities:
Army - AR
Navy - AS, CG, MC, OS
Air Force - 17, 19

Civil agency:
DCG

Preparing activity:
Army - ER

Agent:
DLA - ES

(Project 5955-0520-3)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:29Z
Check the source to verify that this is the current version before use.