MIL-C-5146A
7 DECEMBER 1950

Superseding
MIL-C-5146(USAF)
26 January 1950

MILITARY SPECIFICATION

COMPUTATION TABLE; PRESSURE RATIO vs MACH NUMBERS
FOR SUPERSONIC SPEEDS

This specification was approved by the Departments of the Army, the Navy, and the Air Force for use of procurement services of the respective Departments.

1. SCOPE

1.1 This specification presents tables for the computation of Mach numbers from 1.00 to 6.26 from the ratio of differential pressure to static pressure.

2. APPLICABLE SPECIFICATIONS AND OTHER PUBLICATIONS

2.1 The following publications, of the issue in effect on date of invitation for bids, shall form a part of this specification to the extent specified herein:

2.1.1 Specification.-

Air Force-Navy Aeronautical

MIL-T-5490 Table; Differential Pressure

2.1.2 Other Publications.-

National Advisory Committee for Aeronautics

Report 538 Altitude Pressure Tables Based on United States Standard Atmosphere

Technical Note 1200 Tentative Tables for the Properties of the Upper Atmosphere

(Copies of NACA reports and technical notes may be obtained from the National Advisory Committee for Aeronautics, 1724 F Street, N. W., Washington 25, D. C.)

(Copies of this specification and copies of other publications referenced herein or required for Government procurement, and the Index of Military Aeronautical (AN or MIL) Standards, may be obtained upon application to the Commanding General, Air Materiel Command, Wright-Patterson Air Force Base, Dayton, Ohio; or the Commanding Officer, U. S. Naval Air Station, Johnsville, Pennsylvania.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:22Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Tables.- The tables in this specification are computed from the following formula:

$$\frac{dP}{P} = \frac{166.9215M^7 - 1}{(7M^2-1)^{2.5}}$$

dP = Differential pressure corresponding to indicated airspeed (Specification MIL-T-5490)
P = Absolute pressure corresponding to pressure altitude (NACA Report No. 538 and NACA Technical Note No. 1200). Same units as dP
M = Mach Number

3.1.1 The values of M together with the first differences are tabulated for values of dP/P over the range from 0.89 to 50.00 as follows:

dP/P	Increment
0.89 to 5.99	0.01
6.00 to 21.98	0.02
22.00 to 49.96	0.04

dP/P	M	ΔM
0.89	0.998672	4520
0.90	1.003193	4484
0.91	1.007677	4448
0.92	1.012125	4414
0.93	1.016539	4380
0.94	1.020919	4348
0.95	1.025267	4317
0.96	1.029584	4286
0.97	1.033870	4257
0.98	1.038127	4228
0.99	1.042355	4200

Source: https://assist.dla.mil -- Downloaded: 202610-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
1.00	1.046555	4173
1.01	1.050727	4146
1.02	1.054873	4120
1.03	1.058994	4095
1.04	1.063088	4070
1.05	1.067158	4046
1.06	1.071204	4022
1.07	1.075227	3999
1.08	1.079226	3977
1.09	1.083203	3955
1.10	1.087158	3933
1.11	1.091092	3912
1.12	1.095004	3892
1.13	1.098896	3872
1.14	1.102768	3852
1.15	1.106619	3832
1.16	1.110452	3813
1.17	1.114265	3795
1.18	1.118059	3776
1.19	1.121836	3758
1.20	1.125594	3741
1.21	1.129335	3723
1.22	1.133058	3706
1.23	1.136764	3689
1.24	1.140454	3673
1.25	1.144127	3657
1.26	1.147784	3641
1.27	1.151424	3625
1.28	1.155050	3610
1.29	1.158660	3595
1.30	1.162254	3580
1.31	1.165834	3565
1.32	1.169399	3551
1.33	1.172950	3536
1.34	1.176486	3522
1.35	1.180009	3509
1.36	1.183517	3495
1.37	1.187012	3481
1.38	1.190494	3468
1.39	1.193962	3455
1.40	1.197417	3442
1.41	1.200859	3430
1.42	1.204289	3417
1.43	1.207706	3405
1.44	1.211111	3393
1.45	1.214503	3380
1.46	1.217884	3369
1.47	1.221252	3357
1.48	1.224609	3345
1.49	1.227954	3334

dP/P	M	ΔM
1.50	1.231288	3323
1.51	1.234611	3311
1.52	1.237922	3300
1.53	1.241222	3289
1.54	1.244512	3279
1.55	1.247791	3268
1.56	1.251059	3258
1.57	1.254316	3247
1.58	1.257563	3237
1.59	1.260800	3227
1.60	1.264027	3217
1.61	1.267243	3207
1.62	1.270450	3197
1.63	1.273647	3187
1.64	1.276834	3178
1.65	1.280012	3168
1.66	1.283180	3159
1.67	1.286338	3149
1.68	1.289488	3140
1.69	1.292628	3131
1.70	1.295759	3122
1.71	1.298881	3113
1.72	1.301994	3104
1.73	1.305098	3095
1.74	1.308193	3087
1.75	1.311280	3078
1.76	1.314358	3070
1.77	1.317428	3061
1.78	1.320489	3053
1.79	1.323542	3045
1.80	1.326586	3036
1.81	1.329623	3028
1.82	1.332651	3020
1.83	1.335671	3012
1.84	1.338683	3004
1.85	1.341688	2997
1.86	1.344684	2989
1.87	1.347673	2981
1.88	1.350654	2973
1.89	1.353628	2966
1.90	1.356593	2958
1.91	1.359552	2951
1.92	1.362503	2944
1.93	1.365447	2936
1.94	1.368383	2929
1.95	1.371312	2922
1.96	1.374234	2915
1.97	1.377149	2908
1.98	1.380057	2901
1.99	1.382958	2894

Source: https://assist.dla.mil -- Downloaded: 20261-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
2.00	1.385852	2887
2.01	1.388739	2880
2.02	1.391619	2873
2.03	1.394492	2867
2.04	1.397359	2860
2.05	1.400219	2853
2.06	1.403072	2847
2.07	1.405919	2840
2.08	1.408759	2834
2.09	1.411593	2827
2.10	1.414421	2821
2.11	1.417242	2815
2.12	1.420057	2809
2.13	1.422865	2802
2.14	1.425668	2796
2.15	1.428464	2790
2.16	1.431254	2784
2.17	1.434038	2778
2.18	1.436816	2772
2.19	1.439587	2766
2.20	1.442353	2760
2.21	1.445113	2754
2.22	1.447868	2748
2.23	1.450616	2743
2.24	1.453358	2737
2.25	1.456095	2731
2.26	1.458826	2725
2.27	1.461552	2720
2.28	1.464272	2714
2.29	1.466986	2709
2.30	1.469694	2703
2.31	1.472398	2698
2.32	1.475095	2692
2.33	1.477787	2687
2.34	1.480474	2681
2.35	1.483156	2676
2.36	1.485832	2671
2.37	1.488503	2666
2.38	1.491168	2660
2.39	1.493829	2655
2.40	1.496484	2650
2.41	1.499134	2645
2.42	1.501779	2640
2.43	1.504418	2635
2.44	1.507053	2630
2.45	1.509683	2625
2.46	1.512307	2620
2.47	1.514927	2615
2.48	1.517542	2610
2.49	1.520152	2605

dP/P	M	ΔM
2.50	1.522757	2600
2.51	1.525357	2595
2.52	1.527952	2590
2.53	1.530542	2586
2.54	1.533128	2581
2.55	1.535709	2576
2.56	1.538286	2572
2.57	1.540857	2567
2.58	1.543424	2562
2.59	1.545986	2558
2.60	1.548544	2553
2.61	1.551097	2549
2.62	1.553646	2544
2.63	1.556190	2540
2.64	1.558730	2535
2.65	1.561265	2531
2.66	1.563796	2526
2.67	1.566322	2522
2.68	1.568844	2518
2.69	1.571361	2513
2.70	1.573875	2509
2.71	1.576384	2505
2.72	1.578888	2500
2.73	1.581389	2496
2.74	1.583885	2492
2.75	1.586377	2488
2.76	1.588864	2483
2.77	1.591348	2479
2.78	1.593827	2475
2.79	1.596302	2471
2.80	1.598773	2467
2.81	1.601240	2463
2.82	1.603703	2459
2.83	1.606162	2455
2.84	1.608617	2451
2.85	1.611068	2447
2.86	1.613515	2443
2.87	1.615958	2439
2.88	1.618397	2435
2.89	1.620832	2431
2.90	1.623263	2427
2.91	1.625690	2423
2.92	1.628114	2420
2.93	1.630533	2416
2.94	1.632949	2412
2.95	1.635361	2408
2.96	1.637769	2404
2.97	1.640174	2401
2.98	1.642574	2397
2.99	1.644971	2393

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
3.00	1.647365	2390
3.01	1.649754	2386
3.02	1.652140	2382
3.03	1.654522	2379
3.04	1.656901	2375
3.05	1.659276	2371
3.06	1.661647	2368
3.07	1.664015	2364
3.08	1.666379	2361
3.09	1.668740	2357
3.10	1.671097	2354
3.11	1.673451	2350
3.12	1.675801	2347
3.13	1.678148	2343
3.14	1.680491	2340
3.15	1.682831	2336
3.16	1.685167	2333
3.17	1.687500	2329
3.18	1.689829	2326
3.19	1.692155	2323
3.20	1.694478	2319
3.21	1.696798	2316
3.22	1.699114	2313
3.23	1.701426	2309
3.24	1.703736	2306
3.25	1.706042	2303
3.26	1.708345	2300
3.27	1.710644	2296
3.28	1.712941	2293
3.29	1.715234	2290
3.30	1.717524	2287
3.31	1.719810	2283
3.32	1.722094	2280
3.33	1.724374	2277
3.34	1.726651	2274
3.35	1.728925	2271
3.36	1.731196	2268
3.37	1.733464	2265
3.38	1.735728	2262
3.39	1.737990	2258
3.40	1.740248	2255
3.41	1.742503	2252
3.42	1.744756	2249
3.43	1.747005	2246
3.44	1.749251	2243
3.45	1.751494	2240
3.46	1.753735	2237
3.47	1.755972	2234
3.48	1.758206	2231
3.49	1.760437	2228

dP/P	M	ΔM
3.50	1.762666	2225
3.51	1.764891	2222
3.52	1.767113	2220
3.53	1.769333	2217
3.54	1.771549	2214
3.55	1.773763	2211
3.56	1.775974	2208
3.57	1.778182	2205
3.58	1.780387	2202
3.59	1.782589	2199
3.60	1.784789	2197
3.61	1.786985	2194
3.62	1.789179	2191
3.63	1.791370	2188
3.64	1.793558	2185
3.65	1.795744	2183
3.66	1.797926	2180
3.67	1.800106	2177
3.68	1.802283	2174
3.69	1.804458	2172
3.70	1.806629	2169
3.71	1.808798	2166
3.72	1.810964	2164
3.73	1.813128	2161
3.74	1.815289	2158
3.75	1.817447	2156
3.76	1.819602	2153
3.77	1.821755	2150
3.78	1.823906	2148
3.79	1.826053	2145
3.80	1.828198	2142
3.81	1.830340	2140
3.82	1.832480	2137
3.83	1.834617	2135
3.84	1.836752	2132
3.85	1.838884	2129
3.86	1.841013	2127
3.87	1.843140	2124
3.88	1.845265	2122
3.89	1.847386	2119
3.90	1.849506	2117
3.91	1.851622	2114
3.92	1.853737	2112
3.93	1.855849	2109
3.94	1.857958	2107
3.95	1.860065	2104
3.96	1.862169	2102
3.97	1.864271	2099
3.98	1.866370	2097
3.99	1.868467	2095

Source: https://assist.dla.mil -- Downloaded: 20260-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
4.00	1.870562	2092
4.01	1.872654	2090
4.02	1.874744	2087
4.03	1.876831	2085
4.04	1.878916	2082
4.05	1.880998	2080
4.06	1.883078	2078
4.07	1.885156	2075
4.08	1.887231	2073
4.09	1.889304	2071
4.10	1.891375	2068
4.11	1.893443	2066
4.12	1.895509	2064
4.13	1.897573	2061
4.14	1.899634	2059
4.15	1.901693	2057
4.16	1.903750	2054
4.17	1.905805	2052
4.18	1.907857	2050
4.19	1.909907	2048
4.20	1.911954	2045
4.21	1.914000	2043
4.22	1.916043	2041
4.23	1.918084	2039
4.24	1.920122	2036
4.25	1.922159	2034
4.26	1.924193	2032
4.27	1.926225	2030
4.28	1.928255	2028
4.29	1.930282	2025
4.30	1.932307	2023
4.31	1.934331	2021
4.32	1.936352	2019
4.33	1.938370	2017
4.34	1.940387	2014
4.35	1.942402	2012
4.36	1.944414	2010
4.37	1.946424	2008
4.38	1.948432	2006
4.39	1.950438	2004
4.40	1.952442	2002
4.41	1.954444	2000
4.42	1.956443	1997
4.43	1.958441	1995
4.44	1.960436	1993
4.45	1.962429	1991
4.46	1.964421	1989
4.47	1.966410	1987
4.48	1.968397	1985
4.49	1.970382	1983

dP/P	M	ΔM
4.50	1.972365	1981
4.51	1.974346	1979
4.52	1.976325	1977
4.53	1.978302	1975
4.54	1.980276	1973
4.55	1.982249	1971
4.56	1.984220	1969
4.57	1.986189	1967
4.58	1.988155	1965
4.59	1.990120	1963
4.60	1.992083	1961
4.61	1.994044	1959
4.62	1.996003	1957
4.63	1.997960	1955
4.64	1.999914	1953
4.65	2.001867	1951
4.66	2.003818	1949
4.67	2.005767	1947
4.68	2.007714	1945
4.69	2.009660	1943
4.70	2.011603	1941
4.71	2.013544	1939
4.72	2.015483	1937
4.73	2.017421	1936
4.74	2.019356	1934
4.75	2.021290	1932
4.76	2.023222	1930
4.77	2.025152	1928
4.78	2.027080	1926
4.79	2.029006	1924
4.80	2.030930	1922
4.81	2.032853	1921
4.82	2.034773	1919
4.83	2.036692	1917
4.84	2.038609	1915
4.85	2.040523	1913
4.86	2.042437	1911
4.87	2.044348	1909
4.88	2.046257	1908
4.89	2.048165	1906
4.90	2.050071	1904
4.91	2.051975	1902
4.92	2.053877	1900
4.93	2.055777	1899
4.94	2.057676	1897
4.95	2.059573	1895
4.96	2.061468	1893
4.97	2.063361	1891
4.98	2.065253	1890
4.99	2.067142	1888

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
5.00	2.069030	1886
5.01	2.070916	1885
5.02	2.072801	1883
5.03	2.074684	1881
5.04	2.076565	1879
5.05	2.078444	1878
5.06	2.080321	1876
5.07	2.082197	1874
5.08	2.084071	1872
5.09	2.085943	1871
5.10	2.087814	1869
5.11	2.089683	1867
5.12	2.091550	1865
5.13	2.093415	1864
5.14	2.095279	1862
5.15	2.097141	1860
5.16	2.099001	1859
5.17	2.100860	1857
5.18	2.102717	1855
5.19	2.104572	1854
5.20	2.106426	1852
5.21	2.108278	1850
5.22	2.110128	1849
5.23	2.111977	1847
5.24	2.113824	1845
5.25	2.115669	1844
5.26	2.117513	1842
5.27	2.119355	1840
5.28	2.121196	1839
5.29	2.123035	1837
5.30	2.124872	1836
5.31	2.126707	1834
5.32	2.128541	1832
5.33	2.130374	1831
5.34	2.132205	1829
5.35	2.134034	1828
5.36	2.135861	1826
5.37	2.137687	1824
5.38	2.139512	1823
5.39	2.141334	1821
5.40	2.143156	1820
5.41	2.144975	1818
5.42	2.146793	1817
5.43	2.148610	1815
5.44	2.150425	1813
5.45	2.152238	1812
5.46	2.154050	1810
5.47	2.155860	1809
5.48	2.157669	1807
5.49	2.159476	1806

dP/P	M	ΔM
5.50	2.161282	1804
5.51	2.163086	1803
5.52	2.164889	1801
5.53	2.166690	1799
5.54	2.168489	1798
5.55	2.170287	1796
5.56	2.172084	1795
5.57	2.173879	1793
5.58	2.175672	1792
5.59	2.177464	1790
5.60	2.179255	1789
5.61	2.181044	1787
5.62	2.182831	1786
5.63	2.184617	1784
5.64	2.186401	1783
5.65	2.188185	1781
5.66	2.189966	1780
5.67	2.191746	1779
5.68	2.193525	1777
5.69	2.195302	1776
5.70	2.197077	1774
5.71	2.198852	1773
5.72	2.200624	1771
5.73	2.202396	1770
5.74	2.204166	1768
5.75	2.205934	1767
5.76	2.207701	1766
5.77	2.209467	1764
5.78	2.211231	1763
5.79	2.212993	1761
5.80	2.214754	1760
5.81	2.216514	1758
5.82	2.218273	1757
5.83	2.220030	1755
5.84	2.221785	1754
5.85	2.223539	1753
5.86	2.225292	1751
5.87	2.227044	1750
5.88	2.228793	1749
5.89	2.230542	1747
5.90	2.232289	1746
5.91	2.234035	1744
5.92	2.235779	1743
5.93	2.237522	1742
5.94	2.239264	1740
5.95	2.241004	1739
5.96	2.242743	1738
5.97	2.244481	1736
5.98	2.246217	1735
5.99	2.247952	1733

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
6.00	2.249685	3463
6.02	2.253148	3457
6.04	2.256605	3452
6.06	2.260057	3447
6.08	2.263504	3441
6.10	2.266945	3436
6.12	2.270381	3431
6.14	2.273812	3426
6.16	2.277237	3420
6.18	2.280658	3415
6.20	2.284073	3410
6.22	2.287483	3405
6.24	2.290888	3400
6.26	2.294287	3395
6.28	2.297682	3389
6.30	2.301071	3384
6.32	2.304456	3379
6.34	2.307835	3374
6.36	2.311209	3369
6.38	2.314579	3364
6.40	2.317943	3359
6.42	2.321303	3355
6.44	2.324657	3350
6.46	2.328007	3345
6.48	2.331352	3340
6.50	2.334691	3335
6.52	2.338026	3330
6.54	2.341357	3325
6.56	2.344682	3321
6.58	2.348003	3316
6.60	2.351319	3311
6.62	2.354630	3306
6.64	2.357937	3302
6.66	2.361238	3297
6.68	2.364535	3292
6.70	2.367828	3288
6.72	2.371116	3283
6.74	2.374399	3279
6.76	2.377678	3274
6.78	2.380952	3270
6.80	2.384221	3265
6.82	2.387486	3260
6.84	2.390747	3256
6.86	2.394003	3252
6.88	2.397254	3247
6.90	2.400501	3243
6.92	2.403744	3238
6.94	2.406982	3234
6.96	2.410216	3229
6.98	2.413445	3225

dP/P	M	ΔM
7.00	2.416670	3221
7.02	2.419891	3216
7.04	2.423107	3212
7.06	2.426319	3208
7.08	2.429527	3203
7.10	2.432731	3199
7.12	2.435930	3195
7.14	2.439125	3191
7.16	2.442316	3187
7.18	2.445502	3182
7.20	2.448685	3178
7.22	2.451863	3174
7.24	2.455037	3170
7.26	2.458207	3166
7.28	2.461372	3162
7.30	2.464534	3158
7.32	2.467691	3153
7.34	2.470845	3149
7.36	2.473994	3145
7.38	2.477140	3141
7.40	2.480281	3137
7.42	2.483418	3133
7.44	2.486552	3129
7.46	2.489681	3125
7.48	2.492806	3121
7.50	2.495928	3117
7.52	2.499045	3114
7.54	2.502159	3110
7.56	2.505268	3106
7.58	2.508374	3102
7.60	2.511476	3098
7.62	2.514574	3094
7.64	2.517668	3090
7.66	2.520758	3086
7.68	2.523845	3083
7.70	2.526927	3079
7.72	2.530006	3075
7.74	2.533081	3071
7.76	2.536153	3068
7.78	2.539220	3064
7.80	2.542284	3060
7.82	2.545344	3056
7.84	2.548401	3053
7.86	2.551453	3049
7.88	2.554502	3045
7.90	2.557548	3042
7.92	2.560589	3038
7.94	2.563627	3034
7.96	2.566662	3031
7.98	2.569693	3027

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
8.00	2.572720	3024
8.02	2.575744	3020
8.04	2.578764	3016
8.06	2.581780	3013
8.08	2.584793	3009
8.10	2.587802	3006
8.12	2.590808	3002
8.14	2.593811	2999
8.16	2.596810	2995
8.18	2.599805	2992
8.20	2.602797	2988
8.22	2.605785	2985
8.24	2.608770	2982
8.26	2.611752	2978
8.28	2.614730	2975
8.30	2.617705	2971
8.32	2.620676	2968
8.34	2.623644	2965
8.36	2.626608	2961
8.38	2.629569	2958
8.40	2.632527	2954
8.42	2.635482	2951
8.44	2.638433	2948
8.46	2.641380	2944
8.48	2.644325	2941
8.50	2.647266	2938
8.52	2.650204	2935
8.54	2.653139	2931
8.56	2.656070	2928
8.58	2.658998	2925
8.60	2.661923	2922
8.62	2.664844	2918
8.64	2.667763	2915
8.66	2.670678	2912
8.68	2.673590	2909
8.70	2.676499	2906
8.72	2.679404	2902
8.74	2.682307	2899
8.76	2.685206	2896
8.78	2.688102	2893
8.80	2.690995	2890
8.82	2.693885	2887
8.84	2.696771	2884
8.86	2.699655	2880
8.88	2.702535	2877
8.90	2.705413	2874
8.92	2.708287	2871
8.94	2.711158	2868
8.96	2.714027	2865
8.98	2.716892	2862

dP/P	M	ΔM
9.00	2.719754	2859
9.02	2.722613	2856
9.04	2.725469	2853
9.06	2.728322	2850
9.08	2.731172	2847
9.10	2.734019	2844
9.12	2.736863	2841
9.14	2.739704	2838
9.16	2.742542	2835
9.18	2.745378	2832
9.20	2.748210	2829
9.22	2.751039	2826
9.24	2.753866	2823
9.26	2.756689	2821
9.28	2.759510	2818
9.30	2.762327	2815
9.32	2.765142	2812
9.34	2.767954	2809
9.36	2.770763	2806
9.38	2.773569	2803
9.40	2.776372	2800
9.42	2.779173	2798
9.44	2.781970	2795
9.46	2.784765	2792
9.48	2.787557	2789
9.50	2.790346	2786
9.52	2.793132	2784
9.54	2.795916	2781
9.56	2.798697	2778
9.58	2.801475	2775
9.60	2.804250	2772
9.62	2.807022	2770
9.64	2.809792	2767
9.66	2.812559	2764
9.68	2.815323	2761
9.70	2.818085	2759
9.72	2.820843	2756
9.74	2.823600	2753
9.76	2.826353	2751
9.78	2.829104	2748
9.80	2.831851	2745
9.82	2.834597	2743
9.84	2.837339	2740
9.86	2.840079	2737
9.88	2.842817	2735
9.90	2.845551	2732
9.92	2.848283	2729
9.94	2.851013	2727
9.96	2.853739	2724
9.98	2.856464	2722

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
10.00	2.859185	2719
10.02	2.861904	2716
10.04	2.864620	2714
10.06	2.867334	2711
10.08	2.870045	2709
10.10	2.872754	2706
10.12	2.875460	2703
10.14	2.878163	2701
10.16	2.880864	2698
10.18	2.883562	2696
10.20	2.886258	2693
10.22	2.888952	2691
10.24	2.891642	2688
10.26	2.894331	2686
10.28	2.897016	2683
10.30	2.899700	2681
10.32	2.902380	2678
10.34	2.905059	2676
10.36	2.907734	2673
10.38	2.910408	2671
10.40	2.913078	2668
10.42	2.915747	2666
10.44	2.918413	2663
10.46	2.921076	2661
10.48	2.923737	2659
10.50	2.926396	2656
10.52	2.929052	2654
10.54	2.931706	2651
10.56	2.934357	2649
10.58	2.937006	2647
10.60	2.939653	2644
10.62	2.942297	2642
10.64	2.944939	2639
10.66	2.947578	2637
10.68	2.950215	2635
10.70	2.952850	2632
10.72	2.955482	2630
10.74	2.958112	2628
10.76	2.960739	2625
10.78	2.963365	2623
10.80	2.965988	2621
10.82	2.968608	2618
10.84	2.971226	2616
10.86	2.973842	2614
10.88	2.976456	2611
10.90	2.979067	2609
10.92	2.981676	2607
10.94	2.984283	2604
10.96	2.986888	2602
10.98	2.989490	2600

dP/P	M	ΔM
11.00	2.992090	2598
11.02	2.994687	2595
11.04	2.997283	2593
11.06	2.999876	2591
11.08	3.002467	2589
11.10	3.005055	2586
11.12	3.007642	2584
11.14	3.010226	2582
11.16	3.012808	2580
11.18	3.015387	2577
11.20	3.017965	2575
11.22	3.020540	2573
11.24	3.023113	2571
11.26	3.025684	2569
11.28	3.028253	2566
11.30	3.030819	2564
11.32	3.033383	2562
11.34	3.035946	2560
11.36	3.038506	2558
11.38	3.041063	2556
11.40	3.043619	2553
11.42	3.046173	2551
11.44	3.048724	2549
11.46	3.051273	2547
11.48	3.053820	2545
11.50	3.056365	2543
11.52	3.058908	2541
11.54	3.061449	2539
11.56	3.063987	2536
11.58	3.066524	2534
11.60	3.069058	2532
11.62	3.071590	2530
11.64	3.074120	2528
11.66	3.076648	2526
11.68	3.079174	2524
11.70	3.081698	2522
11.72	3.084220	2520
11.74	3.086740	2518
11.76	3.089257	2516
11.78	3.091773	2514
11.80	3.094287	2512
11.82	3.096798	2509
11.84	3.099308	2507
11.86	3.101815	2505
11.88	3.104321	2503
11.90	3.106824	2501
11.92	3.109325	2499
11.94	3.111825	2497
11.96	3.114322	2495
11.98	3.116817	2493

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
12.00	3.119311	2491
12.02	3.121802	2489
12.04	3.124291	2487
12.06	3.126779	2485
12.08	3.129264	2483
12.10	3.131747	2481
12.12	3.134229	2479
12.14	3.136708	2477
12.16	3.139186	2475
12.18	3.141661	2474
12.20	3.144135	2472
12.22	3.146606	2470
12.24	3.149076	2468
12.26	3.151543	2466
12.28	3.154009	2464
12.30	3.156473	2462
12.32	3.158935	2460
12.34	3.161395	2458
12.36	3.163853	2456
12.38	3.166309	2454
12.40	3.168763	2452
12.42	3.171216	2450
12.44	3.173666	2449
12.46	3.176115	2447
12.48	3.178561	2445
12.50	3.181006	2443
12.52	3.183449	2441
12.54	3.185890	2439
12.56	3.188329	2437
12.58	3.190766	2435
12.60	3.193201	2433
12.62	3.195635	2432
12.64	3.198066	2430
12.66	3.200496	2428
12.68	3.202924	2426
12.70	3.205350	2424
12.72	3.207774	2422
12.74	3.210197	2421
12.76	3.212617	2419
12.78	3.215036	2417
12.80	3.217453	2415
12.82	3.219868	2413
12.84	3.222282	2411
12.86	3.224693	2410
12.88	3.227103	2408
12.90	3.229510	2406
12.92	3.231917	2404
12.94	3.234321	2402
12.96	3.236723	2401
12.98	3.239124	2399

dP/P	M	ΔM
13.00	3.241523	2397
13.02	3.243920	2395
13.04	3.246315	2394
13.06	3.248709	2392
13.08	3.251101	2390
13.10	3.253491	2388
13.12	3.255879	2387
13.14	3.258265	2385
13.16	3.260650	2383
13.18	3.263033	2381
13.20	3.265415	2380
13.22	3.267794	2378
13.24	3.270172	2376
13.26	3.272548	2374
13.28	3.274922	2373
13.30	3.277295	2371
13.32	3.279666	2369
13.34	3.282035	2367
13.36	3.284402	2366
13.38	3.286768	2364
13.40	3.289132	2362
13.42	3.291494	2361
13.44	3.293855	2359
13.46	3.296214	2357
13.48	3.298571	2356
13.50	3.300927	2354
13.52	3.303281	2352
13.54	3.305633	2351
13.56	3.307983	2349
13.58	3.310332	2347
13.60	3.312679	2345
13.62	3.315025	2344
13.64	3.317369	2342
13.66	3.319711	2341
13.68	3.322051	2339
13.70	3.324390	2337
13.72	3.326727	2336
13.74	3.329063	2334
13.76	3.331397	2332
13.78	3.333729	2331
13.80	3.336060	2329
13.82	3.338389	2327
13.84	3.340716	2326
13.86	3.343042	2324
13.88	3.345366	2323
13.90	3.347689	2321
13.92	3.350010	2319
13.94	3.352329	2318
13.96	3.354647	2316
13.98	3.356963	2314

Source: https://assist.dla.mil -- Downloaded: 20260-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
14.00	3.359277	2313
14.02	3.361590	2311
14.04	3.363901	2310
14.06	3.366211	2308
14.08	3.368519	2307
14.10	3.370826	2305
14.12	3.373131	2303
14.14	3.375434	2302
14.16	3.377736	2300
14.18	3.380036	2299
14.20	3.382335	2297
14.22	3.384632	2296
14.24	3.386927	2294
14.26	3.389221	2292
14.28	3.391514	2291
14.30	3.393804	2289
14.32	3.396094	2288
14.34	3.398381	2286
14.36	3.400668	2285
14.38	3.402952	2283
14.40	3.405235	2282
14.42	3.407517	2280
14.44	3.409797	2279
14.46	3.412076	2277
14.48	3.414353	2275
14.50	3.416628	2274
14.52	3.418902	2272
14.54	3.421175	2271
14.56	3.423446	2269
14.58	3.425715	2268
14.60	3.427983	2266
14.62	3.430249	2265
14.64	3.432514	2263
14.66	3.434778	2262
14.68	3.437040	2260
14.70	3.439300	2259
14.72	3.441559	2257
14.74	3.443816	2256
14.76	3.446072	2255
14.78	3.448327	2253
14.80	3.450580	2252
14.82	3.452832	2250
14.84	3.455082	2249
14.86	3.457330	2247
14.88	3.459577	2246
14.90	3.461823	2244
14.92	3.464067	2243
14.94	3.466310	2241
14.96	3.468551	2240
14.98	3.470791	2238

dP/P	M	ΔM
15.00	3.473030	2237
15.02	3.475267	2236
15.04	3.477502	2234
15.06	3.479736	2233
15.08	3.481969	2231
15.10	3.484200	2230
15.12	3.486430	2228
15.14	3.488658	2227
15.16	3.490885	2226
15.18	3.493111	2224
15.20	3.495335	2223
15.22	3.497557	2221
15.24	3.499779	2220
15.26	3.501999	2218
15.28	3.504217	2217
15.30	3.506434	2216
15.32	3.508650	2214
15.34	3.510864	2213
15.36	3.513077	2211
15.38	3.515288	2210
15.40	3.517498	2209
15.42	3.519707	2207
15.44	3.521914	2206
15.46	3.524120	2204
15.48	3.526324	2203
15.50	3.528527	2202
15.52	3.530729	2200
15.54	3.532930	2199
15.56	3.535129	2198
15.58	3.537326	2196
15.60	3.539522	2195
15.62	3.541717	2194
15.64	3.543911	2192
15.66	3.546103	2191
15.68	3.548294	2189
15.70	3.550483	2188
15.72	3.552671	2187
15.74	3.554858	2185
15.76	3.557043	2184
15.78	3.559227	2183
15.80	3.561410	2181
15.82	3.563591	2180
15.84	3.565771	2179
15.86	3.567950	2177
15.88	3.570127	2176
15.90	3.572303	2175
15.92	3.574478	2173
15.94	3.576652	2172
15.96	3.578824	2171
15.98	3.580994	2169

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
16.00	3.583164	2168
16.02	3.585332	2167
16.04	3.587499	2165
16.06	3.589664	2164
16.08	3.591828	2163
16.10	3.593991	2162
16.12	3.596153	2160
16.14	3.598313	2159
16.16	3.600472	2158
16.18	3.602629	2156
16.20	3.604786	2155
16.22	3.606941	2154
16.24	3.609095	2152
16.26	3.611247	2151
16.28	3.613398	2150
16.30	3.615548	2149
16.32	3.617697	2147
16.34	3.619844	2146
16.36	3.621990	2145
16.38	3.624135	2144
16.40	3.626279	2142
16.42	3.628421	2141
16.44	3.630562	2140
16.46	3.632702	2138
16.48	3.634840	2137
16.50	3.636977	2136
16.52	3.639113	2135
16.54	3.641248	2133
16.56	3.643382	2132
16.58	3.645514	2131
16.60	3.647645	2130
16.62	3.649774	2128
16.64	3.651903	2127
16.66	3.654030	2126
16.68	3.656156	2125
16.70	3.658281	2124
16.72	3.660404	2122
16.74	3.662527	2121
16.76	3.664648	2120
16.78	3.666767	2119
16.80	3.668886	2117
16.82	3.671003	2116
16.84	3.673120	2115
16.86	3.675234	2114
16.88	3.677348	2112
16.90	3.679461	2111
16.92	3.681572	2110
16.94	3.683682	2109
16.96	3.685791	2108
16.98	3.687898	2106

dP/P	M	ΔM
17.00	3.690005	2105
17.02	3.692110	2104
17.04	3.694214	2103
17.06	3.696317	2102
17.08	3.698419	2100
17.10	3.700519	2099
17.12	3.702618	2098
17.14	3.704716	2097
17.16	3.706813	2096
17.18	3.708909	2094
17.20	3.711003	2093
17.22	3.713096	2092
17.24	3.715189	2091
17.26	3.717280	2090
17.28	3.719369	2089
17.30	3.721458	2087
17.32	3.723545	2086
17.34	3.725631	2085
17.36	3.727717	2084
17.38	3.729800	2083
17.40	3.731883	2082
17.42	3.733965	2080
17.44	3.736045	2079
17.46	3.738124	2078
17.48	3.740202	2077
17.50	3.742279	2076
17.52	3.744355	2075
17.54	3.746430	2073
17.56	3.748503	2072
17.58	3.750576	2071
17.60	3.752647	2070
17.62	3.754717	2069
17.64	3.756786	2068
17.66	3.758853	2067
17.68	3.760920	2065
17.70	3.762986	2064
17.72	3.765050	2063
17.74	3.767113	2062
17.76	3.769175	2061
17.78	3.771236	2060
17.80	3.773296	2059
17.82	3.775355	2058
17.84	3.777412	2056
17.86	3.779469	2055
17.88	3.781524	2054
17.90	3.783578	2053
17.92	3.785631	2052
17.94	3.787683	2051
17.96	3.789734	2050
17.98	3.791784	2049

Source: https://assist.dla.mil -- Downloaded: 20260-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
18.00	3.793832	2048
18.02	3.795880	2046
18.04	3.797926	2045
18.06	3.799972	2044
18.08	3.802016	2043
18.10	3.804059	2042
18.12	3.806101	2041
18.14	3.808142	2040
18.16	3.810182	2039
18.18	3.812220	2038
18.20	3.814258	2037
18.22	3.816295	2035
18.24	3.818330	2034
18.26	3.820365	2033
18.28	3.822398	2032
18.30	3.824430	2031
18.32	3.826461	2030
18.34	3.828491	2029
18.36	3.830520	2028
18.38	3.832548	2027
18.40	3.834575	2026
18.42	3.836601	2025
18.44	3.838625	2024
18.46	3.840649	2023
18.48	3.842671	2021
18.50	3.844693	2020
18.52	3.846713	2019
18.54	3.848733	2018
18.56	3.850751	2017
18.58	3.852768	2016
18.60	3.854784	2015
18.62	3.856799	2014
18.64	3.858814	2013
18.66	3.860827	2012
18.68	3.862839	2011
18.70	3.864849	2010
18.72	3.866859	2009
18.74	3.868868	2008
18.76	3.870876	2007
18.78	3.872883	2006
18.80	3.874888	2005
18.82	3.876893	2004
18.84	3.878897	2003
18.86	3.880899	2002
18.88	3.882901	2001
18.90	3.884901	1999
18.92	3.886901	1998
18.94	3.888899	1997
18.96	3.890897	1996
18.98	3.892893	1995

dP/P	M	ΔM
19.00	3.894888	1994
19.02	3.896883	1993
19.04	3.898876	1992
19.06	3.900868	1991
19.08	3.902860	1990
19.10	3.904850	1989
19.12	3.906839	1988
19.14	3.908827	1987
19.16	3.910814	1986
19.18	3.912801	1985
19.20	3.914786	1984
19.22	3.916770	1983
19.24	3.918753	1982
19.26	3.920735	1981
19.28	3.922717	1980
19.30	3.924697	1979
19.32	3.926676	1978
19.34	3.928654	1977
19.36	3.930631	1976
19.38	3.932608	1975
19.40	3.934583	1974
19.42	3.936557	1973
19.44	3.938530	1972
19.46	3.940502	1971
19.48	3.942474	1970
19.50	3.944444	1969
19.52	3.946413	1968
19.54	3.948381	1967
19.56	3.950349	1966
19.58	3.952315	1965
19.60	3.954280	1964
19.62	3.956245	1963
19.64	3.958208	1962
19.66	3.960170	1961
19.68	3.962132	1960
19.70	3.964092	1959
19.72	3.966052	1959
19.74	3.968010	1958
19.76	3.969968	1957
19.78	3.971925	1956
19.80	3.973880	1955
19.82	3.975835	1954
19.84	3.977789	1953
19.86	3.979741	1952
19.88	3.981693	1951
19.90	3.983644	1950
19.92	3.985594	1949
19.94	3.987543	1948
19.96	3.989491	1947
19.98	3.991438	1946

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
20.00	3.993384	1945
20.02	3.995329	1944
20.04	3.997273	1943
20.06	3.999216	1942
20.08	4.001158	1941
20.10	4.003100	1940
20.12	4.005040	1939
20.14	4.006979	1938
20.16	4.008918	1938
20.18	4.010856	1937
20.20	4.012792	1936
20.22	4.014728	1935
20.24	4.016663	1934
20.26	4.018596	1933
20.28	4.020529	1932
20.30	4.022461	1931
20.32	4.024392	1930
20.34	4.026322	1929
20.36	4.028252	1928
20.38	4.030180	1927
20.40	4.032107	1926
20.42	4.034034	1925
20.44	4.035959	1925
20.46	4.037884	1924
20.48	4.039807	1923
20.50	4.041730	1922
20.52	4.043652	1921
20.54	4.045573	1920
20.56	4.047493	1919
20.58	4.049412	1918
20.60	4.051330	1917
20.62	4.053247	1916
20.64	4.055164	1915
20.66	4.057079	1915
20.68	4.058994	1914
20.70	4.060907	1913
20.72	4.062820	1912
20.74	4.064732	1911
20.76	4.066643	1910
20.78	4.068553	1909
20.80	4.070462	1908
20.82	4.072370	1907
20.84	4.074277	1906
20.86	4.076184	1906
20.88	4.078089	1905
20.90	4.079994	1904
20.92	4.081898	1903
20.94	4.083801	1902
20.96	4.085703	1901
20.98	4.087604	1900

dP/P	M	ΔM
21.00	4.089504	1899
21.02	4.091403	1898
21.04	4.093302	1898
21.06	4.095199	1897
21.08	4.097096	1896
21.10	4.098992	1895
21.12	4.100887	1894
21.14	4.102781	1893
21.16	4.104674	1892
21.18	4.106566	1891
21.20	4.108458	1891
21.22	4.110348	1890
21.24	4.112238	1889
21.26	4.114127	1888
21.28	4.116015	1887
21.30	4.117902	1886
21.32	4.119788	1885
21.34	4.121674	1885
21.36	4.123558	1884
21.38	4.125442	1883
21.40	4.127325	1882
21.42	4.129207	1881
21.44	4.131088	1880
21.46	4.132968	1879
21.48	4.134847	1878
21.50	4.136726	1878
21.52	4.138603	1877
21.54	4.140480	1876
21.56	4.142356	1875
21.58	4.144231	1874
21.60	4.146105	1873
21.62	4.147979	1873
21.64	4.149851	1872
21.66	4.151723	1871
21.68	4.153594	1870
21.70	4.155464	1869
21.72	4.157333	1868
21.74	4.159201	1867
21.76	4.161069	1867
21.78	4.162936	1866
21.80	4.164801	1865
21.82	4.166666	1864
21.84	4.168530	1863
21.86	4.170394	1862
21.88	4.172256	1862
21.90	4.174118	1861
21.92	4.175979	1860
21.94	4.177839	1859
21.96	4.179698	1858
21.98	4.181556	1857

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
22.00	4.183414	3713
22.04	4.187126	3709
22.08	4.190835	3706
22.12	4.194541	3703
22.16	4.198244	3699
22.20	4.201943	3696
22.24	4.205640	3693
22.28	4.209332	3690
22.32	4.213022	3686
22.36	4.216709	3683
22.40	4.220392	3680
22.44	4.224072	3677
22.48	4.227748	3674
22.52	4.231422	3670
22.56	4.235092	3667
22.60	4.238760	3664
22.64	4.242424	3661
22.68	4.246085	3658
22.72	4.249742	3655
22.76	4.253397	3651
22.80	4.257048	3648
22.84	4.260697	3645
22.88	4.264342	3642
22.92	4.267984	3639
22.96	4.271623	3636
23.00	4.275258	3633
23.04	4.278891	3630
23.08	4.282521	3627
23.12	4.286147	3624
23.16	4.289771	3620
23.20	4.293391	3617
23.24	4.297009	3614
23.28	4.300623	3611
23.32	4.304234	3608
23.36	4.307843	3605
23.40	4.311448	3602
23.44	4.315050	3599
23.48	4.318650	3596
23.52	4.322246	3593
23.56	4.325839	3590
23.60	4.329429	3587
23.64	4.333017	3584
23.68	4.336601	3581
23.72	4.340182	3578
23.76	4.343761	3575
23.80	4.347336	3572
23.84	4.350908	3570
23.88	4.354478	3567
23.92	4.358045	3564
23.96	4.361608	3561

dP/P	M	ΔM
24.00	4.365169	3558
24.04	4.368727	3555
24.08	4.372282	3552
24.12	4.375834	3549
24.16	4.379383	3546
24.20	4.382930	3543
24.24	4.386473	3541
24.28	4.390014	3538
24.32	4.393552	3535
24.36	4.397087	3532
24.40	4.400619	3529
24.44	4.404148	3526
24.48	4.407674	3524
24.52	4.411198	3521
24.56	4.414719	3518
24.60	4.418237	3515
24.64	4.421752	3512
24.68	4.425264	3510
24.72	4.428774	3507
24.76	4.432281	3504
24.80	4.435785	3501
24.84	4.439286	3498
24.88	4.442784	3496
24.92	4.446280	3493
24.96	4.449773	3490
25.00	4.453263	3488
25.04	4.456751	3485
25.08	4.460236	3482
25.12	4.463718	3479
25.16	4.467197	3477
25.20	4.470674	3474
25.24	4.474147	3471
25.28	4.477619	3469
25.32	4.481087	3466
25.36	4.484553	3463
25.40	4.488016	3460
25.44	4.491477	3458
25.48	4.494935	3455
25.52	4.498390	3453
25.56	4.501842	3450
25.60	4.505292	3447
25.64	4.508739	3445
25.68	4.512184	3442
25.72	4.515626	3439
25.76	4.519065	3437
25.80	4.522502	3434
25.84	4.525936	3432
25.88	4.529368	3429
25.92	4.532796	3426
25.96	4.536223	3424

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
26.00	4.539646	3421
26.04	4.543068	3419
26.08	4.546486	3416
26.12	4.549902	3413
26.16	4.553316	3411
26.20	4.556726	3408
26.24	4.560135	3406
26.28	4.563541	3403
26.32	4.566944	3401
26.36	4.570344	3398
26.40	4.573743	3396
26.44	4.577138	3393
26.48	4.580531	3391
26.52	4.583922	3388
26.56	4.587310	3386
26.60	4.590696	3383
26.64	4.594079	3381
26.68	4.597459	3378
26.72	4.600837	3376
26.76	4.604213	3373
26.80	4.607586	3371
26.84	4.610957	3368
26.88	4.614325	3366
26.92	4.617691	3363
26.96	4.621054	3361
27.00	4.624415	3358
27.04	4.627773	3356
27.08	4.631129	3354
27.12	4.634483	3351
27.16	4.637834	3349
27.20	4.641183	3346
27.24	4.644529	3344
27.28	4.647873	3341
27.32	4.651214	3339
27.36	4.654553	3337
27.40	4.657890	3334
27.44	4.661224	3332
27.48	4.664556	3330
27.52	4.667886	3327
27.56	4.671213	3325
27.60	4.674538	3322
27.64	4.677860	3320
27.68	4.681180	3318
27.72	4.684498	3315
27.76	4.687813	3313
27.80	4.691126	3311
27.84	4.694437	3308
27.88	4.697745	3306
27.92	4.701051	3304
27.96	4.704355	3301

dP/P	M	ΔM
28.00	4.707656	3299
28.04	4.710955	3297
28.08	4.714252	3294
28.12	4.717546	3292
28.16	4.720838	3290
28.20	4.724128	3288
28.24	4.727416	3285
28.28	4.730701	3283
28.32	4.733984	3281
28.36	4.737265	3278
28.40	4.740543	3276
28.44	4.743819	3274
28.48	4.747093	3272
28.52	4.750365	3269
28.56	4.753634	3267
28.60	4.756901	3265
28.64	4.760166	3263
28.68	4.763429	3260
28.72	4.766689	3258
28.76	4.769947	3256
28.80	4.773203	3254
28.84	4.776457	3252
28.88	4.779709	3249
28.92	4.782958	3247
28.96	4.786205	3245
29.00	4.789450	3243
29.04	4.792692	3240
29.08	4.795933	3238
29.12	4.799171	3236
29.16	4.802407	3234
29.20	4.805641	3232
29.24	4.808873	3230
29.28	4.812103	3227
29.32	4.815330	3225
29.36	4.818555	3223
29.40	4.821778	3221
29.44	4.824999	3219
29.48	4.828218	3217
29.52	4.831435	3215
29.56	4.834649	3212
29.60	4.837862	3210
29.64	4.841072	3208
29.68	4.844280	3206
29.72	4.847486	3204
29.76	4.850690	3202
29.80	4.853892	3200
29.84	4.857091	3198
29.88	4.860289	3195
29.92	4.863484	3193
29.96	4.866678	3191

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
30.00	4.869869	3189
30.04	4.873058	3187
30.08	4.876245	3185
30.12	4.879430	3183
30.16	4.882613	3181
30.20	4.885794	3179
30.24	4.888972	3177
30.28	4.892149	3175
30.32	4.895324	3173
30.36	4.898496	3171
30.40	4.901667	3168
30.44	4.904835	3166
30.48	4.908002	3164
30.52	4.911166	3162
30.56	4.914328	3160
30.60	4.917489	3158
30.64	4.920647	3156
30.68	4.923803	3154
30.72	4.926957	3152
30.76	4.930109	3150
30.80	4.933260	3148
30.84	4.936408	3146
30.88	4.939554	3144
30.92	4.942698	3142
30.96	4.945840	3140
31.00	4.948980	3138
31.04	4.952119	3136
31.08	4.955255	3134
31.12	4.958389	3132
31.16	4.961521	3130
31.20	4.964651	3128
31.24	4.967780	3126
31.28	4.970906	3124
31.32	4.974030	3122
31.36	4.977153	3120
31.40	4.980273	3118
31.44	4.983391	3116
31.48	4.986508	3115
31.52	4.989622	3113
31.56	4.992735	3111
31.60	4.995846	3109
31.64	4.998954	3107
31.68	5.002061	3105
31.72	5.005166	3103
31.76	5.008269	3101
31.80	5.011370	3099
31.84	5.014469	3097
31.88	5.017566	3095
31.92	5.020662	3093
31.96	5.023755	3091

dP/P	M	ΔM
32.00	5.026846	3090
32.04	5.029936	3088
32.08	5.033024	3086
32.12	5.036109	3084
32.16	5.039193	3082
32.20	5.042275	3080
32.24	5.045355	3078
32.28	5.048434	3076
32.32	5.051510	3074
32.36	5.054584	3073
32.40	5.057657	3071
32.44	5.060728	3069
32.48	5.063797	3067
32.52	5.066864	3065
32.56	5.069929	3063
32.60	5.072992	3061
32.64	5.076053	3060
32.68	5.079113	3058
32.72	5.082171	3056
32.76	5.085227	3054
32.80	5.088281	3052
32.84	5.091333	3050
32.88	5.094383	3049
32.92	5.097432	3047
32.96	5.100479	3045
33.00	5.103524	3043
33.04	5.106567	3041
33.08	5.109608	3040
33.12	5.112648	3038
33.16	5.115685	3036
33.20	5.118721	3034
33.24	5.121755	3032
33.28	5.124788	3031
33.32	5.127818	3029
33.36	5.130847	3027
33.40	5.133874	3025
33.44	5.136899	3023
33.48	5.139922	3022
33.52	5.142944	3020
33.56	5.145964	3018
33.60	5.148982	3016
33.64	5.151998	3015
33.68	5.155013	3013
33.72	5.158025	3011
33.76	5.161036	3009
33.80	5.164046	3007
33.84	5.167053	3006
33.88	5.170059	3004
33.92	5.173063	3002
33.96	5.176065	3000

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
34.00	5.179066	2999
34.04	5.182064	2997
34.08	5.185061	2995
34.12	5.188057	2994
34.16	5.191050	2992
34.20	5.194042	2990
34.24	5.197032	2988
34.28	5.200020	2987
34.32	5.203007	2985
34.36	5.205992	2983
34.40	5.208975	2982
34.44	5.211957	2980
34.48	5.214937	2978
34.52	5.217915	2976
34.56	5.220891	2975
34.60	5.223866	2973
34.64	5.226839	2971
34.68	5.229810	2970
34.72	5.232780	2968
34.76	5.235748	2966
34.80	5.238714	2965
34.84	5.241679	2963
34.88	5.244642	2961
34.92	5.247603	2960
34.96	5.250563	2958
35.00	5.253521	2956
35.04	5.256477	2955
35.08	5.259431	2953
35.12	5.262384	2951
35.16	5.265336	2950
35.20	5.268285	2948
35.24	5.271233	2946
35.28	5.274180	2945
35.32	5.277124	2943
35.36	5.280067	2941
35.40	5.283009	2940
35.44	5.285948	2938
35.48	5.288886	2936
35.52	5.291823	2935
35.56	5.294758	2933
35.60	5.297691	2932
35.64	5.300623	2930
35.68	5.303553	2928
35.72	5.306481	2927
35.76	5.309408	2925
35.80	5.312333	2924
35.84	5.315256	2922
35.88	5.318178	2920
35.92	5.321099	2919
35.96	5.324017	2917

dP/P	M	ΔM
36.00	5.326935	2916
36.04	5.329850	2914
36.08	5.332764	2912
36.12	5.335676	2911
36.16	5.338587	2909
36.20	5.341496	2908
36.24	5.344404	2906
36.28	5.347310	2904
36.32	5.350214	2903
36.36	5.353117	2901
36.40	5.356018	2900
36.44	5.358918	2898
36.48	5.361816	2897
36.52	5.364713	2895
36.56	5.367608	2893
36.60	5.370501	2892
36.64	5.373393	2890
36.68	5.376283	2889
36.72	5.379172	2887
36.76	5.382059	2886
36.80	5.384945	2884
36.84	5.387829	2883
36.88	5.390711	2881
36.92	5.393593	2879
36.96	5.396472	2878
37.00	5.399350	2876
37.04	5.402226	2875
37.08	5.405101	2873
37.12	5.407975	2872
37.16	5.410848	2870
37.20	5.413717	2869
37.24	5.416586	2867
37.28	5.419453	2866
37.32	5.422319	2864
37.36	5.425183	2863
37.40	5.428045	2861
37.44	5.430907	2860
37.48	5.433766	2858
37.52	5.436625	2857
37.56	5.439481	2855
37.60	5.442337	2854
37.64	5.445190	2852
37.68	5.448042	2851
37.72	5.450893	2849
37.76	5.453742	2848
37.80	5.456590	2846
37.84	5.459436	2845
37.88	5.462281	2843
37.92	5.465124	2842
37.96	5.467966	2840

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
38.00	5.470807	2839
38.04	5.473645	2837
38.08	5.476483	2836
38.12	5.479319	2834
38.16	5.482153	2833
38.20	5.484986	2832
38.24	5.487818	2830
38.28	5.490648	2829
38.32	5.493476	2827
38.36	5.496303	2826
38.40	5.499129	2824
38.44	5.501953	2823
38.48	5.504776	2821
38.52	5.507597	2820
38.56	5.510417	2818
38.60	5.513236	2817
38.64	5.516053	2816
38.68	5.518868	2814
38.72	5.521682	2813
38.76	5.524495	2811
38.80	5.527306	2810
38.84	5.530116	2808
38.88	5.532925	2807
38.92	5.535732	2806
38.96	5.538537	2804
39.00	5.541341	2803
39.04	5.544144	2801
39.08	5.546945	2800
39.12	5.549745	2798
39.16	5.552544	2797
39.20	5.555341	2796
39.24	5.558136	2794
39.28	5.560931	2793
39.32	5.563724	2791
39.36	5.566515	2790
39.40	5.569305	2789
39.44	5.572094	2787
39.48	5.574881	2786
39.52	5.577667	2784
39.56	5.580451	2783
39.60	5.583234	2782
39.64	5.586016	2780
39.68	5.588796	2779
39.72	5.591575	2778
39.76	5.594353	2776
39.80	5.597129	2775
39.84	5.599904	2773
39.88	5.602677	2772
39.92	5.605449	2771
39.96	5.608220	2769

dP/P	M	ΔM
40.00	5.610989	2768
40.04	5.613757	2767
40.08	5.616524	2765
40.12	5.619289	2764
40.16	5.622053	2762
40.20	5.624815	2761
40.24	5.627576	2760
40.28	5.630336	2758
40.32	5.633095	2757
40.36	5.635852	2756
40.40	5.638607	2754
40.44	5.641362	2753
40.48	5.644115	2752
40.52	5.646866	2750
40.56	5.649617	2749
40.60	5.652366	2748
40.64	5.655114	2746
40.68	5.657860	2745
40.72	5.660605	2744
40.76	5.663349	2742
40.80	5.666091	2741
40.84	5.668832	2740
40.88	5.671572	2738
40.92	5.674310	2737
40.96	5.677047	2736
41.00	5.679783	2734
41.04	5.682517	2733
41.08	5.685250	2732
41.12	5.687982	2730
41.16	5.690713	2729
41.20	5.693442	2728
41.24	5.696170	2727
41.28	5.698896	2725
41.32	5.701621	2724
41.36	5.704345	2723
41.40	5.707068	2721
41.44	5.709789	2720
41.48	5.712509	2719
41.52	5.715228	2717
41.56	5.717946	2716
41.60	5.720662	2715
41.64	5.723377	2714
41.68	5.726090	2712
41.72	5.728802	2711
41.76	5.731513	2710
41.80	5.734223	2708
41.84	5.736932	2707
41.88	5.739639	2706
41.92	5.742345	2705
41.96	5.745049	2703

Source: https://assist.dla.mil -- Downloaded: 20260-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
42.00	5.747753	2702
42.04	5.750455	2701
42.08	5.753156	2700
42.12	5.755855	2698
42.16	5.758553	2697
42.20	5.761250	2696
42.24	5.763946	2694
42.28	5.766641	2693
42.32	5.769334	2692
42.36	5.772026	2691
42.40	5.774717	2689
42.44	5.777406	2688
42.48	5.780094	2687
42.52	5.782781	2686
42.56	5.785467	2684
42.60	5.788151	2683
42.64	5.790835	2682
42.68	5.793517	2681
42.72	5.796197	2680
42.76	5.798877	2678
42.80	5.801555	2677
42.84	5.804232	2676
42.88	5.806908	2675
42.92	5.809583	2673
42.96	5.812256	2672
43.00	5.814928	2671
43.04	5.817599	2670
43.08	5.820269	2668
43.12	5.822937	2667
43.16	5.825604	2666
43.20	5.828270	2665
43.24	5.830935	2664
43.28	5.833598	2662
43.32	5.836261	2661
43.36	5.838922	2660
43.40	5.841582	2659
43.44	5.844240	2657
43.48	5.846898	2656
43.52	5.849554	2655
43.56	5.852209	2654
43.60	5.854863	2653
43.64	5.857516	2651
43.68	5.860167	2650
43.72	5.862818	2649
43.76	5.865467	2648
43.80	5.868114	2647
43.84	5.870761	2645
43.88	5.873407	2644
43.92	5.876051	2643
43.96	5.878694	2642

dP/P	M	ΔM
44.00	5.881336	2641
44.04	5.883977	2640
44.08	5.886616	2638
44.12	5.889254	2637
44.16	5.891892	2636
44.20	5.894528	2635
44.24	5.897162	2634
44.28	5.899796	2632
44.32	5.902429	2631
44.36	5.905060	2630
44.40	5.907690	2629
44.44	5.910319	2628
44.48	5.912947	2627
44.52	5.915573	2625
44.56	5.918199	2624
44.60	5.920823	2623
44.64	5.923446	2622
44.68	5.926068	2621
44.72	5.928689	2620
44.76	5.931308	2618
44.80	5.933927	2617
44.84	5.936544	2616
44.88	5.939160	2615
44.92	5.941775	2614
44.96	5.944389	2613
45.00	5.947002	2612
45.04	5.949614	2610
45.08	5.952224	2609
45.12	5.954833	2608
45.16	5.957441	2607
45.20	5.960048	2606
45.24	5.962654	2605
45.28	5.965259	2604
45.32	5.967862	2602
45.36	5.970465	2601
45.40	5.973066	2600
45.44	5.975666	2599
45.48	5.978265	2598
45.52	5.980863	2597
45.56	5.983460	2596
45.60	5.986056	2595
45.64	5.988650	2593
45.68	5.991244	2592
45.72	5.993836	2591
45.76	5.996427	2590
45.80	5.999017	2589
45.84	6.001606	2588
45.88	6.004194	2587
45.92	6.006781	2586
45.96	6.009366	2584

Source: https://assist.dla.mil -- Downloaded: 20260-17T04:22Z
Check the source to verify that this is the current version before use.

dP/P	M	ΔM
46.00	6.011951	2583
46.04	6.014534	2582
46.08	6.017116	2581
46.12	6.019697	2580
46.16	6.022277	2579
46.20	6.024856	2578
46.24	6.027434	2577
46.28	6.030011	2576
46.32	6.032586	2575
46.36	6.035161	2573
46.40	6.037734	2572
46.44	6.040307	2571
46.48	6.042878	2570
46.52	6.045448	2569
46.56	6.048017	2568
46.60	6.050585	2567
46.64	6.053152	2566
46.68	6.055718	2565
46.72	6.058282	2564
46.76	6.060846	2563
46.80	6.063409	2561
46.84	6.065970	2560
46.88	6.068530	2559
46.92	6.071090	2558
46.96	6.073648	2557
47.00	6.076205	2556
47.04	6.078761	2555
47.08	6.081316	2554
47.12	6.083870	2553
47.16	6.086423	2552
47.20	6.083974	2551
47.24	6.091525	2550
47.28	6.094075	2549
47.32	6.096623	2547
47.36	6.099171	2546
47.40	6.101717	2545
47.44	6.104262	2544
47.48	6.106807	2543
47.52	6.109350	2542
47.56	6.111892	2541
47.60	6.114433	2540
47.64	6.116973	2539
47.68	6.119512	2538
47.72	6.122050	2537
47.76	6.124587	2536
47.80	6.127123	2535
47.84	6.129658	2534
47.88	6.132192	2533
47.92	6.134724	2532
47.96	6.137256	2531

dP/P	M	ΔM
48.00	6.139787	2530
48.04	6.142316	2529
48.08	6.144845	2527
48.12	6.147372	2526
48.16	6.149899	2525
48.20	6.152424	2524
48.24	6.154949	2523
48.28	6.157472	2522
48.32	6.159994	2521
48.36	6.162515	2520
48.40	6.165036	2519
48.44	6.167555	2518
48.48	6.170073	2517
48.52	6.172590	2516
48.56	6.175106	2515
48.60	6.177621	2514
48.64	6.180136	2513
48.68	6.182649	2512
48.72	6.185161	2511
48.76	6.187672	2510
48.80	6.190182	2509
48.84	6.192691	2508
48.88	6.195199	2507
48.92	6.197706	2506
48.96	6.200212	2505
49.00	6.202716	2504
49.04	6.205220	2503
49.08	6.207723	2502
49.12	6.210225	2501
49.16	6.212726	2500
49.20	6.215226	2499
49.24	6.217725	2498
49.28	6.220223	2497
49.32	6.222720	2496
49.36	6.225215	2495
49.40	6.227710	2494
49.44	6.230204	2493
49.48	6.232697	2492
49.52	6.235189	2491
49.56	6.237680	2490
49.60	6.240170	2489
49.64	6.242659	2488
49.68	6.245146	2487
49.72	6.247633	2486
49.76	6.250119	2485
49.80	6.252604	2484
49.84	6.255088	2483
49.88	6.257571	2482
49.92	6.260053	2481
49.96	6.262534	2480

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.

4. NOTES

4.1 Intended Use.- The computation tables covered by this specification are intended for use in computing Mach numbers from 1.00 to 6.26.

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodian:
Air Force

Other interest:
Navy - BuAer

Source: https://assist.dla.mil -- Downloaded: 20261O-17T04:22Z
Check the source to verify that this is the current version before use.