MIL-P-2497B(AR)
AMENDMENT 3
14 August 1981
SUPERSEDING
AMENDMENT 2
1 July 1965

MILITARY SPECIFICATION

PRIMER, PERCUSSION, M27
LOADING, ASSEMBLY AND PACKING

This amendment forms a part of Military Specification MIL-P-2497B (MU), dated 11 September, 1963.

PAGE 1

Add the following Preamble underneath the title: "This specification is approved by the US Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense."

2.1, Specifications:
Military: Delete "MIL-I-45208" in its entirety.

Standards, MIL-STD-105: After "attributes" add "(ABC-STD-105)".

PAGE 3

4.1, Delete in its entirety and substitute the following:
"4.1 General quality assurance provisions. -Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspectons set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements. Reference shall be made to Standard MIL-STD-109 in order to define terms used herein. The provisions of Specification MIL-A-2550 shall apply."

4.1.1: Delete in its entirety.

4.1.2: Delete in its entirety and substitute the following:
"4.1.1 Submission of product. - At the time the completed lot of product is submitted to the Government for acceptance the contractor shall supply the following information accompanied by correct and applicable to the product being submitted:

FSC 1390

Source: https://assist.dla.mil -- Downloaded: 202640-16T15:04Z
Check the source to verify that this is the currentversion before use.

a. A statement that the lot complies with all quality assurance provisions specified within this specification.

b. Number of units of product inspected.

c. Results obtained, by defect code, for all inspection performed.

d. Drawing, specification number and date, together with an identification and date of changes.

e. Statement of findings on the primer mixture and associated ingredients and a certificate of conformance on all material purchased by the contractor when such material is controlled by Government specifications referenced in any of the contractual documents.

f. Number of items in the lot.

g. Date submitted.

The certificate shall be signed by a responsible agent of the certifying organization. The initial certificate submitted shall be substantiated by evidence of the agent's authority to bind his principal. Substantiation of the agent's authority will not be required with subsequent certificates unless, during the course of the contract, this authority is vested in another agent of the certifying organization.

4.1.3: Delete in its entirety and substitute the following:
"4.1.2 Government verification. - Using the contractor's written quality assurance procedure, this detail specification, the applicable drawings and other contractual documents as a guide, the Government inspector shall verify at unscheduled intervals all quality assurance operations performed by the contractor. Verification will be performed to the extent necessary to assure compliance with the contractual requirements. Severity of Government inspection of individual characteristics will be directly related to the seriousness of the classification assigned. In no instance will a characteristic classified "critical" be accepted solely on the basis of the contractor's records."

4.2.1, line 4, After "lot interfix number": add "Lots shall be submitted for inspection in accordance with Standard MIL-STD-105 (or Standard MIL-STD-1235 when applicable)."

Source: https://assist.dla.mil -- Downloaded: 202610-16T15:04Z
Check the source to verify that this is the current version before use.

4.2.2, line 5: After "MIL-STD-1235 may be used," add "for defects other than critical." Line 8 and 9: Delete "0.25" and "0.40" and substitute "0.40" and "0.65" respectively.

4.2.2.1:
Major Category: Delete "AQL 0.40 percent" and substitute "AQL 0.65 percent."
Minor Category: Delete "AQL 0.40 percent" and substitute "AQL 0.65 percent."

4.2.2.2: Delete in its entirety and substitute the following:
"4.2.2.2 Assembly (see dwg. 8837810).

Categories	Defects	Method of Inspection	Code No.
Critical:			
1.	Crack or split	Visual	02001
Major:	AQL 1.00 percent		
101.	Total length	Gage	02002
102.	Depth to cup	Gage	02003
103.	Outside diameter, minimum	Gage	02004
104.	Thickness through flange	Gage	02005
105.	Diameter of flange	Gage	02006
106.	Anvil missing	Visual	02007
107.	Hole in body obstructed	Visual	02008
108.	Assembly damaged	Visual	02009
Minor:	AQL 0.65 percent		
201.	Evidence of poor workmanship except as defined in Critical 1 (see 3.4)	Visual	02010

4.2.3.1: Delete "Code No. 02009" and substitute "Code No. 02011".

PAGE 6

4.2.3.2: Delete in its entirety and substitute the following:
"4.2.3.2 Duds (see 3.3.2) - Major defect - Code No. 02012. - A sample of 300 percussion primers shall be selected from each lot for this test. Failure to function of two or more primers during this test shall be cause for rejection of the entire lot. The test shall be performed as specified in 4.3.1.2 using test equipment specified in 4.2.4."

Source: https://assist.dla.mil -- Downloaded: 202610-16T15:04Z
Check the source to verify that this is the currentversion before use.

Page 7

*4.3.1.2: Delete in its entirety and substitute the following:
"4.3.1.2 Duds. - Each primer shall be assembled to the test fixture specified in 4.2.4 and a steel ball weighing 1.94 plus or minus .02 ounces shall be dropped on the firing pin from a height of 12 inches max. Any primer that fails to function shall be classed defective."

PAGE 8

6.3.2: Delete in its entirety and substitute the following:
"6.3.2 Inspection equipment list codes. - The inspection equipment as defined in 6.3.3, 6.3.4, 6.3.5 and 6.3.6 will be designated in the IEL by the following codes:

CDAF	-	Contractor's design responsibility on Army format in accordance with MIL-D-45608.
CDCF	-	Contractor's design responsibility on contractor format.
AD	-	Army design.
ADMU	-	Army design, mandatory for use.
CE	-	Commercial equipment.
SCD	-	Specification control drawing

Page 9

6.3.3: Delete in its entirety and substitute the following:
"6.3.3 Army designs. - Army designs are reflected on detailed drawings which completely depict all the information necessary for the fabrication of the item of inspection equipment. The contractor need provide no design when an Army design is listed for an item of inspection equipment. Army designs fall into two basic classifications, mandatory and non-mandatory. When an inspection equipment list references mandatory Army designs, the contractor shall comply with, and use these designs accordingly. The contractor may, however, in connection with non-mandatory designs and with the approval of the Government, design alternate inspection equipment or use comparable commercial equipment to facilitate his operations. Such contractor prepared designs or commercial equipment selections must be approved by the Government prior to fabrication or procuring of the equipment. Designs shall be submitted for approval as specified in 6.3.7".

Source: https://assist.dla.mil -- Downloaded: 202610-16T15:04Z
Check the source to verify that this is the current version before use.

Page 10

6.3.6. Second line from the bottom:
Delete "CDOF" and substitute "CDAF".
Delete "ORDM -608-12" and substitute "MIL-D-45608".

6.4.1b, line 2: Delete "times 100 percent".

Page 11

6.4.2.d, line 2: Delete "all" and substitute "add".

6.4.3b: Delete in its entirety and substitute the following:
"6.4.3b To obtain "B". - The first drop height at which all primers misfired".

Page 12

6.9: Delete in its entirety.

6.9.1: Delete in its entirety.

Page 13

Delete Notice paragraph in its entirety.

"The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment."

Custodian:
Army - AR

Preparing Activity:
Army - AR

Project No: 1390-A308

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T15:04Z
Check the source to verify that this is the current version before use.