15 September 1967

MILITARY SPECIFICATION

POLISH, METAL (LIQUID: MIRROR SEARCHLIGHT:

NON-FREEZING TYPE)

This Amendment forms a part of Military Specification MIL-P-2610B, dated 28 September 1964, and is mandatory for use by all Departments and Agencies of the Department of Defense.

PAGE 2

Table II Delete "Range" and substitute: "Rouge".

PAGE 3

4.1.1 Delete word "Preacceptance" in heading and substitute "Preproduction".

Add new paragraph "4.1.2 Certificate of compliance" as follows:

"4.1.2 Certificate of compliance. - Where certificates of compliance are submitted, the Government reserves the right to check test such items as to determine the validity of the certification."

PAGE 4

4.3.1.4 Delete third sentence. Under "Defect" lines 5 and 6, delete "such as: incomplete closure of case liners, container flaps loose or inadequate sealing, strapping or stapling."

After 4.3.1.4 add the following new paragraph:

"4.3.1.4.1 Examination of shipping containers. - When shipping containers are required to be in accordance with PPP-B-636, examination for closure, waterproofing and reinforcing defects shall be made in accordance with the appendix of PPP-B-636."

PAGE 7

4.4.2.4 Delete in its entirety and substitute the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T15:11Z
Check the source to verify that this is the current version before use.

PAGE 7 (cont'd)

"4.4.2.4 Calculation. $A = \frac{C}{B} \times 100$

Where:

A = percent of material retained on sieves.
B = dry weight of test sample (see 4.4.1.1).
C = weight of material retained on sieves.

PAGE 9

5.1.2 Delete "in accordance with the industry's practice." and substitute "to afford adequate protection against physical damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets this requirement."

5.2.1, lines 4 and 5. - Delete "class 2, V3c or V3s, style RSC" and substitute "style RSC, grade V2s".

Line 7, delete "by means of tape".

Line 8, delete "steel".

5.2.2, line 4, starting with "type I", delete balance of paragraph and substitute "style RSC, type CF (variety SW) or SF, class domestic, grade 275 of PPP-B-636. Each shipping container shall be closed in accordance with method II as specified in the appendix of the container specification."

After 5.2.2, add new paragraph as follows:

"5.2.2.1 When specified (see 6.2), the shipping container shall be grade V3c or V3s fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with the appendix of the box specification."

PAGE 10

6.2 Add new subparagraph as follows:

"d. When weather-resistant grade V3c or V3s fiberboard shipping containers are required for level B packing (see 5.2.2.1)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T15:11Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Air Force - 84

Preparing activity:

Army - GL

Project No. 7930-0170

Review activities:

Army - GL, MD
Air Force - 84, 85
DSA - GS

User activities:

Army - MU,SM

Review and User information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current Federal Supply Classification Listing of DOD Documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T15:11Z
Check the source to verify that this is the current version before use.