MIL-W-70434 (AR)
AMENDMENT 2
2 April 1984
SUPERSEDING
AMENDMENT 1
17 February 1984

MILITARY SPECIFICATION

WARHEAD, 2.75 INCH ROCKET, TEST, EMPTY, MODIFIED:
PXR6358 WITH FLASH, PARTS, AND ASSEMBLY

This Amendment forms a part of Military Specification MIL-W-70434 (AR), dated 17 October 1983, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

3.2: Delete "Drawing 9362895" and substitute "Drawing 9362895-1 (designated Type 1) or Drawing 9362895-2 (designated Type 2), as applicable."

PAGE 4

* 4.3.1: Delete "Umbilical Cable Assembly" in its entirety.

Delete "Fuze, Body Subassembly: Modified 9362888 15" and substitute "Fuze, Body Subassembly: Modified or Dummy Fuze 9362888 or 9362896 15".

Delete "9362889" and substitute "9362889-1 or 9362889-2".

Delete "9362895" and substitute "9362895-1 or 9362895-2".

PAGE 5

* TABLE I: Delete "Umbilical Cable Assembly" in its entirety.

PAGE 6

TABLE I: Delete "Fuze, Body Assembly" and substitute "Fuze, Body Assembly (Type 1 only)".

Delete "Fuze, Body Subassembly: Modified" and substitute "Fuze, Body Subassembly: Modified (Type 1 only)".

FSC 1340

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:26Z
Check the source to verify that this is the current version before use.

Add "Dummy Fuze (Type 2 only)
(Dwg 9362896)
Examination for defects 15 3.2 4.4.2.15".

PAGE 7

TABLE I: Delete "Dwg 9362889" and substitute "Dwg 9362889-1 or 9362889-2, as applicable".

Delete "Dwg 9362895" and substitute "Dwg 9362895-1 or 9362895-2, as applicable".

PAGE 11

* 4.4.2.3: Delete in its entirety.

PAGE 17

4.4.2.9: Add to Title "(Type 1 only)".

PAGE 18

4.4.2.10: Add to Title "(Type 1 only)".

Delete "9362889" and substitute "9362889-1".

PAGE 19

4.4.2.11: Delete "9362889" and substitute "9362889-1 or 9362889-2 as applicable".

Delete "9362895" and substitute "9362895-1 or 9362895-2, as applicable".

PAGE 21

4.4.2.13: Delete "9362895" and substitute "9362895-1 or 9362895-2, as applicable".

PAGE 22

4.4.2.14: Delete "9362895" and substitute "9362895-1 or 9362895-2, as applicable".

Add 4.4.2.15, Included Page 3 (Page 22A).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:26Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9362896
4.4.2.15	Dummy Fuze (Type 2 only)				NEXT HIGHER ASSEMBLY 9362889-2
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL	None defined.				
MAJOR					
101	Pitch diameter of warhead mounting thread		0.40%	3.2	Gage
102	Hole diameter		0.40%	3.2	Gage
103	Location of hole		0.40%	3.2	Gage
104	Paint on threads		0.40%	3.2	Visual
MINOR					
201	Major diameter of warhead mounting thread, min		0.65%	3.2	Gage
202	Identification missing		0.65%	3.2	Visual
203	Evidence of poor workmanship		0.65%	3.8	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:26Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1340-A681)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:26Z
Check the source to verify that this is the current version before use.