MILITARY SPECIFICATION

GRIDDLES, SELF-HEATING, ELECTRIC; AND STANDS, GRIDDLE

This amendment forms a part of Military Specification MIL-G-2338L dated 24 October 1985, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, under "Standards/Military": add the following:

"MIL-STD-167/1 - Mechanical Vibration of Shipboard Equipment Type I - Environmental and Type II - Internally Excited.
MIL-STD-461 - Electromagnetic Emission and Susceptibility Requirements for the Control of Electromagnetic Interference.
MIL-STD-462 - Electromagnetic Interference Characteristics, Measurements of.
MIL-STD-1472 - Human Engineering Design Criteria for Military Systems, Equipment and Facilities."

PAGE 5

Add the following paragraphs:

"3.4.4 Shipboard vibration. When specified for shipboard use (see 6.2), griddles shall be capable of withstanding ships vibration. Controls, switches, moving parts and electrical circuits shall operate under shipboard conditions without malfunction, binding, excessive looseness, or damage when tested as specified in 4.4.8.

3.4.5 Electromagnetic compatibility. When specified for shipboard use (see 6.2), the units shall be designed and equipped for electromagnetic compatibility in accordance with the requirements of MIL-STD-461, class A4 for surface ships and class A5 for submarines. The equipment shall meet the emission and susceptibility requirements for CE01, CE03, and RE02 (see 4.4.9).

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commanding Officer (Code 156), Naval Construction Battalion Center, Port Hueneme, CA 93043-5000, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A

FSC 7310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T14:47Z
Check the source to verify that this is the current version before use.

3.4.6 Human factors criteria. When shipboard use is specified (see 6.2), human factors engineering criteria, principles, and practices, as defined in MIL-STD-1472, shall be incorporated in the design of the griddles. The equipment shall be designed such that all maintenance and operation shall permit safe and efficient performance by the 5th percentile female to the 95th percentile male as defined in sections 5.6 and 5.9 of MIL-STD-1472. All controls, switches and gages shall be selected and integrated into the design of the griddles so as to meet the applicable requirements of sections 5.2 and 5.4 of MIL-STD-1472 and they shall be clearly and appropriately labeled to identify function. The clearance or free area required around an item shall permit an individual with applicable 5th to 95th percentile body dimensions and physical capabilities, as defined in MIL-STD-1472, to safely operate, maintain, remove or replace that item. When establishing accessibility requirements, both physical and visual access must be provided, along with access for any tools, test equipment and replacement parts needed. When inspecting for defects and performing tests (see section 4), the equipment shall adhere to the human factors engineering considerations listed herein."

PAGE 6

3.5.2, after the last sentence add the following sentences:

"When specified for shipboard use (see 6.2), griddles shall have grease chutes that lead only from the front grease trought to the spillage drawer so grease and debris collect in the front of the drawers first."

3.5.5, line 3, after "shall have a": add "white".
line 5, after "(see 4.4.5)": add the following sentence:

"A white indicator light shall be located on the front of the griddle and glow when the griddle is energized."

line 9, after "knobs.": add the following sentence:

"When specified for shipboard use (see 6.2), the temperature controls shall be arranged horizontally, each corresponding to their respective griddle sections, orientated from left to right."

PAGE 8

3.9.4, add the following sentence at the end of the paragraph:

"When specified for shipboard use (see 6.2), suitable shields or baffles shall be installed to prevent wiring from hanging into any areas where personnel or removable parts, such as grease drawers, can contact them."

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T14:47Z
Check the source to verify that this is the current version before use.

Table II, add the following:

Examine	Defect	Classification Major	Minor
Electrical	Baffles or protective shielding of wires not provided	X	
Grease trough	Grease chutes from front of grease trough not provided (for Naval shipboard installation)"	X	

4.2.5.1, line 3, after "4.4.6": add ", 4.4.8 and 4.4.9".

Add the following paragraphs:

"4.4.8 Shipboard vibration test. When required for shipboard use, the griddle under normal operating conditions, shall be tested in accordance with MIL-STD-167/1, Type I equipment. The griddle shall be secured to the test machine in the same manner that it will be secured on shipboard (see 3.9.3). Failure of the griddle to perform its function during and after testing, or meeting requirements of 3.4.4 shall constitute failure of this test.

4.4.9 Electromagnetic interference test. When required for shipboard use, the unit shall be tested by the contractor in accordance with test methods CE01, CE03, and RE02 of MIL-STD-462. The contractor shall furnish written certification (see 6.2.1), that the equipment meets MIL-STD-461 requirements. Nonconformance with the requirements specified shall constitute failure of the test."

6.2c, after "3.4.3": add "3.4.4, 3.4.5, 3.4.6, 3.5.2, 3.5.5, and 3.9.4."

Add the following paragraph:

"5.2.1 Data requirements. When this specification is used in an acquisition and data are required to be delivered, the data requirements identified below shall be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the Contract Data Requirements List (CDRL), incorporated into the contract. When the

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T14:47Z
Check the source to verify that this is the current version before use.

provisions of DOD FAR Supplement, Part 27, Sub-Part 27.475-1 (DD Form 1423) are invoked and the DD Form 1423 is not used, the data specified below shall be delivered by the contractor in accordance with the contract or purchase order requirements. Deliverable data required by this specification are cited in the following paragraph:

Paragraph No.	Data requirement title	Applicable DID No.	Option
4.4.9	Certification of Compliance	DI-E-2121*	

Custodians:
Army - GL
Navy - YD
Air Force - 99

Review Acitivities:
Army - CE, MD
Navy - MC, SA, SH
Air Force - 84
DLA - GS

Preparing Acitivity:
Navy - YD

(Project 7310-0552)

Source: https://assist.dla.mil -- Downloaded: 20261O-16T14:47Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

Commanding Officer (Code 156)
Naval Construction Battalion Center
Port Hueneme, CA 93043-5000

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commanding Officer
Code 156
Naval Construction Battalion Center
Port Hueneme, CA 93043-5000

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T14:47Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-G-2338L	GRIDDLES, SELF-HEATING, ELECTRIC; AND STANDS GRIDDLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason, Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 32 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T14:47Z
Check the source to verify that this is the current version before use.