MIL-C-14381A(MU)
AMENDMENT 2
24 February 1977
SUPERSEDING
AMENDMENT 1
17 December 1976

MILITARY SPECIFICATION

CASES, FIRE DIRECTION SET, ARTILLERY

This Amendment forms a part of Military Specification MIL-C-14381A(MU) dated 1 November 1963 and is approved for use by all Departments and Agencies of the Department of Defense.

* Paragraph 1.2: Delete "Type III - Case, Fire Direction Set No. 5, Artillery, 12,000 Meter Maximum Range."

Paragraph 2.1: Delete: "V-T-276 Thread, Cotton"

"MIL-T-2312 Mildew Resistance and Moisture Resistance Treatment for Felt, Wool."

"MIL-T-3530 Treatment, Mildew-Resistant, for Thread and Twine."

Add: "V-T-285 Thread, Polyester"

"CCC-D-950 Dyeing and After-Treating Processes for Cotton Cloths"

"TT-I-1795 Ink, Marking, Stencil, Opaque (Porous and Non-porous Surfaces)"

"GG-D-635 Drawing Boards or Drawing Boards and Trestles"

"MIL-P-14462 Protractor, Fan, Range Deflection, Aluminum, graduated in Mils and Meters"

"MIL-P-21755 Plotting Sheet, Polyester Film, 1,000 Meter Grid, 1.25,000 Scale"

Paragraph 3.1.1: Delete in its entirety and substitute new paragraph:

"3.1.1 Thread, Polyester. Thread shall have good color fastness to chlorine bleaching, laundering and weathering in accordance with Specification V-T-285."

Paragraph 3.1.3.1: Delete "Thread, Cotton, Machine" and substitute "Thread, Polyester."

FSC 1290

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:07Z
Check the source to verify that this is the current version before use.

Paragraph 3.1.3.2: Delete "Cloth, Cotton, Duck" and substitute "Webbing or Cloth, Cotton, Duck".

Paragraph 3.1.4.1: Delete in its entirety and substitute new paragraph:

"3.1.4.1 Webbing or Cloth, Duck, Cotton. Material shall be treated in accordance with Type I, Class B of Specification CCC-D-950."

Paragraph 3.1.4.2: Delete in its entirety.

Paragraph 3.2.1.1: Delete "Type 301, 7 to 8 stitches" and substitute "Type 301, 8 to 10 stitches."

Paragraph 3.3.1: Delete "printed or".

Add: "Instructional and pocket contents markings shall be stenciled in the size characters and locations shown on the drawings."

Paragraph 3.3.2: Delete in its entirety and substitute new paragraph:

"3.3.2 Black stencil ink (color 37038 of Fed-STD-595), light and water spray fastness, in accordance with Type I of Specification TT-I-1795 shall be used for all markings."

Add new paragraph 3.5:

"3.5 Fit and Function. A representative sample of the cases manufactured shall be tested for proper performance of either containing or carrying as applicable the component items of the Fire Direction Set of which they are a part. See Table I below for items associated with Type I case; Table II for items associated with Type II case."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:07Z
Check the source to verify that this is the current version before use.

TABLE I

ITEM	LOCATION
Drawing Board, modified size (38"x48"x1 1/16"), Type II of Specification GG-D-635 and MS39124	Main compartment of case per stenciled stowing instructions.
Plotting Sheet, 35"x47", (12 sheets/package, one package) Specification MIL-P-21755	Large paper pocket.
Protractor Fan, 25Km Range, Class 3 of Specification MIL-P-14462	Protractor pocket.
DA Form 4176, Target Plotting Grid, Field Artillery (one pad) and Supply Catalog SC 1290-95-CL-E01	Grid paper pocket.
Trestle, Specification GG-D-635 and MS 39117	Main compartment of case.

TABLE II

ITEM	LOCATION
Drawing Board, (31"x42"x1") Type II of Specification GG-D-635 and MS39124-2	Main compartment of case per stenciled stowing instructions.
Plotting Sheet, 30"x41½", (12 sheets/package, one package) Specification MIL-P-21755	Large paper pocket.
Protractor Fan, 15Km Range, Class 2 of Specification MIL-P-14462	Protractor pocket.
DA Form 4176, Target Plotting Grid, Field Artillery (one pad) and Supply Catalog SC 1290-95-CL-E01	Grid paper pocket.
Scale, Ballistic, any of 19200-10548693-1 through -6	Ballistic scale pocket.
Cursor, two each, either 19200-7688829 or 10527442	Cursor pockets.
Trestle, modified, Specification GG-D-635 and MS39116	Main compartment of case.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:07Z
Check the source to verify that this is the current version before use.

Paragraph 4.4.2, line 11: Delete "Table I" and substitute "Table III".

Classification of Defects Table: Delete "Table I" in title and substitute "Table III".

*The outside margins have been marked to indicate where additions to the previous amendment have been made. This has been done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in this notation. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content as written irrespective of the marginal notation and relationship to the last previous amendment.

Custodian:

Army - MU

Preparing Activity:

Army - MU

Project No. 1290-A338

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:07Z
Check the source to verify that this is the current version before use.