INCH-POUND

MIL-C-14381A(AR)
AMENDMENT 3
4 May 1989
SUPERSEDING
AMENDMENT 2
24 FEBRUARY 1977

MILITARY SPECIFICATION

CASES, FIRE DIRECTION SET, ARTILLERY

This amendment forms a part of Military Specification MIL-C-14381(MU) dated 1 November 1963, and is approved for use within the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.2: Delete "Type III - Case, Fire Direction Set No. 5, Artillery, 12,000 Meter Maximum Range.

2.1: Delete:

"V-T-276	Thread, Cotton
MIL-T-2312	Mildew Resistance and Moisture Resistance Treatment for Felt, Wool
MIL-T-3530	Treatment, Mildew-Resistant, for Thread and Twine
TT-I-1795	Ink, Marking, Stencil, Opaque (Porous and Non-porous Surfaces) (Reference Amendment 2)"

Add:

"V-T-285	Thread, Polyester
CCC-D-950	Dyeing and After-Treating Processes for Cotton Cloths
A-A-208	Ink, Marking, Stencil, Opaque (Porous and Non-porous Surfaces)
GG-D-635	Drawing Boards or Drawing Boards and Trestles
MIL-P-14462	Protractor, Fan, Range Deflection, Aluminum, graduated in Mils and Meters
MIL-P-21755	Plotting Sheet, Polyester Film, 1,000 Meter Grid, 1.25,000 Scale"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:07Z
Check the source to verify that this is the current version before use.

3.1.1: Delete in its entirety and substitute:

"3.1.1 Thread, Polyester. Thread shall have good color fastness to chlorine bleaching, laundering, and weathering in accordance with Specification V-T-285."

3.1.3.1: Delete "Thread, Cotton, Machine" and substitute "Thread, Polyester."

* 3.1.3.2, Delete and substitute:

"3.1.3.2 Webbing or cloth, cotton, duck. Webbing or cloth shall be vat dyed olive drab no. 7 per CCC-D-950."

3.1.4.1: Delete in its entirety and substitute:

"3.1.4.1 Webbing or cloth, duck, cotton. Material shall be treated in accordance with Type I, Class B, of specification CCC-D-950."

3.1.4.2: Delete in its entirety.

3.2.1.1: Delete "Type 301, 7 to 8 stitches" and substitute "Type 301, 8 to 10 stitches."

3.3.1: Delete "printed or".

Add:

"Instructional and pocket contents markings shall be stenciled in the size characters and locations shown on the drawings."

3.3.2: Delete in its entirety and substitute:

"3.3.2 Ink. Black stencil ink (color 37038 of FED-STD-595), light and water spray fastness, in accordance with Type I of Specification A-A-208 shall be used for all markings."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:07Z
Check the source to verify that this is the current version before use.

Add new paragraph 3.5:

"3.5 Fit and function. A representative sample of the cases manufactured shall be tested for proper performance of either containing or carrying as applicable the component items of the Fire Direction Set of which they are a part. See Table I below for items associated with Type I case; Table II for items associated with Type II case."

TABLE I

Item	Location
Drawing Board, modified size (38" x 48" x 1 1/16") Type II of specification GG-D-635 and MS 39124	Main compartment of case per stenciled stowing instructions.
Plotting Sheet, 35" x 47", (12 sheets/package, one package) Specification MIL-P-21755	Large paper pocket.
Protractor Fan, 25Km Range, Class 3 of Specification MIL-P-14462	Protractor pocket.
DA Form 4176, Target Plotting Grid, Field Artillery (one pad) and Supply Catalog SC 1290-95-CL-E01	Grid Paper pocket.
Trestle, Specification GG-D-635 and MS 39117	Main compartment of case.

TABLE II

Item	Location
Drawing Board, (31" X 42" x 1") Type II of Specification GG-D-635 and MS 39124-2	Main compartment of case per stenciled stowing instructions.
Plotting Sheet, 30" x 41 1/2", (12 sheets/package, one package) Specification MIL-P-21755	Large paper pocket.
Protractor Fan, 15Km Range, Class 2 of Specification MIL-P-14462	Protractor pocket.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:07Z
Check the source to verify that this is the current version before use.

DA Form 4176, Target Plotting Grid, Field Artillery (one pad) and Supply Catalog SC 1290-95-CL-E01	Grid Paper pocket.
Scale, Ballistic, any of 19200-10548693-1 through -6	Ballistic scale pocket.
Cursor, two each, either 19200-7688829 or 10527442	Cursor pockets.
Trestle, modified, Specification GG-D-635 and MS 39116	Main compartment of case."

PAGE 4

4.4.2, line 11: Delete "Table I" and substitute "Table III".

Classification of Defects Table: Delete "Table I" in title and substitute "Table III".

*The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1290-A434)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T03:07Z
Check the source to verify that this is the current version before use.