[INCH-POUND]
A-A-2085A
July 30, 1996
SUPERSEDING
A-A-2085
June 6, 1983

COMMERCIAL ITEM DESCRIPTION

SIGN
(SELF-ILLUMINATING, EXIT)

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE

1.1 Scope. This commercial item description covers self-illuminating exit signs.

2. CLASSIFICATION

2.1 Classification. The signs shall be of the following type and background color, as specified (see 7.4).

Type A - single face
Type B - double face

Background color:

1 - red
2 - green
3 - black

3. SALIENT CHARACTERISTICS

3.1 Design. Signs shall be in accordance with UL 924.

3.1.2 Hardware. The exit signs shall be furnished with all mounting hardware.

3.2 Construction. Signs shall be constructed in accordance with UL 924.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor Street, Fort Worth, TX 76102.

Distribution Statement A: Approved for public release; distribution is unlimited.

FSC 9905

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:19Z
Check the source to verify that this is the current version before use.

3.3 Performance of system. Signs shall meet the minimum emergency lighting requirements of UL 924.

3.4 Directional chevrons. Signs shall be furnished with universal directional chevrons, with knockouts or removable covers.

3.5 Housing. Sign housings shall be aluminum or steel, at the manufactures option.

3.6 Marking. Signs shall be marked with the date, expressed in month and year, on or before which the system is to be replaced.

3.7 Workmanship. The finished signs shall be free from any defects which may affect the durability, serviceability, or appearance.

3.8 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The metric values stated in parenthesis are for information purposes only.

3.9 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

4. REGULATORY REQUIREMENTS.

4.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.2 Conformance. Signs shall meet all requirements and be licensed by either the United States Nuclear Regulatory Commission or an "Agreement State" for the manufacture and sale of products containing radioactive material.

4.3 Disposal. Each sign shall be furnished with disposal instructions in accordance with the United State Nuclear Regulatory Commission or "Agreement State" regulations.

5. QUALITY ASSURANCE PROVISIONS

5.1 General quality statement. The products provided shall conform to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

6. PACKAGING.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:19Z
Check the source to verify that this is the current version before use.

6.1 Packaging. Preservation, packing, and marking shall be as specified in the contract or purchase order.

7. NOTES.

7.1 Part Identification Number (PIN). Signs conforming with this commercial item description shall be identified by a part number configuration consisting of identification of a portion of the CID number, type and background color. An example of a part number configuration is shown below. This part numbering system is intended for identification and cross-indexing of the item within the federal cataloging system. The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

EXAMPLE: AA2085-A1 = Single face, red background

AA2085-A1
- ||____ Background color (1 = red, 2 = green, 3 = black)
- |_____ Type (A = Single face, B = Double face)
- _____ Commercial item description number

7.2 Sources of documents.

Copies of Federal laws and regulations are available from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

7.3 Sources of non-Government documents.

Copies of UL standards are available from the Underwriters Laboratories Inc., 333 Pfingsten Road, Northbrook, IL 60062.

7.4 Ordering data. Purchaser should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a) Title, number, and date of this commercial item description.
b) Type (See 2.1).
c) Color (See 2.1).

7.5 National stock numbers (NSNs). The following NSNs correspond to this CID. The list may not be indicative of all possible NSNs associated with the CID.

National Stock Number	Type	Pin
9905-01-148-8820	A	AA2085-A2
9905-01-148-8818	A	AA2085-A1
9905-01-148-8819	B	AA2085-B3
9905-01-146-8074	B	AA2085-B1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:19Z
Check the source to verify that this is the current version before use.

MILITARY INTEREST:

Military Coordinating Activity:

Army - GL

Civil Agency Coordinating Activity:

VA - OSS
NASA - NA

Review Activities:

Air Force - 99
Navy - YD1

PREPARING ACTIVITY:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:19Z
Check the source to verify that this is the current version before use.