[INCH-POUND]
A-A-2898
May 3, 1995

COMMERCIAL ITEM DESCRIPTION

FUNNELS

The General Services Administration has authorized the use of this commercial item description by all federal agencies.

1. SCOPE. This commercial item description covers metal and plastic funnels.

2. CLASSIFICATION. Funnels covered by this CID shall conform to the following types, classes, styles and sizes.

Type I	- Steel, (galvanized coated)
Type II	- Polypropylene
Type III	- Polyethylene
Class 1	- Rigid spout
Class 2	- Flexible spout
Style A	- Fixed strainer
Style B	- Removeable strainer
Style C	- No strainer
Size 1	- 4 oz (118.3 ml)
Size 2	- 1/2 pint (236.6 ml)
Size 3	- 1 pint (473.2 ml)
Size 4	- 1 quart (.95 lt)
Size 5	- 2 quarts (1.9 lt)
Size 6	- 4 quarts (3.8 lt)
Size 7	- 2 gallons (7.6 lt)

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor Street, Fort Worth, TX 76102.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

FSC 7240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

3. SALIENT CHARACTERISTICS.

3.1 Construction:

3.1.1 Type I: The funnels shall be steel sheet stock with a minimum material thickness of 0.011 inch prior to coating. The material shall be pre-galvanized sheets or hot-dipped galvanized after fabrication.

The top edge of the funnel shall be rolled and all seams shall be watertight. The strainers shall be either permanent or removable as specified. The strainers shall fit properly and retain their position to prevent particles larger that the mesh from passing through the funnel. Requirements for the size, strainers, spout and capacity shall be as specified in the contract or order.

3.1.2 Type II and Type III: The polyproplene and polyethelene funnels shall be a plain, seamless, one-piece construction with a tapered (conical) body and spout. The top edge shall be either flat or rounded with the manufacturers' option of a reinforced lip and handling tab. The funnel shall be watertight. The size, strainer, spout and capacity shall be specified in the contract or order.

The plastic resin used in Type II and III funnels shall be manufactured in accordance with applicable Food and Drug Administration, Code of Federal Regulations (CFR) Title 21.

3.2 Finish: Type I funnels shall be galvanized, in accordance with ASTM Standard A525, G60 minimum. The method shall be a hot-dip process or pre-galvanized sheets with uncoated edges protected against corrosion. The finish shall be smooth.

3.3 Workmanship. All funnels shall be clean, rigid, and free from cracks, sharp fins or edges, and rust. Finish shall be free from lumps, blisters, grit, uncoated areas, dross, black or acid spots, flaking and foreign material. All welds, brazing, or soldering shall not have any missing, unfused, broken, burned through areas, and shall be free from splatter, flash, pits, flux and scale. All funnels shall be leak proof. There shall be no defects that affect appearance, function or serviceability.

4. Regulatory Requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

4.1 Metric Products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in inch-pound units, a request should be made to the contracting officer to determine if the product is acceptacle.

5. QUALITY ASSURANCE PROVISIONS.

5.1 Contractor Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.


6. Packaging. The preservation packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Part Identification Number (PIN). Funnels conforming to this commercial item description shall be identified by a part number configuration consisting of identification from a portion of the CID number, type, class, style and size. An example of the part number configuration is shown below. This part numbering system is intended for identification and cross-indexing of the item within numbering procedure is for government purposes and does not constitute a requirement for the contractor.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

A_____A216 Example: (AA_____A2) = Type I, Class 2, Style A, Size 6 funnel



7.2 Ordering data. Purchases should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number, and date
b. Type, class, style and size
c. The preservation, packing and marking desired.

7.3 Supersession data. This commercial item description supersedes A-A-1663 dated May 11, 1981, A-A-1066A dated August 8, 1981, A-A-1068A dated August 8, 1985 and A-A-1065A dated July 19, 1985.

7.4 Application for copies of ASTM Standards may be obtained from ASTM, 1916 Race Street, Philadelphia, PA 19103

7.5 Copies if Federal Acquisition Requlations (CFR) are available from th Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

Review Activity

Marine Corp - MC
Office of Surgeon General - MD
Navy - MS

Preparing Activity
GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.