[INCH-POUND]
A-A-3000
May 6, 1996

COMMERCIAL ITEM DESCRIPTION

TOWEL, COTTON (FOR GLASSWARE)

The General Services Administration has authorized the use of this commercial item description for all Federal agencies.

1 SCOPE

1.1 Scope This commercial item description covers a cotton towel intended for drying glassware.

2 SALIENT CHARACTERISTICS

2.1 Fabric The towel shall be made from bleached white, plain weave, cotton fabric with a striped or checked design woven into the fabric The color of the stripe or check yarns shall be as specified in the contract or purchase order. The stripes or checks shall be spaced at 1/2 to 1 inch (1.3 to 2.5 cm) intervals Two colored yarns shall form each stripe or check line If specified in the contract or purchase order, the towel may be solid white.

The fabric shall be woven from thoroughly cleaned, waste free, cotton yarns and shall meet the requirements in Table I when tested in accordance with the test methods cited

Table I Minimum physical requirements for fabric.

Characteristic	Requirement	Test Method
Fabric weave	plain weave	ASTM D 123
Fiber content	100 % cotton	ASTM D 276
Yarn count Warp Filling	54 yarns/in (21 yarns/cm, 38 yarns/in (15 yarns/cm)	ASTM D 3776
Fabric weight	5.0 oz/sq yd (166.7 g/sq m)	ASTM D 3776
Breaking strength Warp Filling	 50 lb (22.7 kg) 50 lb (22.7 kg)	ASTM D 5034
Colorfastness	Colored yarns shall be colorfast and shall not stain the white part of the fabric when subjected to laundering and bleaching	AATCC Test Method 61, test 5A
Nonfibrous fabric content	Starch and protein content, including chloroform soluble and water soluble materials, shall not exceed 5.0 percent	ASTM D 629

2.2 Construction The finished towel shall be 30.0 inches (76.2 cm) long by 15.0 inches (38.1 cm) wide with a tolerance of + 1.0 in (2.5 cm, and -0.5 in (1.3 cm, in each direction. Each end and each side of the towel shall be hemmed with a 1/4 to 3/8 inch (0.6 to 1.0 cm) wide hem. A fast selvage may serve as a side hem. All hem widths shall be uniform, with the cut edge folded to the inside of the hem Hems shall be stitched with 10 to 12 stitches per inch using cotton or polyester/cotton thread of a type and size appropriate for sewing the toweling fabric and durable to repeated laundering

Beneficial comments, recommendations, additions, deletions, clarifications, etc and any data which may improve this document should be sent to General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

Distribution Statement A Approved for public release, distribution is unlimited

FSC 7210

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:28Z
Check the source to verify that this is the current version before use.

2.3 Labeling Each towel shall have a permanent label marked with the following information:

a) Towel size
b) Fiber content in accordance with the Rules and Regulations under the Textile Fiber Products Identification Act
c) Care instructions
d) Manufacturer's name or trademark

The label shall be sewn into one hem near a corner. All information required on the label shall be completely visible after the label is sewn in The marking shall be well defined and clearly legible The label material and the marking shall be durable to the care method appropriate for the towel.

2 4 Workmanship The finished towel shall conform to the quality of product established by this commercial item description and shall function as a durable, drying towel appropriate for drying glassware The finished towel shall be correct in all dimensions, clean, free from objectionable odor, and shall be free from any other defect that may affect the function, serviceability, or appearance of the product Stitches shall be secure, uniform, straight, and close to and parallel with the folded edge of the hem No raw edge shall be exposed on a finished hem

2.5 Measurement system The values stated in inch-pound units are to be regarded as the standard The metric values stated in parenthesis are for information purposes only.

2 6 Metric products Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified and all other requirements of this document are met If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable

2 7 Standard commercial product The towels shall be, as a minimum, in accordance with the requirements of this commercial item description and shall be the manufacturer's standard commercial product A standard commercial product is a product which has been sold or is currently offered for sale on the commercial market through advertisements, manufacturer's catalogs, or brochures, and represents the latest production model

3 REGULATORY REQUIREMENTS

3 1 Regulatory requirements The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23 403 of the Federal Acquisition Regulation (FAR)

4 QUALITY ASSURANCE PROVISIONS

4 1 General quality statement The products provided shall conform to the producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract

5 PACKAGING

5 1 Packaging. Preservation, packing, and marking shall be as specified in the contract or purchase order

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:28Z
Check the source to verify that this is the current version before use.

6 NOTES.

6 1 Sources of documents

Copies of AATCC standards and test methods are available from American Association of Textile Colorists and Chemists, PO Box 12215, Research Triangle Park, NC 27709-2215

Copies of ASTM standards are available from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959

Copies of Rules and Regulations under the Textile Fiber Products Identification Act are available from the Federal Trade Commission, Washington, DC 20580

Copies of the Standard Color Reference of America are available from Color Association of the United States, 409 West 44th Street, New York, NY 10036

6.2 Ordering data Purchaser should select the preferred options permitted herein and include the following information in procurement documents (if applicable)

a) Title, number, and date of this commercial item description.
b) Color of stripe or check in towel, as applicable
c) The preservation, packing, and marking desired

6 3 National stock numbers (NSNs) The following NSN corresponds to this commercial item description This may not be indicative of all possible NSNs associated with this commercial item description

7210-00-205-3483

PREPARING ACTIVITY
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:28Z
Check the source to verify that this is the current version before use.