INTERIM FEDERAL SPECIFICATION

OFFICE PURNITURE BOOKCASES, EXECUTIVE TYPE, WOOD, TRADITIONAL
(DETAILED SPECIFICATION)

This Interim Federal Specification was developed by the National Furniture Center, Federal Supply Service, General Services Administration, Washington DC 20406, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the pre paring activity at the address shown above.

The General Services Administration has authorized the use of this Interim Federal Specification as a valid exception to Federal Specification AA-O-230/1a, dated October 7, 1964.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the detailed requirements for the executive type office bookcase in traditional design. General requirements and other information pertaining to the bookcase will be found in Federal Specification AA-O-00230B, Office Furniture, Executive Type, Wood, Traditional (General Specification).

1.2 Classification. The bookcases covered by this specification shall be of one type and two sizes.

1.2.1 Type and sizes.

Size 1 - 42 inches wide by 14 inches deep by 50 inches high.
Size 2 - 44 inches wide by 14-1/2 inches deep by 62 inches high.

2. APPLICABLE DOCUMENTS

2.1 The specifications and standards, of the issue in effect on date of invitation for bids, which form a part of this specification, are listed in 2.1 of AA-O-00230/GEN hereinafter called the General Specification (G.S.).

2.2 Other publications. The documents which form a part of this specification are listed in 2.2 (G.S.).

3. REQUIREMENTS

3.1 Materials. Materials used in construction of the bookcases shall be as specified in the applicable paragraphs in the General Specification (see table I).

TABLE I. Materials index

Component	AA-O-00230/GEN Par. No	Component	AA-O-00230/GEN Par. No.
Adhesive	3.1.1 Gen. Spec.	Particle board	3.1.4.6 G.S.
Glass	3.1.2 G.S.	Face hardware	3.1.5.1 G.S.
Lacquer	3.1.3 G.S.		
Wood species	3.1.4.1 G S.	Locks	3.1.5.1.1 G.S.
Solid wood requirements	3 1 4.2 G.S.	Strike plate	3.1.5.1.2 G.S.
Wood seasoning	3.1.4.3 G S.	Adjustable glides, HD	3.1.5.2.3 G.S.
Hardwood plywood	3.1.4.4 G.S.	Shelf standards & supports	3.1.5.3 G.S.
Good grade (1) veneer	3 1 4 5 G S	Other hardware	3.1 5.4 G.S.

FSC 7110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

3.2 Construction General construction requirements for bookcase components shall be as specified in the applicable paragraphs in the General Specification (see table II)

TABLE II Construction requirements index

Requirement	AA-O 00230/GEN Par. No.	Requirement	AA-O-00230/GEN Par No.
Tolerances	3 2.2 Gen Spec	Posts	3.2.9 G S
Direction of grain	3 2.3 G S	Patterned base apron	3.2.10 G.S.
Joinery	3.2.4 G.S.	Base supports	3.2.11 G.S.
Drawer construction	3.2.5 G.S.	Built-up stock	3.2.13 G.S.
Dowels	3.2.7 G.S.		

3 2 1 Design The design of the bookcases shall be as shown in figures 1 and 4. The size 1 bookcase shall have three adjustable shelves and two glass doors. The size 2 bookcase shall have six adjustable shelves, two drawers at the bottom, and two glass doors.

3 2 2 Drawers Drawers shall be constructed as specified in 3 2.5 G.S and shall run on an interlocking center guide system to prevent excessive drawer drop when opened. The male portion shall be a wood, T-shaped member securely screwed to the front and back rails The female portion shall be a wood full length channel, secured to the drawer bottom with glue blocks A plastic back bearing (see 6.4) shall be attached to the drawer back with three staples minimum. Each drawer shall have a pull. (See 3.1.5.1 G.S , figures 4 and 5)

3 2 3 Doors The door frames shall be constructed of solid wood and paneled as shown in the applicable figures The size 1 bookcase shall have one glass pane in each door The size 2 bookcase shall have eight glass panes in each door and they shall be uniform in size Each door shall be equipped with a door knob as shown in figure 2 with two bullet catches and shall be hung securely in place by three brass hinges (3 1.5 4 G.S.). The doors shall be carefully fitted in place and hung so as not to bind nor to fit too loosely when secured by the catches. Four sides and between door clearance shall be 1/16 to 3/32 inch.

3 2 4 Plywood parts Bookcase tops, sides, bottoms, and center partitions shall be minimum 5-ply, 3/4-inch thick plywood (3 1 4 4 G S.). Shelves shall be 5-ply, lumber core plywood (3 1 4.4 G.S) construction Exposed edges of plywood panels shall be banded (3.1 4.4 G.S). Wood panels for the doors of the size 1 bookcases shall be 3- or 5-ply 1/4-inch thick plywood (3.1.4.4 G S.). Back panels of both bookcases shall be 3- or 5-ply 3/8 inch thick, rabbeted into the back framing members, and secured with screws and recessed washers on minimum 3 inch centers, one in each corner

3 2 5 Posts See 3 2.9 G S and applicable figures

3 2 6 Dust frame Dust frame shall be constructed as shown in figure 5 The front, back, and outside rails shall be 3/4 inch by 1 1/2 inches and the center rail shall be 3/4 inch by 2 1/2 inches

3.3 Finishing. See 3.3 1 G.S. 3.3 2 G.S and 3 3.3 G S.

3 4 Identification marking See 3 4 G.S

3 5 Workmanship See 3 5 G S

4 QUALITY ASSURANCE PROVISIONS

4 1 The quality assurance provisions shall be as specified in section 4 of the General Specification and as specified herein

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

4.2 Assembly examination An examination of the assembly of the shelves to the bookcases shall be made. The lot size shall be units of bookcases Defects shall be recorded in accordance with table III Inspection level and acceptable quality level (AQL) shall be as specified in 4 4 G S (Note Unassembled shelves to bookcases, selected by the Government inspector shall be fully assembled by the contractor The inspector shall witness the assembly and shall observe the ease of assembly and fit of components)

TABLE III Assembly defects

Examine	Defects
Shelf assembly and fittings	Shelf standards or supports out of alignment Shelf supports not adjustable to positions as specified. Shelf support does not fit into slot in standard Shelf support too loose in standard i e , falls out easily. Shelf wobbles on shelf support Shelf does not fit neatly on support.

5 PREPARATION FOR DELIVERY

5 1 Packaging packing, and marking Each bookcase shall be packaged, packed, and marked in accordance with PPP P 1877. Packaging shall be level A, B, or C as specified (see 6.2) packing shall be level A, B, or C as specified (see 6 2) and marking shall be for civil agencies or military activities (see 6 2).

5.2 Palletization Unless otherwise specified (see 6.2) packed bookcases shall be palletized in accordance with the palletization requirements of PPP-P-1877 for bookcases. Bookcases packed in accordance with the level C packing requirements of PPP P 1877 shall not be palletized

6. NOTES


6 1 Intended use. The executive office, traditional bookcases are designed for use in executive offices, courtrooms, libraries, and conference rooms of Federal agencies They should compliment the traditional decor of any executive area when used with other pieces within the group

6.2 Ordering data Purchasers should exercise any desired options offered herein, and procurement documents should specify the following

(a) Title, symbol and date of this specification.
(b) Title, symbol and date of the General Specification
(c) Types and sizes if applicable.
(d) Level of packaging and packing.
(e) Marking requirements
(f) When palletization is not required


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

Figure 1. Size 1—Bookcase




Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

Figure 2. Sections A-A, B-B, and Door Pull




Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

Figure 3. Detail of Base




Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

Figure 4. Size 2—Bookcase




Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

Figure 5. Side Assembly and Drawer Pull



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

Figure 6. Section B-B, Corner Detail and Shelf



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.