AA-O-00240/2C(GSA-FSS)
AMENDMENT-1
July 15, 1971

AMENDMENT

TO

INTERIM FEDERAL SPECIFICATION

DESK ATTACHMENTS, L-UNIT, TABLES, STEEL, UNITIZED

This amendment was developed by General Services Administration, Federal Supply Service, Washington, D. C., 20406, based upon currently available technical information. The General Services Administration has authorized this amendment as a part of Interim Federal Specification AA-O-00240/2C(GSA-FSS) dated September 8, 1970.

PAGE 1

Paragraph 1.2.1. After "Style B - Secretarial table, Size 1 - 66 inches wide, 18 inches deep" add the following:

"Class 4 - With drawer pedestal in right or left pedestal"

PAGE 4

Paragraph 3.3.11 End panel, 23rd line. After "inch radius." insert the following: "The radius used must be the same on all vertical edges of all end panels and pedestals produced on a given contract."

PAGE 14

Paragraph 3.3.23.3, 7th line. After "four vertical edges." insert the following: "The radius used must be the same on all vertical edges of all pedestals and end panels produced on a given contract."

Paragraph 3.3.23.3, 20th line. After "vertical reinforcing members" insert the following: "two located on each side".

PAGE 17

dd the following paragraphs:

3.3.28 Style B - Secretarial table, Size 1 - 66 inches wide, 18 inches deep, class 4 - with drawer pedestal in right or left pedestal. The table shall have a two level top. The design and dimensions of the table and the number, kind and minimum inside clear dimensions of the drawers shall be as shown in Figure 15.

3.3.28.1 End panels. Shall be as specified in 3.3.11 and shall be located 1-1/4 inches, plus or minus 1/16 inch, from side edge of top.

3.3.28.2 Back panel. Shall be as specified in 3.3.12 and shall be located 1-3/4 inches, plus or minus 1/16 inch, from back edge of top.

3.3.28.3 Filler strip. Shall be as specified in 3.3.17.

3.3.28.4 Pedestal construction. Shall be as specified in 3.3.23.3.

3.3.28.4.1 Height adjustment mechanism. Shall be as specified in 3.3.13 and 3.3.13.2.

3.3.28.5 Drawer pulls. Shall be as specified in 3.3.14.

3.3.28.6 Drawer construction. Shall be as specified in 3.3.15.

FSC 7110

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:39Z
Check the source to verify that this is the current version before use.

3.3.28.6.1 Drawer fronts. Shall be as specified in 3.3.15.1.

3.3.28.6.2 Storage drawer body and back. Shall be as specified in 3.3.15.2.

3.3.28.6.3 Letter drawer body and back. Shall be as specified in 3.3.15.3.

3.3.28.6.4 Progressive suspension. Shall be as specified in 3.3.15.4.

3.3.28.6.5 Drawer and case tracks. Shall be as specified in 3.3.15.5.

3.3.28.6.6 Rollers and ball bearings. Shall be as specified in 3.3.15.6.

3.3.28.6.7 Drawer stops. Shall be as specified in 3.3.15.7.

3.3.28.6.8 Compressor. Shall be as specified in 3.3.15.8.

3.3.28.6.9 Hanging file supports. Shall be as specified in 3.3.15.9.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

Pedestal contains:

	Minimum inside clear dimensions
2 storage drawers	12" W x 4-7/8" H x 15-1/4" D
1 letter drawer	12" W x 10-1/2" H x 15-1/4" D




Figure 15. Style B, Secretarial table
Size 1, 66 by 18 inches
Class 4, With pedestal containing
1 letter and 2 storage drawers
in right or left pedestal

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:39Z
Check the source to verify that this is the current version before use.