
MILITARY SPECIFICATION SHEET

FUSES; INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F06

INACTIVE FOR NEW DESIGN AFTER 30 JANUARY 1970

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the fuse described herein shall consist of this document and the latest issue of Specification MIL-F-15160.



INCHES	MM
.004	.10
.031	.79
.256	6.50
.281	7 14
.340	8.64
1.250	31 75

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.

FIGURE 1. Style F06 fuse.

REQUIREMENTS:

Design and construction: See figure 1.
Physical:
Terminals - Ferrule type.
Material - Brass, copper, or copper alloy.
Finish - Nickel, bright alloy plate, or silver when specified.
Strength - Test condition E; 2-pound-inch torque between ferrules and fuse body.
Body - Plastic or ceramic tube.
© Electrical:
Current rating - See table I.
Voltage rating - See table I.
Characteristics - See table I.
Overload interrupt - Maximum 1 hour at 135 percent of rated current.
Short circuit interrupt - Minimum of 10, 000 amperes at rated voltage dc.

© denotes changes.

FSC 5920

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:41Z
Check the source to verify that this is the current version before use.

TABLE I. Type designation (current and voltage ratings).

Style	Characteristic	Maximum voltage	Current rating amperes
F06	A	250V	1A
F06	↑	↑	2A
F06	↕	↕	3A
F06	↕	↕	5A
F06	↕	↕	10A
F06	A	250V	15A

© Cross reference. For applicable cross reference see table II. The existing stocks of superseded items may be used. When exhausted, the superseding parts shall be used (see 6.5).

© TABLE II Cross reference.

Superseding number	Superseded numbers					
	81349	96906	71400	75915	75915	98997
F06A250V1A 1/	F06G1R00A 1/	MS90082-1 2/	ABS1	494001	414001	4AB1
F06A250V2A	F06G2R00A	MS90082-2	ABS2	494002	414002	4AB2
F06A250V3A	F06G3R00A	MS90082-3	ABS3	494003	414003	4AB3
F06A250V5A	F06G5R00A	MS90082-4	ABS5	494005	414005	4AB5
F06A250V10A	F06G10R00A	MS90082-5	ABS10	494010	414010	4AB10
F06A250V15A	F06G15R00A	MS90082-6	ABS15	494015	414015	4AB15

1/ A letter S following the part number signifies silver plating.
2/ A second dash number (-1) signifies silver plating.

Custodians:
Army - EL
Navy - SH
Air Force - 85

Review activities:
Army - EL, MI, SG
Navy - SH, EC
Air Force - 17, 80
DSA - ES

User activities:
Army - ME, WC, AT
Navy - CG, AS, MC, YD
Air Force - 19

Preparing activity:
Navy - SH

Agent:
DSA - ES

(Project 5920-0350-6)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:41Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commander
Naval Ship Engineering Center
Center Building - SEC 6124B
Prince George's Center
Hyattsville, Maryland 20782

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:41Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording.

b. Recommended Wording:

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil – Downloaded: 2020-10-18T05:41Z
Check the source to verify that this is the current version before use.