
MILITARY SPECIFICATION SHEET

FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F07

INACTIVE FOR NEW DESIGN
AFTER 30 JANUARY 1970

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the fuse described herein shall consist of this document and the latest issue of Specification MIL-F-15160.



INCHES	MM
.004	.10
.031	.79
.370	9.40
.406	10.31
.408	10.36
1.500	38 10

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.

FIGURE 1. Style F07 fuse.

REQUIREMENTS.

Design and construction: See figure 1.
Physical:
Terminals - Ferrule type.
Material - Brass, copper, or copper alloy.
Finish - Nickel, bright alloy plate, or silver when specified.
Strength - Test condition E; 10-ounce-inch torque between ferrules and fuse body.
Body - Glass tube.
Electrical.
Current rating - See table I.
Voltage rating - See table I.
Characteristics - See table I.
Overload interrupt:
Characteristic A - Maximum 1 hour at 135 percent of rated current.
Characteristic B - Maximum 1 hour at 135 percent of rated current, and minimum of 12 seconds at 200 percent.
© Short circuit interrupt - Minimum of 10,000 amperes at rated voltage.

© denotes changes.

FSC 5920

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:41Z
Check the source to verify that this is the current version before use.

TABLE I. Type designation (current and voltage ratings)

Style	Characteristic	Maximum voltage	Current rating amperes
F07	A	250V	1A
F07	▲	250V	2A
F07	|	250V	3A
F07	|	32V	5A
F07	|	32V	10A
F07	|	32V	15A
F07	|	32V	20A
F07	A	32V	30A
F07	B	125V	1A
F07	▲	125V	2A
F07	|	125V	3A
F07	|	32V	5A
F07	|	32V	10A
F07	|	32V	15A
F07	|	32V	20A
F07	B	32V	30A

© Cross reference. For applicable cross reference see table II. The existing stocks of superseded items may be used. When exhausted, the superseding parts shall be used (see 6.5)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:41Z
Check the source to verify that this is the current version before use.

TABLE II. Cross reference

Superseding number	Superseded numbers				
	81349	96906	71400	75915	75915
F07A250V1A 1/	F07G1R00A 1/		AGU1	590001	512001
F07A250V2A	F07G2R00A		AGU2	590002	512002
F07A250V3A	F07G3R00A		AGU3	590003	512003
F07A32V5A	F07A5R00A	MS90083-1 2/	AGU5	590005	512005
F07A32V10A	F07A10R0A	MS90083-2	AGU10	590010	512010
F07A32V15A	F07A15R0A	MS90083-3	AGU15	590015	512015
F07A32V20A	F07A20R0A	MS90083-4	AGU20	590020	512020
F07A32V30A	F07A30R0A	MS90083-5	AGU30	590030	512030
F07B125V1A			MDR1		
F07B125V2A			MDR2		
F07B125V3A			MDR3		
F07B32V5A		MS90083-10	MDR5		
F07B32V10A		MS90083-11	MDR10		
F07B32V15A		MS90083-12	MDR15		
F07B32V20A		MS90083-13	MDR20		
F07B32V30A		MS90083-14	MDR30		

1/ A letter S following the part number signifies silver plating.
2/ A second dash number (-1) signifies silver plating

Custodians:
Army - EL
Navy - SH
Air Force - 85

Review activities:
Army - EL, MI, SL
Navy - SH, EC
Air Force - 17, 80
DSA - ES

User activities.
Army - ME, WC, AT
Navy - CG, AS, MC, YD
Air Force - 19

Preparing activity:
Navy - SH

Agent:
DSA - ES

(Project 5920-0350-7)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:41Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING.

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:41Z
Check the source to verify that this is the current version before use.

FOLD

COMMANDER
NAVAL SHIP ENGINEERING CENTER
CENTER BUILDING - SEC 6124
PRINCE GEORGES CENTER
HYATTSVILLE, MARYLAND 20782

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF NAVY

DOD 316

U.S.MAIL

COMMANDER
NAVAL SHIP ENGINEERING CENTER
CENTER BUILDING - SEC 6124
PRINCE GEORGES CENTER
HYATTSVILLE, MARYLAND 20782

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:41Z
Check the source to verify that this is the current version before use.