MILITARY SPECIFICATION

LOUDSPEAKER, PRESSURE PROOF,

TYPE LS-450( )/B

This amendment forms a part of Military Specification MIL-L-24296A(SHIPS), dated 3 August 1970, and is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1, under "SPECIFICATIONS" insert:

"FEDERAL
UU-P-268 - Paper, Kraft Wrapping.
PPP-C-850 - Cushioning Material, Polystyrene Expanded, Resilent (for Packaging uses).
PPP-C-1120 - Cushioning Material, Uncompressed Bound Fiber, for Packaging."

2.1, under "SPECIFICATIONS, MILITARY" add:

"MIL-R-6130 - Rubber, Cellular, Humidity, Indicating.
MIL-R-20092 - Rubber Sheets and Molded Shapes, Cellular, Synthetic Open Cell (Foamed Latex).
MIL-P-26514 - Polyurethane Foam, Rigid or Flexible, for Packaging."

PAGE 2

3.1: Delete and substitute:

"3.1 First article. When specified (see 6.1.1), the contractor shall furnish sample unit(s) for first article inspection and approval (see 4.2 and 6.2)."

3.2, line 6, delete "and gunblast tests".

3.3, line 15, delete "gunblast (see 3.6)".

PAGE 3

4.2: Delete and substitute:

"4.2 First article inspection. First article inspection shall consist of the examination and tests specified in table I.

FSC 5965

Source: https://assist.dla.mil -- Downloaded: 202610-19T20:55Z
Check the source to verify that this is the current version before use.

4.2.1 First article inspection report. A first article inspection report shall be prepared in accordance with the data ordering documents specified in the contract or order (see 6.1.2)."

Delete footnote 2/.

PAGE 4

Table I, heading: Delete "Qualification" and substitute "First article".

Table I, columns 1, 2 and 3: Delete the following:

"Gunblast	3.3 and 3.6	4.5.12"

PAGE 5

Table IV, Group C, line 10: Delete:

"Gunblast	3.3 and 3.6	4.5.12"

PAGE 7

4.5.12: Delete in its entirety.

PAGES 7 and 8

Delete section 5 and substitute:

"5. PACKAGING

(The packaging requirements specified herein apply only for direct Government acquisitions. For the extent of applicability of the packaging requirements of referenced documents listed in section 2, see 6.4.)

5.1 Preservation, packing and marking. Loudspeakers shall be individually preserved level A, C or Commercial, packed level A, B, C or Commercial as specified (see 6.1.1) and marked in accordance with MIL-E-17555. Unless otherwise specified (see 6.1.1) packaging technical data or the rough handling tests specified in MIL-E-17555 are not required. Data, when required (see 6.1.1) shall be in accordance with 6.1.2.

5.2 Cushioning and wrapping materials. Use of excelsior, newspaper, shredded paper (all types, including wax paper) and similar hygroscopic or nonneutral materials and all types of loose-fill materials for applications such as cushioning, filler, stuffing and dunnage for materials destined for shipboard stowage and use is prohibited except that vermiculite is approved for packaging applications of liquid (chemical, petroleum, etc.) products. Cushioning and wrapping materials selected shall incorporate properties/characteristics for resistance to fire, examples are:

UU-P-268 - Paper, Kraft Wrapping.
PPP-C-850 - Cushioning Material, Polystyrene Expanded, Resilent (for Packaging uses).

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:55Z
Check the source to verify that this is the current version before use.

PPP-C-1120 - Cushioning Material, Uncompressed Bound Fiber, for Packaging.
MIL-R-6130 - Rubber, Cellular, Humidity, Indicating.
MIL-R-20092 - Rubber Sheets and Molded Shapes, Cellular, Synthetic Open Cell (Foamed Latex).
MIL-P-26514 - Polyurethane Foam, Rigid or Flexible, for Packaging.

5.2.1 Cushioning, filler, dunnage, and wrapping materials.

5.2.2 Level A preservation and levels A and B packing. Use of all types of loose-fill materials for preservation and packing applications such as cushioning, filler or dunnage is prohibited for materials destined for shipboard installation stowage.

5.2.3 Level C and Commercial preservation and packing. When loose-fill type materials are used for preservation and packing applications such as cushioning, filler and dunnage, all containers (unit, intermediate and shipping) shall be marked or labeled with the following information:

"CAUTION

Contents cushioned with loose-fill material. Not to be taken aboard ship. Remove and discard loose-fill material. If required, recushion with cellulosic material, bound fiber, fiberboard or transparent flexible cellular material."

5.2.4 Cushioning, filler, dunnage and wrapping materials selected, whenever available, shall exhibit improved performance for resistance to fire."

6.1, 6.2, and 6.2.1: Delete and substitute:

"6.1 Ordering data.

6.1.1 Acquisition requirements. Acquisition documents should specify the following:

(a) Title, number, and date of this specification.
(b) Quantity of items required.
(c) Whether first article samples are required (see 3.1).
(d) Whether first article inspections are required (see 4.2).
(e) Quantity of repair parts (see 3.3).
(f) Level of preservation, packaging, packing and marking required (see 5.1).
(g) When packaging technical data is required (see 5.1).
(h) When rough handling tests are required (see 5.1).

6.1.2 When this specification is used in an acquisition which incorporates a DD Form 1423, Contract Data Requirements List (CDRL), the data requirements identified below shall be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved CDRL incorporated into the contract. When the provisions

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:55Z
Check the source to verify that this is the current version before use.

of DAR 7-104.9 (n) (2) are invoked and the DD Form 1423 is not used, the data specified below shall be delivered by the contractor in accordance with the contract or purchase order requirements. Deliverable data required by this specification is cited in the following paragraphs.

Paragraph no.	Data requirement title	Applicable DID no.	Option
4.2.1	First Article Inspection Report	DI-T-4902	----
5.1	Packaging and Transportation Support Data	UDI-P-23508	----
5.1	Report, Preservation-Packaging and Packing Test	UDI-T-23766	----
5.1	Drawing, Engineering and Associated Lists	DI-E-7031	Level 3

(Data item descriptions related to this specification, and identified in section 6 will be approved and listed as such in DoD 5000.19L., Vol. II, AMSDL. Copies of data item descriptions required by the contractors in connection with specific acquisition functions should be obtained from the Naval Publications and Forms Center or as directed by the contracting officer.)

6.1.2.1 The data requirements of 6.2.2 and any task in section 3, 4 or 5 of the specification required to be performed to meet a data requirement may be waived by the contracting/acquisition activity upon certification by the offeror that identical data were submitted by the offeror and accepted by the Government under a previous contract for identical item acquired to this specification. This does not apply to specific data which may be required for each contract, regardless of whether an identical item has been supplied previously (for example, test reports).

6.2 First article inspection. Invitations for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection as to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract."

Add as paragrpah 6.4:

"6.4 Sub-contracted material and parts. The packaging requirements of referenced documents listed in section 2 do not apply when material and parts are acquired by the contractor for incorporation into the equipment and lose their separate identity when the equipment is shipped."

Preparing activity:
Navy - SH
(Project 5965-N178)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T20:55Z
Check the source to verify that this is the current version before use.