INCH-POUND

MIL-L-44142A(GL)
AMENDMENT 1
14 August 1990

MILITARY SPECIFICATION

LAUNDRY UNIT, TRAILER MOUNTED

This amendment forms a part of MIL-L-44142A(GL), dated 15 October 1986, and is approved for use by the Natick Research, Development, and Engineering Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1.1, under "SPECIFICATIONS FEDERAL": Add "L-P-378 - Plastic Sheet and Strip, Thin Gauge, Polyolefin".

PAGE 3

2.1.1: Delete top 7 lines of page and substitute:

"(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

DRAWINGS

U.S. ARMY NATICK RESEARCH, DEVELOPMENT, AND ENGINEERING CENTER

6-1-9374 - Finish Requirements, CARC Paint
6-1-9836 - Laundry Unit, M-85

(Copies of drawings required by contractors are available from the U.S. Army Natick Research, Development, and Engineering Center, STRNC-EMSS, Natick, MA 01760-5014.)"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202640-22T00:10Z
Check the source to verify that this is the currentversion before use.

PAGE 4

2.2, line 5 from top of page: Delete "PUBLICATION" and substitute "(AAR)".

After "ASSOCIATION OF AMERICAN RAILROADS (AAR)": Delete "Pamphlet No. MD-7", and add the following new publication: "- Rail Impact Procedure".

PAGE 5

3.5.4, line 3: After "by", add "type II of".

3.5.5, line 2: Delete "MIL-H-44144" and substitute "MIL-D-44144".

PAGE 7

3.8, line 2: Delete "water pumps,".

PAGE 11

4.4.4, Table II: Delete the following:

"Endurance	3.6.7	4.6.7
Road and terrain	3.6.8	4.6.8
Rail impact	3.6.9	4.6.9
Noise limits	3.6.10	4.6.10"

PAGE 13

4.6.5, line 1: Delete "4.6.9" and substitute "4.6.4".

PAGE 14

4.6.9, second sentence and subparagraphs a and b: Delete and substitute:

"The test shall be in accordance with the Association of American Railroads (AAR) Rail Impact Procedure as follows:

a. Forward impact at 4, 6 and 8 mph.

b. Rearward impact at 8 mph."

PAGE 16

5.1.1.5.4: Delete.

Source: https://assist.dla.mil -- Downloaded: 202640-22T00:10Z
Check the source to verify that this is the currentversion before use.

PAGE 17

5.2.1: Delete and substitute:

"5.2.1 Level A packing. A close-fitting plywood cap shall be fitted over the laundry unit so that it rests on the trailer. The cap shall consist of two sides, two ends, and a top, and shall be constructed in accordance with type I, class 2 of MIL-C-104, except the plywood shall conform to group A, type I, grade 3-4, or group B, with exterior glue, of NN-P-530 and lower frame members of the sides and ends shall be nominal 1 by 4 inch or 2 by 4 inch. Other frame members shall be those specified in MIL-C-104 for panel members for a net weight of 4000 pounds, except where interference with trailer components require that dimensions of members may be changed. The lower frame members shall be laid on edge on the trailer and bridged to provide clearance for the trailer wheels and other projections on the trailer. The cap shall be positioned in such a manner as not to interfere with lifting eyes. The cap shall be banded to the trailer using 3/4 inch strapping. Plywood shall be cut out to provide clearance for reflecting lights and other protrusions on the trailer if required. The fabric cover shall be placed in a PPP-B-636 box and stored inside the Laundry Trailer. The unit shall be draped in L-P-378 plastic sheeting prior to fitting the cap over the unit."

PAGE 18

5.2.1.1, line 3, after "with", delete remainder of sentence and substitute: "The Association of American Railroads (AAR), Rules Governing the Loading of Department of Defense Materials on Open-Top Cars."

Custodian:

Army - GL

Preparing activity:

Army - GL

(Project 3510-A313)

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:10Z
Check the source to verify that this is the currentversion before use.