MIL-S-44149(GL)
25 September 1984

MILITARY SPECIFICATION

SALAD DRESSINGS: DRY BLEND

This specification is approved for use by the Natick Research and Development Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1.1 Scope. This document covers dry blend salad dressings for use by the Department of Defense.

1.2 Classification. The product shall be of the following types, as specified (see 6.1).

Type I - Creamy Italian
Type II - Imitation French
Type III - Thousand Island
Type IV - Blue Cheese

2. APPLICABLE DOCUMENTS

2.1 Government documents. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this document to the extent specified herein.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U.S. Army Natick Research and Development Center, Natick, MA 01760-5014 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 8950

Source: https://assist.dla.mil -- Downloaded: 202640-22T00:12Z
Check the source to verify that this is the currentversion before use.

SPECIFICATIONS

FEDERAL

EE-S-631	-	Spices, Ground and Whole, and Spice Blends
TT-C-495	-	Coatings, Exterior, for Tinned Food Cans
PPP-C-96	-	Cans, Metal, 28 Gauge and Lighter
PPP-B-636	-	Boxes, Shipping, Fiberboard

MILITARY

MIL-C-44075	-	Catsup, Tomato, Dehydrated for Meal, Ready-To-Eat
MIL-L-1497	-	Labeling of Metal Cans for Subsistence Items
MIL-L-35078	-	Loads, Unit: Preparation of Nonperishable Subsistence General Specification For
MIL-V-35017	-	Vinegar, Dry, Synthetic

STANDARDS

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	-	Marking for Shipment and Storage
MIL-STD-900	-	Bacterial Standards for Starches, Flours, Cereals, Alimentary Pastes, Dry Milk and Sugars Used in the Preparation of Canned Foods for the Armed Forces

(Copies of documents required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

OTHER GOVERNMENT DOCUMENTS

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder (21 CFR Parts 1-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

Source: https://assist.dla.mil -- Downloaded: 202640-22T00:12Z
Check the source to verify that this is the current version before use.

U.S. DEPARTMENT OF AGRICULTURE (USDA)

U.S. Standards for Grades of Pickles

(Application for copies should be addressed to the Chief, Processed Products Branch, Fruit and Vegetable Division, Agricultural Marketing Service (AMS), U.S. Department of Agriculture, Washington, DC 20250.)

U.S. Standards for Condition of Food Containers

(Application for copies should be addressed to the Director, Market Research and Development Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20250.)

2.2 Other publications. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this document to the extent specified herein.

ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS (AOAC)

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 1111 North 19th Street, Suite 210, Arlington, VA 22209.)

AMERICAN DRY MILK INSTITUTE, INC.

Standards for Grades of Dry Milks Including Methods of Analysis; Bulletin 916

(Application for copies should be addressed to the American Dry Milk Institute, Inc., 130 No. Franklin St., Chicago, IL 60606.)

AMERICAN OIL CHEMISTS SOCIETY

Official and Tentative Methods of the American Oil Chemists Society

(Application for copies should be obtained from the American Oil Chemists Society, 508 South Sixth Street, Champaign, IL 61820.)

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:12Z
Check the source to verify that this is the current version before use.

AMERICAN DEHYDRATED ONION AND GARLIC ASSOCIATION

Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products

(Application for copies should be addressed to American Dehydrated Onion and Garlic Association, 251 Kearny Street, No. 410, San Francisco, CA 94108.)

U.S. PHARMACOPOEIAL CONVENTION (USP)

Pharmacopoeia of the United States

(Application for copies should be addressed to the U.S. Pharmacopoeial Convention, 12601 Twenbrook Parkway, Rockville, MD 20852.)

NATIONAL ACADEMY OF SCIENCES

Food Chemicals Codex

(Application for copies should be addressed to the National Academy Press, 2101 Constitution Avenue, N.W., Washington, DC 20418.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Applications for copies should be addressed to the American Trucking Associations, Inc., Traffic Department, 1616 P Street, N.W., Washington, DC 20036.)

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Suite 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

(Technical society and technical association documents are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

2.3 Order of precedence. In the event of conflict between the text of this document and the references cited herein, the text of this document shall take precedence.

3. REQUIREMENTS

3.1 First article. When specified, a sample shall be subjected to first article inspection (see 4.4, 6.1, and 6.3).

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent and insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Spray dried vegetable shortening. Spray dried vegetable shortening shall be composed of partially hydrogenated soybean shortening of high commercial grade with added emulsifier and which is equivalent to Beatreme 3458, a product of Beatrice Food Co. The spray dried vegetable shortening shall conform to the following requirements:

INGREDIENTS: Partially hydrogenated soybean oil, corn syrup solids, modified food starch, mono and diglycerides, and glycery-lacto esters of fatty acids.

ANALYSIS: Color ... Off-white
Fat ... Minimum 60.0 percent
Moisture ... Maximum 3.0 percent
Sieve analysis ... Free from hard lumps with 100 percent through a No. 12 U.S. Standard sieve.

3.2.2 Instant cold water creaming agent. Instant cold water creaming agent shall be a white, high-fat creaming base that dissolves instantly in cold water and which is equivalent to SAN-A-Creme CSW-871, a product of Beatrice Foods Co. The instant cold water creaming agent shall conform to the following requirements:

INGREDIENTS: Partially hydrogenated soy oil, corn syrup solids, sodium caseinate, dipotassium phosphate, polysorbate 60, monoglycerides, artificial flavor and natural color.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

ANALYSIS: Fat ... Minimum 49.0 percent
Protein ... Minimum 2.5 percent
Carbohydrates ... Minimum 40.0 percent
Moisture ... Maximum 3.0 percent

3.2.3 Blue cheese powder. Blue cheese powder shall be made from a full-flavored blue cheese of high commercial grade, stabilized with disodium phosphate, contain a preservative and conform to the following requirements:

ANALYSIS: Color ... Cream to light blue
Fat ... Minimum 42.0 percent
Moisture ... Maximum 3.5 percent
Sieve analysis ... Free from hard lumps with 100 percent through a No. 12 U.S. Standard sieve.

Before further processing and drying the blue cheese shall possess a sharp, peppery, piquant flavor and shall not possess objectional flavors such as bitter, earthy, musty, soapy, or ammoniacal. The color shall be natural cream to white (if bleached) and shall have a blue or blue-green marbled appearance throughout. The outside surface shall not be soft or slimy.

3.2.4 Blue cheese flavored pieces. Blue cheese flavored pieces shall be of a typical blue cheese flavor and approximately of 1/8 inch in size. The formulation shall include, but not be limited to, partially hydrogenated vegetable shortening of high commercial grade, blue cheese solids, blue cheese flavor, modified whey solids. The blue cheese flavored pieces shall conform to the following requirements:

ANALYSIS: Color ... Cream to light blue
Fat ... Minimum 55.0 percent
Moisture ... Maximum 4.0 percent
Size ... Approximately 1/8 inch pieces

Before further processing and drying the blue cheese shall possess a sharp, peppery, piquant flavor and shall not possess objectional flavors such as bitter, earthy, musty, soapy, or ammoniacal. The color shall be natural cream to white (if bleached) and shall have a blue or blue-green marbled appearance throughout. The outside surface shall not be soft or slimy.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

3.2.5 Sugar. Sugar shall be clean, white, refined, sucrose, liquid or granulated, cane or beet sugar, or both. The sugar shall comply with the requirements of MIL-STD-900.

3.2.6 Vinegar, dry, synthetic. Synthetic dry vinegar shall meet the requirements of MIL-V-35017.

3.2.7 Garlic powder. Garlic powder shall meet the requirements of fancy grade garlic powder of the Official Standards and Methods of the American Dehydrated Onion and Garlic Association (ADOGA) for Dehydrated Onion and Garlic Products.

3.2.8 Onion powder. Onion powder shall meet the requirements of fancy grade onion powder of the Official Standards and Methods of the American Dehydrated Onion and Garlic Association (ADOGA) for Dehydrated Onion and Garlic Products.

3.2.9 Salt. Salt shall be non-iodized white, refined sodium chloride with or without anti-caking agents.

3.2.10 Onion, chopped, dehydrated. Dehydrated chopped onion shall meet the requirements of fancy grade dehydrated onion of the Official Standards and Methods of the American Dehydrated Onion and Garlic Association (ADOGA) for Dehydrated Onion and Garlic Products.

3.2.11 Bell pepper, red, dehydrated. Red bell pepper shall be dehydrated dices (1/4 inch by 1/4 inch) made from matured red bell peppers. The peppers shall possess a uniform bright red color and shall be free from damage caused by hail, sunburn diseases, insects, or mechanical damage.

3.2.12 Pickle relish, sweet, dehydrated. The pickles used in the sweet pickle relish shall meet the U.S. Standards for Grade A for Pickles prior to dehydration.

3.2.13 Catsup, tomato, dehydrated. Catsup shall be dehydrated and shall comply with the requirements of MIL-C-44075.

3.2.14 Xanthan gum. Xantham gum shall be of high commercial food grade and shall comply with the requirements of the Food, Drug and Cosmetic Act and regulations promulgated thereunder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

3.2.15 Yellow color No. 6. Yellow color No. 6 shall comply with the requirements of the Food, Drug and Cosmetic Act and regulations promulgated thereunder.

3.2.16 Ground spices. Allspice, cinnamon, cloves, oregano leaves, mustard flour, white pepper, paprika, and sweet basil shall be in accordance with the commodity requirements of EE-S-631.

3.2.17 Nitrogen. Nitrogen shall be U.S. Pharmacopoeia grade and shall be water or liquid nitrogen pumped (see 5.1.1).

3.3 Preparation and processing.

3.3.1 Product formulation. The ingredients shall be uniformly mixed in the proportions required for each type:

INGREDIENTS	Type I Creamy Italian %	Type II Imitation French %	Type III Thousand Island %	Type IV Blue Cheese %
Spray dried vegetable shortening	30.00	26.500	26.50	25.00
Instant cold water creaming agent	30.00	26.500	26.50	25.00
Blue cheese powder	-	-	-	18.00
Blue cheese flavored pieces (approximately 1/8 inch)	-	-	-	18.00
Sugar	13.45	20.300	17.50	5.00
Vinegar, dry, synthetic	5.00	3.500	3.00	3.00
Garlic powder	4.00	2.330	1.75	1.00
Onion powder	4.00	4.530	3.00	1.40
Salt	6.00	5.000	4.90	2.30

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

INGREDIENTS	Type I Creamy Italian %	Type II Imitation French %	Type III Thousand Island %	Type IV Blue Cheese %
Onion, chopped, dehydrated	3.60	-	1.50	-
Red bell pepper, dehydrated (1/4 inch)	2.20	-	1.50	-
Sweet pickle relish, dehydrated	-	-	7.10	-
Catsup, dehydrated	-	10.000	4.70	-
Xantham Gum	.48	.430	.45	.45
FDA yellow #6	-	.016	-	-
White pepper, ground	.25	.250	.20	.15
Mustard, flour	-	.600	.80	.70
Paprika, ground	.16	-	.60	-
Oregano, crushed	.20	-	-	-
Basil leaves, crushed	.66	-	-	-
Cinnamon, ground	-	.016	-	-
Allspice, ground	-	.014	-	-
Clove, ground	-	.014	-	-

3.3.2 Blending. Blending of all ingredients shall be done in a high speed mixer designed to blend powdered food ingredients.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

3.3.3 Premixing. All ingredients that make up less than 1 percent of the total shall be premixed with a minimum of 5 percent of the sugar and added to the batch when the mixer is about half charged.

3.4 Finished product requirements.

3.4.1 Dry blend. The canned dry blend shall be uniformly blended; shall be free from rancid, musty, and other undesirable flavors or odors; and shall be free flowing. The dry blend shall not contain lumps which do not fall apart under light finger pressure. The dry blend shall conform to the following requirements, as applicable:

Type	Moisture Content Maximum	pH, maximum	Fat Content Minimum
I	3.2	4.2	30.0
II	3.2	4.2	25.0
III	3.4	4.2	27.0
IV	3.4	5.0	44.0

3.4.2 Reconstituted products. The powdered dry blends when reconstituted according to label directions (see 5.4) shall be devoid of lumps and graininess and shall not show any signs of curdling. The blends shall form a smooth dressing as soon as they are mixed with cold water and stirred with a wire whip. The dehydrated vegetables shall be fully reconstituted within 30 minutes after mixing. The salad dressing shall have a flavor typical of the type of product indicated.

3.4.3 Palatability. The product shall be equal to or better than the approved preproduction sample (see 6.1) in palatability and overall appearance.

3.5 Plant qualification. The product shall be prepared, processed and packaged under sanitary conditions in accordance with good manufacturing practice. The product shall be processed in establishments meeting the sanitary requirements of the applicable Government inspection agency.

3.6 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this document. The contractor shall assure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and acceptance service. Product acceptability shall be determined by the USDA. The USDA will determine the degree of acceptance service necessary to assure compliance with the requirements of this document. The cost of grading and acceptance services performed by the USDA involving inspection, official documentation, and related services shall be borne by the contractor.

4.3 Classification of inspection. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4).
b. Quality conformance inspection (see 4.5).

4.4 First article inspection. When a first article is required (see 6.1), it shall be inspected in accordance with the quality assurance provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this document or any appearance or palatability failure shall be cause for rejection of the first article.

4.5 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.5.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable purchase document.

4.5.1.1 Ingredient examination. Conformance of ingredients to identity and condition requirements shall be determined by examination of pertinent labels, markings, U.S. Grade certificates, invoices, certificates of analysis, or other valid documents. In addition each ingredient shall be examined

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

organoleptically as necessary to determine conformance to the condition requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient lot or of any involved product.

4.5.1.2 Unfilled can inspection. Conformance of unfilled cans to the requirements specified in 5.1.1 shall be determined by examination of certificates of conformance or of other valid documents. Any nonconformance shall be cause for rejection of the can lot or of any involved product.

4.5.2 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, filling, sealing, and packing requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or of other valid documents shall be cause for rejection of the involved product.

4.5.3 Net weight inspection. The net weight of the filled and sealed cans shall be determined by weighing each sample unit on a suitable tared scale. The results shall be reported to the nearest 0.1 ounce. Any individual net weight of less than 15.9 ounces shall be scored as a minor defect. The lot size shall be expressed in cans. The sample unit shall be one filled and sealed can. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 2.5. In addition, the lot shall be rejected if the sample average net weight is less than 16.0 ounces.

4.5.4 Product examination. The filled and sealed cans shall be examined for the defects listed in table I. The lot size shall be expressed in cans. The sample unit shall be the contents of one can. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 1.5 for major defects and 6.5 for minor defects.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

TABLE I. Product defects 1/ 2/

Category		Defect
Major	Minor	Applicable to dry blend.
101		Powder not free flowing.
	201	Presence of lumps which do not fall apart with light finger pressure.
	202	Not uniformly blended.
		Reconstituted product. 3/
102		Salad dressings do not rehydrate in 5 minutes after adding cold water and whipping by hand with a wire whip and vegetables not reconstituted within 30 minutes.
103		Presence of lumps (except blue cheese and vegetable pieces), graininess, or curdling.

1/ Presence of any foreign material (e.g. glass, dirt, insect part, hair, wood, metal, etc.), foreign odor or flavor (e.g. burnt, scorched, stale, sour, rancid, musty, moldy, etc.), or foreign color shall be cause for rejection of the lot.

2/ Product not equal to or better than the approved preproduction sample (see 6.1) in palatability or overall appearance shall be cause for rejection of the lot. (This comparison shall be be performed only when deemed necessary by an AMS inspection agent.)

3/ Reconstitute in accordance with label instructions.

4.5.5 Can condition examination. Examination of filled and sealed cans shall be in accordance with the United States Standards for Condition of Food Containers, except that inspection for labeling shall be in accordance with MIL-L-1497 (see 5.4).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

4.5.6 Leakage testing. Eight filled and sealed cans, selected at random from the lot, shall be tested for conformance to the leakage requirement in 5.1.1 by submerging the cans in water contained in a vacuum dessicator, or other device which produces equivalent results, and subjecting them to a vacuum of 10 inches of mercury for 30 seconds. A leak consists of a steady progression of bubbles. Isolated or static bubbles caused by entrapped air on seams or surfaces of cans are not considered as signs of leaks. Any leaks shall be cause for rejection of the lot.

4.5.7 End item testing. The filled and sealed cans of product shall be tested for the characteristics specified in table II. The lot size shall be expressed in cans. The sample unit shall be one filled and sealed can. The sample size shall be the number of sample units indicated by inspection level S-2. Any test failure shall be cause for rejection of the lot.

TABLE II. End item tests

Characteristic	Requirement paragraph	Test method
Moisture content	3.4.1	Vacuum oven, 17.001 1/
pH	3.4.1	Potentiometric, 14.002 1/
Fat content	3.4.1	Acid hydrolysis, 30.052 1/
Oxygen in headspace	5.1.1	4.6.1

1/ Official Methods of Analysis of the Association of Official Analytical Chemists. Report results to the nearest 0.1.

4.5.8 Shipping container examination. Shipping containers shall be examined for defects in construction, packing, closure, and reinforcement shall be in accordance with the appendix of PPP-B-636. In addition, the following defects shall be classified as follows:

Major: National stock number, item description, contract number or date of pack markings missing, incorrect or illegible.
Not snug-fitting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

Minor: Other required marking missing, incorrect or illegible
Tiered cans not separated with pad as specified.
Reinforcement with nonmetallic strapping or tape is not used.
Interior packing with fiberboard pads not as specified.
Arrangement or number of cans not as specified.
Not closed as specified.

4.5.9 Unit load inspection. Inspection of unit loads shall be in accordance with the quality assurance provisions of MIL-L-35078.

4.6 Methods of inspection.

4.6.1 Oxygen in headspace test. The can headspace oxygen content shall be determined in accordance with the Determination of Oxygen method in Bulletin 916 of the American Dry Milk Institute, Inc. Alternatively, the headspace oxygen content may be determined by an Instrumentation Laboratories Oxygen Analyzer or equivalent instrument. Test results shall be reported to the nearest 0.1 percent. When referee testing is necessary, the American Dry Milk Institute Method shall be followed.

5. PACKAGING

5.1 Preservation. Preservation shall be level A or C as specified.

5.1.1 Level A. A net weight of 16 ounces of product shall be unit packed into an open-top style, round metal can, size 401 by 411 with a soldered or welded side seam or one-piece drawn body and compound-lined, double-seamed ends. A net weight tolerance of minus 0.1 ounce will be permitted for individual cans provided that the average net weight of the cans inspected in 4.5.3 is not less than 16.0 ounces. The can shall be made throughout from not less than 0.25 pound per base box electrolytic tin plate. The can shall be coated overall on the inside with an enamel suitable for the product. Alternatively, the can ends may be fabricated from ECCS plate, fully enameled both inside and out. The inside side seam of each can shall be striped. The can shall be coated overall on the outside with a coating

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:12Z
Check the source to verify that this is the current version before use.

conforming to type I, or when specified type III of TT-C-495. The product shall be gas packed by first removing the air from the filled can and replacing it with nitrogen. The can shall be hermetically sealed and the oxygen shall not be greater than 2.0 percent when tested as specified in 4.6.1. The sealed can shall not show leakage when tested in accordance with 4.5.6.

5.1.2 Level C. The product shall be preserved as specified for level A, except that cans with or without commercial exterior coating will be acceptable. Alternatively cans may be made from 0.20 pound per base box electrolytic tinplate, provided the cans have an exterior commercial coating.

5.2 Packing. Twenty-four cans of product of one type only arranged 4 in length, 3 in width and 2 in depth shall be packed on end in a snug-fitting fiberboard shipping container in accordance with level A, B, or C as specified.

5.2.1 Level A packing. The shipping container shall be constructed and closed in accordance with style RSC, grade V2s of PPP-B-636. The tiered cans shall be separated with a full length and width fiberboard pad made of the same material as the box. The pad shall be not less than 1/8 inch of the full length and width dimensions of the box. Each shipping container shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636. Shipping containers shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified (see 6.1). Strapping shall be limited to nonmetallic strapping, except for type II, class F loads.

5.2.2 Level B packing. The shipping container shall be constructed and closed in accordance with style RSC, grade W5c or W5s of PPP-B-636. The tiered cans shall be separated with a full length and width fiberboard pad made of the same material as the box. The pad shall be not less than 1/8 inch of the full length and width dimensions of the box. Each shipping container shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636.

5.2.3 Level C packing. The shipping container shall be in accordance with Uniform Freight Classification or National Motor Freight Classification, as applicable, except the closure of the fiberboard boxes shall be in accordance with method II as specified in the appendix of PPP-B-636. The tiered cans shall be separated with a full length and width pad. The pad shall be not less than 1/8 inch of the full length and width dimensions of the box.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

5.3 Unit loading. When specified (see 6.1), the product packed as specified in 5.2.2 and 5.2.3, shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified. When unit loads are strapped, the strapping shall be limited to nonmetallic strapping.

5.4 Labeling and marking.

5.4.1 Labeling of cans. Cans shall be labeled in accordance with MIL-L-1497. In addition, the following information shall appear on the exterior of the can:

NITROGEN PACKED

Direction for Use

1. Add contents of can in mixing bowl.
2. Add 3 cups cold water, mix by hand with a whip until powder is visibly dissolved.
3. Let stand for 30 minutes, preferably refrigerated.
4. Whip again, thin to desired consistency with cold water.
5. Requires refrigeration after preparation - will keep for several days.

Approximate yield - one quart.

5.4.2 Marking of shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129.

5.4.3 Marking of unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

6. NOTES

6.1 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this document.
b. When a first article is required (see 3.1, 4.4, and 6.3).
c. Type of product required (see 1.2).
d. Provisions for approved preproduction samples (see 3.4.3 and 6.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

e. Levels of preservation and packing required (see 5.1 and 5.2).
f. Type and class of unit load when unit loading is specified (see 5.2.1 and 5.3).

6.2 Award of contract. Award of contracts for the product specified in this document will be limited to plants known to maintain the required sanitation conditions of 3.5.

6.3 First article. The item requires first article test and approval under the appropriate provisions of FAR 52.209. The first article shall be a preproduction sample. The sample shall consist of two (2) cans of product which the contractor shall submit to the U.S. Army Natick Research and Development Center, ATTN: Food Engineering Laboratory, Office Code: STRNC-WTP, Natick, MA 01760-5014 for evaluation for acceptance. The contracting officer should include specific instructions in all acquisition documents regarding arrangements for selection, inspection, and approval of the first article.

Custodians:

Army - GL

Review activities:

Army - MD, TS
DP - SS

Preparing activity:

Army - GL

Project No. 8950-A304

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:12Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for us submitting comments and suggestions for improvements. All users of military standardization documents are invited to pro suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorizatio to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY
US Army Natick Research and Development Center
Natick, Massachusetts 01760-5014

NO POSTA NECESSAR IF MAILE IN THE UNITED STA

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300
STRNC-ES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research and Development Center
ATTN: STRNC-ES
Natick, MA 01760-5014

Source: https://assist.dla.mil -- Downloaded: 202640-22T00:12Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-S-44149(GL)	Salad Dressings: Dry Blend

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

NATICK OP, 1 Apr 84

Source: https://assist.dla.mil -- Downloaded: 202640-22T00:12Z
Check the source to verify that this is the current version before use.