MILITARY SPECFICATION

ASPIRIN, ALUMINUM HYDROXIDE GEL, DRIED, AND MAGNESIUM HYDROXIDE TABLETS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Aspirin, Aluminum Hydroxide Gel, Dried, and Magnesium Hydroxide Tablets (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

STANDARDS

FEDERAL

FED-STD-140 - Tablets (for Medicinal Purposes).

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Aspirin, Dried Aluminum Hydroxide Gel and Magnesium Hydroxide and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein.

S2. Classification. Shall be type I.

S5.3 The following is added to this paragraph:

Shall be tablets containing 325 mg of aspirin, 75 mg of dried aluminum hydroxide gel and 75 mg of magnesium hydroxide per tablet, within the designated assay limits for the tablet.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

3.1.1 Assays.

3.1.1.1 Aspirin. Shall assay to contain not less than 95.0 percent and not more than 105.0 percent of the required amount of aspirin when determined as specified in the USP for Aspirin Tablets (Buffered).

3.1.1.2 Magnesium hydroxide. Shall assay to contain not less than 90.0 percent and not more than 110.0 percent of the requuired amount of magnesium hydroxide when determined as specified in 4.5.1.

3.1.1.3 Aluminum oxide. Shall assay to contain an amount of aluminum oxide (AL_2O_3) that is not less than 45.0 percent and not more than 55.0 percent of the required amount of dried aluminum hydroxide gel when determined as specified in 4.5.2.

3.2 Other requirements. The tablets shall comply with the tests, standards, and requirements of the USP for Aspirin Tablets (Buffered).

3.3 Ingredients.

3.3.1 Aspirin and dried aluminum hydroxide. The aspirin and dried aluminum hydroxide gel used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.3.2 Magnesium hydroxide. The magnesium hydroxide used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the NF, including any supplements or revisions thereto.

3.4 Other ingredients. All other ingredients used in the manufacture of the tablets shall comply with S5.1 of FED-STD-140.

3.5 Expiration dating period. The expiration dating period shall be not less than 36 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of the inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-140 shall be applicable.

4.3 Packaging inspection. The inspection of the packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests.

4.5.1 Assay for magnesium hydroxide.

Assay Preparation.

Weigh and finely powder not less than 20 tablets. Transfer an accurately weighed portion of the powder equivalent to about 400 mg of magnesium hydroxide to 400 ml beaker, add 100 ml of purified water and 4 ml of concentrated HCl, heat to boiling placing a watch glass on the beaker. Boil gently for approximately 5 minutes, cool in an ice bath to below room temperature, then filter through double #41 filter paper into a 200 ml volumetric flask. Wash beaker, filter and qs to volume and mix.

Procedure.

Transfer a 20 ml aliquot of the assay preparation to a 400 ml beaker and add 200 ml of purified water, approximately 1 gram of ammonium chloride and 20 ml of triethanolamine and stir. Then add 10 ml of ammonia-ammonium chloride buffer TS and 2 drops of erichrome black T indicator solution. Titrate with 0.05 M disodium ethylenediaminetetraacetate (EDTA) to a pure blue endpoint. Each ml of EDTA consumed is equivalent to 2.916 mg of $Mg(OH)_2$.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

4.5.2 Aluminum oxide.

Transfer a 20 ml aliquot of the assay preparation, prepared as specified in 4.5.1, to a 250 ml beaker. Add 10 ml of purified water, then add in the order listed and with continuous stirring: 25.0 ml of 0.05 M EDTA, 20 ml of acetic acid-ammonium acetate buffer TS, 50 ml of alcohol, and 2 ml of dithizone TS and mix. Titrate the solution with 0.05 M zinc sulfate to a sharp color change from green-violet to rose-pink. Each ml of 0.05 M EDTA consumed is equivalent to 2.549 mg of aluminum oxide (AL_2O_3).

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing 500 tablets, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit packaging. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate packaging. Intermediate packaging is not required.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified.

5.3.1 Level A. Twelve (12) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Twelve (12) units of issue shall be packed in an exterior container designed for a type 2 load and conforming to PPP-B-636, type CF, class domestic. Box design shall include full height , half slotted style partitions. Partitions shall form an individual cell for each bottle. Partitions shall not be required when unit packages are furnished. Closure of box shall be as specified in the appendix of PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number need not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-135-2783	ASPIRIN, ALUMINUM HYDROXIDE GEL, DRIED, AND MAGNESIUM HYDROXIDE TABLETS, 500s

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DoD - MB

Preparing activity:
DLA - DM

Project No. 6505-1758

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER (Number) AND TITLE

MIL-A-37610 ASPIRIN, ALUMINUM HYDROXIDE GEL, DRIED, AND MAGNESIUM HYDROXIDE TABLETS

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION O ' 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.