MILITARY SPECIFICATION

DOXYLAMINE SUCCINATE AND PYRIDOXINE HYDROCHLORIDE TABLETS

This specification is approved for use by the Defense Personnel Support Center, Defense Supply Agency, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Doxylamine Succinate and Pyridoxine Hydrochloride tablets (See 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

STANDARDS

FEDERAL

FED-STD-140 - Tablets (for Medicinal Purposes).

Beneficial comments (recommendations, additions, deletions) and pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Doxylamine Succinate and Pyridoxine hydrochloride Tablets and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein.

S2. Classification. Shall be type I, Class 2.

Source: https://assist.dla.mil -- Downloaded: 20261O-21T11:06Z
Check the source to verify that this is the current version before use.

S5.3 The following is added to this paragraph:

Shall be coated tablets containing 10 mg of Doxylamine Succinate and 10 mg of Pyridoxine Hydrochloride per tablet within the designated assay limits for the tablets.

The tablets shall assay to contain not less than 90.0 percent and not more than 110.0 percent of the required amounts of Doxylamine Succinate and not less than 108.0 percent and not more than 132.0 percent of the required amount of Pyridoxine Hydrochloride when assayed as specified in 4.5.1 and 4.5.2.

The Doxylamine Succinate and Pyridoxine Hydrochloride in the finished tablet shall comply with the identity test specified in 4.5.3.

S6.4.9.1 Delete in its entirety and substitute the following:

S6.4.9.1 Tablets shall comply with the following disintegration test:

The average disintegration time for the tablets shall be not less than 1 hour and not more than 2-1/2 hours when tested as specified in 4.5.4.

S6.8.3 Delete the second sentence, "All major A catagories under 'Uncoated Tablet; except number 106 and 111 shall apply' and substitute: "All major A categories under 'Uncoated Tablets; except numbers 102, 106, and 111 shall apply.'"

3.2 Ingredients.

3.2.1 Doxylamine succinate. The doxylamine succinate used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the NF, including any supplements or revisions thereto.

3.2.2 Pyridoxine hydrochloride. The pyridoxine hydrochloride used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients used in the manufacture of the tablets shall comply with S5.1 of FED-STD-140.

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:06Z
Check the source to verify that this is the current version before use.

3.4 Expiration dating period. The expiration dating period shall be not less than 36 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-140 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:06Z
Check the source to verify that this is the current version before use.

4.5 Tests.

4.5.1 Assay for Doxylamine Succinate in the tablets. Weigh and finely powder not less than 20 tablets using a smooth surface mortar. Weigh accurately a ground sample equivalent to approximately 4 mg of Doxylamine Succinate. Transfer the sample to a separatory funnel and add approximately 30 ml hot Purified Water. Shake thoroughly until the sample has dissolved. Add Hydrochloric Acid T.S. until distinctly acidic. Extract with two 25 ml portions of chloroform. Discard the chloroform layer. Make the aqueous solution alkaline with sodium hydroxide, 10 percent. Extract with three 50 ml portions of ether. (Save the aqueous alkaline solution for the Pyridoxine Hydrochloride Assay.) Extract the ether portion with three 50 ml portions of 0.1N Hydrochloric Acid. Quantitatively dilute to 200 ml with 0.1N Hydrochloric Acid.

Concomitantly determine the absorbances of the sample solution and of a standard solution having a known final concentration of approximately 2 mg of Doxylamine Succinate, NF reference standard in 100 ml of 0.1N hydrochloric acid, in a 1-cm cell at 262 nm, in a suitable spectrophotometer, using 0.1N hydrochloric acid as the blank.

Calculate the percent Doxylamine Succinate per tablet.

4.5.2 Assay for Pyridoxine Hydrochloride in the tablets. Add sufficient Hydrochloric Acid, T.S. to distinctly acidify the aqueous alkaline solution from the assay for Doxylamine Succinate. Dilute quantitatively and stepwise with 0.1N Hydrochloric Acid to a concentration of approximately 0.012 mg Pyridoxine Hydrochloride per ml.

Concomitantly determine the absorbances of the sample solution and of a standard solution having a known final concentration of approximately 1.2 mg of Pyridoxine Hydrochloride, USP Reference Standard in 100 ml of 0.1N HCL, in a 1-cm cell at approximately 290 mm, in a suitable spectrophotometer, using 0.1N HCL as the blank.

Calculate the percent Pyridoxine Hydrcchloride per tablet.

4.5.3 Identification. The presence of Doxylamine Succinate and Pyridoxine Hydrochloride in the finished tablets shall be determined as follows:

4.5.3.1 The ultraviolet absorption spectrum obtained in the assay for Doxylamine Succinate shall exhibit maxima and minima at the same wavelengths as that of a similar preparation of NF Doxylamine Succinate Reference Standard.

Source: https://assist.dla.mil -- Downloaded: 202640-21T11:06Z
Check the source to verify that this is the currentversion before use.

4.5.3.2 The ultraviolet absorption spectrum obtained in the assay for Pyridoxine Hydrochloride shall exhibit maxima and minima at the same wavelengths as that of a similar preparation of USP Pyridoxine Hydrochloride Reference Standard.

4.5.4 Disintegeration test.

Test six (6) tablets. Use a USP basket that is 750 mm from the bottom of the screen to the bottom of the top plate and a 1000-ml beaker in which 900 ml of USP simulated gastric fluid has been placed. The apparatus shall have a vertical stroke of 5.5 cm and shall run at 30 ± 1 r.p.m. Position the basket so that at the bottom of the stroke, it is 3.18 cm form the inside bottom of the beaker. At the highest point of the upward strike, the wire mesh on the bottom of the basket shall be no closer than 2.54 cm to the surface of the solution.

Add tablets and USP disks after the fluid is at 37°C. Maintain the solution at 37° ± 2°C and add Purified Water each hour, if necessary, to maintain the volume at 900 ml. Run until all tablets have disintegrated 1/ recording the number disintegrated each 15 minutes. This shall be the first 15-minute interval in which the tablet is completely disintegrated. For example, if a tablet was present at 45 minutes but was gone at 1 hour, it would be recorded as 1 hour, even though it might have disintegrated as early as 46 minutes.

Physical disintegration.

Observe condition of tablets at 15-minute intervals beginning at 30 minutes. Record the time at which each individual tablet has disintegrated. Calculate the basket average. All tablets must be present at the 30-minute interval, all tablets shall be disintegrated at the 3 1/4 hour interval and the average shall be not less than 1 and not more than 2-1/2 hours. If one or two of the 6 tablets disintegrate before 45 minutes or fail to disintegrate in 3 1/4 hours or if the average is over 2-1/2 hours, repeat the test using 12 additional tablets. Of the 18 tablets tested, no more than 2 tablets shall disintegrate in less than 45 minutes nor more than 3 1/4 hours, and the average of the 18 tablets shall be not less than 1 hour and not more than 2-1/2 hours. None of the 18 tablets shall disintegrate before 30 minutes.

1/ A tablet is considered to be disintegrated when the inner core is completely dissolved even though the outer shell remains undissolved (usually the outer shell will be flattened).

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:06Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One bottle containing one hundred tablets, as specified constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility the neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve units shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Twelve intermediate packages (144 units) shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Twelve intermediate packages (144 units) shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in paragraph 5.5.3 of PPP-C-186. In addition, Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)".

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type I Shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legend: STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the follwoing:

(a) Title, number and date of this specification
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock Number	Item Identification
6505-01-024-2653	DOXYLAMINE SUCCINATE AND PYRIDOXINE HYDROCHLORIDE TABLETS, 100s

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1756

☆

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-D-37608 (DSA-DM) DOXYLAMINE SUCCINATE AND PYRIDOXINE HYDROCHLORIDE TABLETS

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:06Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:06Z
Check the source to verify that this is the current version before use.