MILITARY SPECIFICATION

# EMOLLIENT LOTION

This specification is approved for use by the Defense Personnel Support Center, Defense Supply Agency, and is available for use by all Departments and Agencies of the Department of Defense.

## 1. SCOPE

1.1 Scope. This specification covers Emollient Lotion (See 6.2).

## 2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:02Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be scented, lubricating, oil in water emulsion containing the following formula:

| Ingredients | W/W Percent |
|---|---|
| Lanolin Absorption Base | 7.85 |
| Light Mineral Oil | 10.37 |
| Cetyl Alcohol | 0.52 |
| Stearic Acid | 1.59 |
| Butylparaben | 0.12 |
| Propylparaben | 0.03 |
| Triethanolamine | 0.75 |
| Methylparaben | 0.09 |
| Sorbitol Solution | 4.75 |
| Sodium Chloride | 0.01 |
| Perfume Oil | 0.12 |
| Water, Purified | 73.80 |



Source: https://assist.dla.mil -- Downloaded: 202640-21T11:02Z
Check the source to verify that this is the currentversion before use.

3.1.1 Content. The presence of all of the ingredients in the formula for the lotion shall be determined from the batch formulation sheet kept on file by the manufacturer.

3.2 Physical properties of the finished product.

3.2.1 pH. The pH shall be between 7.80 and 8.30 when determined potentiometrically, at 25°C, using the USP method.

3.2.2 Viscosity. Viscosity shall be between 800 and 1100 cps at 25°C when tested as specified in 4.5.1.

3.2.3 Specific Gravity. Specific gravity shall be between 0.9700 and 0.9900 when determined at 25°C using USP method. As an alternate, a Mettler/Parr DMA-10 density meter may be used.

3.3 Ingredients.

3.3.1 Light mineral oil. The light mineral oil used in the manufacture of the lotion shall comply with the tests, standards, and requirements of the NF, including any supplements or revisions thereto.

3.3.2 Lanolin absorption base.

3.3.2.1 Identity. Shall give a positive test for Cholesterol when tested as directed in Identification Test B in USP monograph for Cholesterol.

3.3.2.2 Anhydrous. There shall be no separation into an upper oily and a lower water layer when a portion of the sample is heated on a steam bath.

3.3.2.3 Alkalinity. Shall comply with the alkalinity test in the USP monograph for Anhydrous Lanolin.

3.3.2.4 Water-soluble acids and alkalies. Shall comply with the water-soluble acids and alkalies test in the USP monograph for Anhydrous Lanolin.

3.3.2.5 Ammonia. Shall comply with the ammonia test in the USP monograph for Anhydrous Lanolin.

3.3.2.6 Water-soluble oxidizable substances. Shall comply with the water-soluble oxidizable substances test in the USP monograph for Anhydrous Lanolin.

3.3.3 Other ingredients. All other ingredients used in the preparation of the lotion shall be of USP or NF quality, or, if not included in either of these compendia, they shall be of the highest pharmaceutical grade suitable for use in the manufacture of the product.

3.4 Delivery. Not more than 6 months shall have elapsed from the date of manufacture of the emollient lotion to the date of delivery to the Government.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:02Z
Check the source to verify that this is the current version before use.

3.5 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item ot the Government.

4.1.2 No company supplying any ingredients(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of emollient lotion produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling.

| For visual examination | Inspection level | AQL (percent defective) | Unit of product |
|---|---|---|---|
| Major | S-2 | 1.0 | Filled plastic bottle. |
| Minor | II | 2.5 | Filled plastic bottle. |



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:02Z
Check the source to verify that this is the current version before use.

4.3.1 For raw material and end item testing. Noncompliance with any of the following is caused for rejection. The acceptance number for each test shall be zero (0).

TABLE II. Raw material and end item testing.

| Characteristic | Requirement paragraph | Inspection level 1/ | Minimum sample |
|---|---|---|---|
| pH | 3.2.1 | S2 | 5 } Composite |
| Viscosity | 3.2.2 | S2 | 5 } Composite |
| Specific gravity | 3.2.3 | S2 | 5 } Composite |
| Ingredients | 3.3 | 2/ | |

1/ Where possible, the samples shall be used for two or more tests.
2/ Sufficient quantities of each of the raw materials shall be selected from each lot to perform tests indicated in applicable test method. Failure of any sample to comply with test requirements shall be cause for rejection of the lot represented.

4.4 Examination. The finished product shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.3 and 4.3.1.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects.

TABLE III. Classification of defects.

| Categories | Defects 1/ |
|---|---|
| Major | |
| 101 | Lotion not homogeneous. |
| 102 | Lotion not free from foreign matter. |
| 103 | Lotion not a lubricating oil-in-water emulsion type. |
| 104 | Dispenser cap defective or missing. |
| Minor | |
| 201 | Exterior of immediate container is not free from contents or foreign matter. |
| 202 | Label not free from defacing marks or tears. |

1/ Inspection is not restricted to the classified possible defects listed above.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:02Z
Check the source to verify that this is the current version before use.

4.5 Packaging inspection. The inspection of the intermediate package packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.6 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.7 Tests.

4.7.1 Viscosity. Allow the sample to stand overnight in a beaker in a water bath at 25°C ± 2°C. Determine the viscosity of sample using a Brookfield viscometer Model LVT with spindle #3 at 60 rpm. Read on 100 scale after 15 seconds of shearing.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One bottle containing 240 ml, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available plastic bottle with a dispenser cap considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve units shall be packaged in an intermediate package as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.



Source: https://assist.dla.mil -- Downloaded: 202640-21T11:02Z
Check the source to verify that this is the current version before use.

5.3 Packaging. Packaging shall be level A, B or C, as specified (See 6.1).

5.3.1 Level A. Six intermediate packages (72 units) shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Six intermediate packages shall be packed in an exterior container as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the date of manufacture prefixed by "MFD".

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Label adhesion test shall not apply.

(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Date of manufacture shall shown in lieu of date packed. Marking shall include the legend:

" DO NOT PERMIT TO FREEZE".



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:02Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Date of manufacture shall be shown in lieu of date packed. Marking shall include the legend:

"DO NO PERMIT TO FREEZE".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Number and date of this specification.

(b) National Stock Number.

(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

| National Stock Number | Item Identification |
|---|---|
| 6508-01-019-7181 | EMOLLIENT LOTION, 240 ml. |

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Preparing activity:
Defense Supply Agency - DM

Project No. 6508-0003



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:02Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-E-37575(DSA-DM) EMOLLIENT LOTION

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

**DD FORM 1 JAN 72 1426**

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

☆ GPO: 1974— 603-680/6126 2-1

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:02Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:02Z
Check the source to verify that this is the current version before use.