MILITARY SPECIFICATION

PLAGUE VACCINE, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Plague Vaccine, USP (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Headquarters, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:05Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Plague Vaccine, USP, and shall be in accordance with the applicable requirements of the Bureau of Biologics (B of B), FDA, and the applicable requirements of FED-STD-142, and as specified herein:

S2. Classification. Shall be type I, class 2.

S5.4 Add the following new paragraphs:

In addition to complying with all USP and Bureau of Biologics, FDA, requirements for Plague Vaccine, the vaccine shall be free from Blood Group A and B Substances but shall under no circumstances contain more than 0.004 mg of Blood Group A Substance per ml and 0.08 mg of Blood Group B Substance per ml. The test method used may be the one given in the B of B Minimum Requirements for Tetanus Toxoid.

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:05Z
Check the source to verify that this is the current version before use.

At the time samples are forwarded by the contractor to the Bureau of Biologics, for their testing for release of the lot(s), the contractor shall also forward a 20 ml sample from the same lot(s) of vaccine to the Walter Reed Army Institute of Research, for testing for blood specific substances A and B. A copy of the manufacturer's test protocol including his results for blood specific substances shall accompany the Walter Reed samples. These samples shall be marked "For Plague Vaccine Blood Specific Substances Test" and, in addition, shall include the following information:

(a) National Stock Number
(b) Item identification
(c) Contract number
(d) Contractor's name and address
(e) Lot or control number
(f) ATTENTION: Dept. Biologics Research
Div. Communicable Disease and Immunology
ATTN: SGRD-UWF-I
Walter Reed Army Institute of Research
Walter Reed Army Medical Center
Washington, DC 20012.

The contractor's request for test form shall show that the report is to be furnished to Defense Personnel Support Center, Directorate of Medical Materiel, ATTENTION: ATQD-7, 2800 South 20th Street, Philadelphia, PA 19101, and also that a copy is to be forwarded to Director, Bureau of Biologics, Food and Drug Administration, 5600 Fishers Lane, Rockville, MD 20857.

Shipment cannot be released by the quality assurance representative until he has received the Defense Personnel Support Center's report that the vaccine has passed Walter Reed Army Institute of Research testing and complies with the specified limits for Blood Specific Substances A and B.

The quality assurance representative's sampling at final release is covered by S5.4.1 and is not to be confused with the initial testing for blood specific substances A and B.

Add the following new paragraph:

S5.4.1 After final inspection and acceptance of the vaccine by the quality assurance representative, samples of the final, filled immediate containers shall be submitted as follows:

The quality assurance representative, when inspection is at source, or the contractor, when inspection is at destination shall send the following by fastest route directly to:

Department of Biologics Research
Division of Communicable Disease and Immunology
ATTN: SGRD-UWF-I
Walter Reed Army Institutes of Research
Walter Reed Army Medical Center
Washington, DC 20012

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:05Z
Check the source to verify that this is the current version before use.

(1). Six (6) samples (including circulars) from each lot or batch, accompanied by appropriate document bearing the following information:

(a) National Stock Number
(b) Item identification
(c) Contract number
(d) Contractor's name and address
(e) Lot or control number
(f) Quantity of material represented by the sample.

(2) One (1) copy of the protocol which the manufacturer had submitted to Bureau of Biologics stating the essential manufacturing processes and results of tests for each lot or batch.

(3) One (1) copy of Bureau of Biologics release for each lot or batch.

For this sampling of S5.4.1, shipment of material shall not be withheld for a report from Walter Reed Army Institute of Research.

When inspection is made at destination, the contractor shall submit one (1) copy of the Bureau of Biologics release and certificate of sterility for each lot or batch, and two (2) copies of document submitted with samples, directly to the Defense Personnel Support Center, addressed as shown above, and one (1) copy of the Bureau of Biologics release shall also be forwarded with the shipment to the consignee.

3.3 Expiration dating period. The expiration dating period shall be 18 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to nondated items, for not less than 3 years after delivery of the items to the Government.

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:05Z
Check the source to verify that this is the currentversion before use.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling and examination. The sampling and examination as shown in FED-STD-142 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests. Tests shall be performed to determine compliance with all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing 20 ml of vaccine as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. The immediate container shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in paragraph 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve units of issue shall be packaged as specified in 5.2.7.1 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:05Z
Check the source to verify that this is the current version before use.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Thirty intermediate packages (360 units) shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Thirty intermediate packages (360 units) shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers at the lowest rate to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with 5.5.3 of PPP-C-186. Type I shelf life marking shall be shown as specified in MIL-STD-129. Marking shall include the legend: "STORE BETWEEN 2^{0} - 8^{0} C (35^{0} - 46^{0} F)".

5.4.3 Exterior container. Each exterior container shall be marked in accordance with 5.5.4 of PPP-C-186. Type I shelf life marking shall be shown as specified in MIL-STD-129. Marking shall include the legend: "STORE BETWEEN 2^{0} - 8^{0} C (35^{0} - 46^{0} F)".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:05Z
Check the source to verify that this is the current version before use.

NOTE: The unrefrigerated shipping time for this item shall be not more than 3 days (72 hours).

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-935-1128	PLAGUE VACCINE, USP, 20 ml

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DoD - MB

Preparing activity:
DLA-DM

Project No. 6505-1744

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:05Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-P-37599 PLAGUE VACCINE, USP

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:05Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-21T11:05Z
Check the source to verify that this is the current version before use.