MILITARY SPECIFICATION

PERPHENAZINE AND AMITRIPTYLINE HYDROCHLORIDE TABLETS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Perphenazine and Amitriptyline Hydrochloride Tablets.

1.2 Classification. The tablets covered by this specification shall be of the following sizes and strengths (see 6.2):

Size 1 - 100s

Size 2 - 500s

Strength 1 - 4 mg of perphenazine and 25 mg of amitriptyline hydrochloride

Strength 2 - 2 mg of perphenazine and 25 mg of amitriptyline hydrochloride

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-140 - Tablets (for Medicinal Purposes).

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Perphenazine and Amitriptyline Hydrochloride Tablets, and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

S2. Classification. Shall be type I.

S5.3 The following is added to this paragraph:

Strength 1 shall be tablets containing 4 mg of perphenazine and 25 mg of amitriptyline hydrochloride per tablet, within the designated assay limits for the tablets.

Strength 2 shall be tablets containing 2 mg of perphenazine and 25 mg of amitriptyline hydrochloride per tablet, within the designated assay limits for the tablets.

The tablets shall assay to contain not less than 90.0 percent and not more than 110.0 percent of the required amount of perphenazine and amitriptyline hydrochloride when assayed as specified in 4.5.1 and 4.5.2. As an alternate to the assays specified in 4.5.1 and 4.5.2, a suitable, accurate, reproducible automated assay method shall be performed.

The tablets shall comply with the identification tests specified in 4.5.3. As an alternate to the identification tests specified in 4.5.3, if suitable, accurate, reproducible identification tests are performed on the bulk product, the end item identity may be a reference to imprint or marking unique to the dosage form.

S6.4.9.1 Tablets shall disintegrate in not more than 30 minutes when tested in accordance with the USP Disintegration Test.

3.2 Ingredients.

3.2.1 Perphenazine. The perphenazine used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the NF, including any supplements or revisions thereto.

3.2.2 Amitriptyline hydrochloride. The amitriptyline hydrochloride used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients used in the manufacture of the tablets shall comply with S5.1 of FED-STD-140.

3.4 Expiration dating period. The expiration dating period shall be not less than 36 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-140 shall be applicable.

4.3 Packing inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests.

4.5.1 Assay for perphenazine in the finished tablets.

Reagents.

1. Methanol, Anhydrous or Isopropanol
2. Methanol - water (1-1) or Isopropanol - water (1-1)
3. Palladium Chloride Reagent. Dissolve 50 mg of palladium chloride in 9 ml of concentrated hydrochloric acid by warming on a steam bath. Transfer to a 1 liter volumetric flask with anhydrous methanol and dilute to volume with methanol.

Sample Preparation.
Accurately weigh and finely powder 20 tablets. Accurately weigh a portion of powder equivalent to about 7 mg of perphenazine into a 100 ml volumetric flask. Add 20 ml of anhydrous methanol and 40 ml of methanol - water (1-1), shake, and dilute to volume with methanol - water (1-1). Centrifuge the preparation and pipet 5.0 ml of the solution into each of two glass stoppered 20 ml test tubes. Into one of the tubes pipet 5.0 ml of palladium chloride reagent (sample solution), and into the other pipet 5.0 ml methanol (sample blank).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

Standard preparation.
Accurately weigh about 70 mg of N.F. Perphenazine reference standard into a 100 ml volumetric flask. Dissolve and dilute to volume with anhydrous methanol. Transfer 10.0 ml of this solution to a 100 ml volumetric flask and treat in the same manner as described for the sample solution, beginning with centrifuging the preparation. The resulting solutions will be the standard solution and the standard blank.

Procedure.
Concomitantly determine the absorbances of the solutions at the maximum peak of absorbance at approximately 465 nm, with a suitable spectrophotometer using methanol-water (1-1) in the reference cell.

Calculation.

$$\frac{Au - (Aub + Ar)}{As - (Asb + Ar)} \times \frac{Ws}{10} \times \frac{Wt}{Wu} = \text{mg perphenazine per tablet}$$

Where:

Au = absorbance of sample
Aub = absorbance of sample blank
As = absorbance of standard
Asb = absorbance of standard blank
Ar = absorbance of reference blank
Ws = weight of standard in milligrams
Wt = average tablet weight in grams
Wu = weight of sample in grams

4.5.2 Assay for amitriptyline hydrochloride in the finished tablets.

Reagents.
1. 0.1 N Hydrochloric Acid.
2. Acidic Methanol. 1 ml of concentrated hydrochloric acid per 100 ml methanol.

Sample preparation.
Accurately weigh and finely powder 20 tablets. Accurately weigh a portion of the powder equivalent to 2 tablets into a 50 ml volumetric flask, and then dilute to volume with 0.1 N HCl. Mix well, transfer to a 50 ml centrifuge tube and centrifuge at high speed for 15 minutes. Pipet 25 ml of the centrifuged solution into a 125 ml separatory funnel and add

Source: https://assist.dla.mil -- Downloaded: 20261O-21T11:06Z
Check the source to verify that this is the current version before use.

40 ml of methylene chloride (A). Shake well for one minute, allow complete separation, and draw off the methylene chloride into another separatory funnel (B). Add 25 ml of 0.1 N HCl to the second separatory funnel, shake well and draw off the methylene chloride into a 100 ml volumetric flask using a funnel with a cotton pledget.

Add another 40 ml portion of methylene chloride to (A) extract, transfer it to (B) and extract. Combine the methylene chloride extracts in the volumetric flask and dilute to volume with methylene chloride. Pipet 4 ml of the methylene chloride solution into a 100 ml volumetric flask and evaporate to dryness with a jet of air. Dissolve the residue and dilute to volume with acidic methanol.

Standard preparation.
Accurately weigh about 100 mg of USP amitriptylene hydrochloride reference standard into a 250 ml volumetric flask, dissolve and dilute to volume with methanol. Dilute 5.0 ml to 200 ml with methanol.

Procedure.
Concomitantly determine the absorbances of the sample and standard solutions at the maximum peak of absorbance at approximately 240 nm, with a suitable spectrophotometer using acidic methanol in the reference cell.

Calculation.

$$\frac{Au}{As} \times \frac{Ws}{10} \times \frac{Wt}{Wu} = \text{mg amitriptyline hydrochloride per tablet}$$

Where:

Au = absorbance of sample
As = absorbance of standard
Ws = weight of standard in milligrams
Wt = average tablet weight in grams
Wu = weight of sample in grams

4.5.3 Identification.

4.5.3.1 Perphenazine. The identification of perphenazine in the finished tablets shall be determined by the following method:

The visible absorption spectrum of the sample assay solution (see 4.5.1) shall exhibit maximum absorbance at the same wavelength as that of a similar solution of NF perphenazine reference standard, concomitantly measured.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

4.5.3.2 Amitriptyline Hydrochloride. The identification of Amitriptyline Hydrochloride in the finished tablets shall be determined by the following method.

The ultraviolet absorption spectrum of the sample assay solution (see 4.5.2) shall exhibit maximum absorbance at the same wavelength as that of a similar solution of USP amitriptyline hydrochloride reference standard, concomitantly measured.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing 100 tablets (size 1) or 500 tablets (size 2), as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container: size 1 and size 2. The immediate container for size 1 and size 2 shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished for size 1 or size 2 immediate containers. If a unit package is furnished, each immediate container shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve units of issues of size 1 shall be packaged as specified in 5.2.7.1 of PPP-C-186 or twelve units of issue of size 2 shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

5.3.1 Level A. Twelve intermediate packages (144 units) of size 1 or six intermediate packages (72 units) of size 2 shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Twelve intermediate packages (144 units) of size 1 shall be packed as specified in 5.4.3.1.1 of PPP-C-186 or six intermediate packages (72 units) of size 2 shall be packed as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number need not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Label adhesion test shall not apply.

(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container.

5.4.2 Intermediate package. Intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I shelf life markings as specified in MIL-STD-129 shall be shown. Marking shall include the legend:
"STORE AT CONTROLLED ROOM TEMPERATURE 15°-30°C (59°- 86°F)".

Source: https://assist.dla.mil -- Downloaded: 2026l0-21T11:06Z
Check the source to verify that this is the currentversion before use.

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend:
"STORE AT CONTROLLED ROOM TEMPERATURE 15°-30°C (59°-86°F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.

(b) National Stock Number.

(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following items:

National Stock Number	Item Identification	Specification Designation
6505-00-931-4303	PERPHENAZINE AND AMITRIPTYLINE HYDROCHLORIDE TABLETS, 500's	Size 2, Strength 2
6505-01-012-7558	PERPHENAZINE AND AMITRIPTYLINE HYDROCHLORIDE TABLETS, 100's	Size 1, Strength 1

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
DLA-DM

Project No. 6505-1750

Review activity:
DoD - MB

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

PERPHENAZINE AND AMITRIPTYLINE HYDROCHLORIDE TABLETS MIL-P-37606

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*	TELEPHONE NO.
	DATE

DD FORM 1426 1 OCT 76 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:06Z
Check the source to verify that this is the current version before use.