MILITARY SPECIFICATION

LEADS, EXPLOSIVE, PA509, PA512, PA513, PA514, PA516, PA517 AND PA521; PARTS FOR, AND LOADING, ASSEMBLING AND PACKING

This amendment forms a part of Military Specification MIL-L-63246B(AR), dated 9 January 1981, and is approved for use within the US Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

DRAWINGS (6.6), line 1: Delete "COMMAND" and substitute "CENTER".

PAGE 3

TABLE I, PA 509, Depth of depression: Delete "0.030 inch" and substitute "0.026 inch".

PAGE 6

TABLE II - FIRST ARTICLE INSPECTION

Under Lead, Explosive, PA509
Following "Examination for defects".
Add "Density of explosive (where applicable), 10, - , 3.2, 4.5.1".

PAGE 8

TABLE II - FIRST ARTICLE INSPECTION

Under Lead, Explosive, PA513
Following "Examination for defects".
Add "Density of explosive (where applicable), 10, - , 3.2, 4.5.1".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:28Z
Check the source to verify that this is the current version before use.

PAGE 10

TABLE II - FIRST ARTICLE INSPECTION

Under Lead, Explosive, PA516
Following "Examination for defects"
Add "Density of explosive (where applicable), 10, - , 3.2, 4.5.1".

PAGE 11

TABLE II - FIRST ARTICLE INSPECTION

Under Lead, Explosive, PA517
Following "Examination for defects"
Add "Density of explosive (where applicable), 10, - , 3.2, 4.5.1".

PAGE 12

TABLE II - FIRST ARTICLE INSPECTION

Under Lead, Explosive, PA521
Following "Examination for defects"
Add "Density of explosive (where applicable), 10, - , 3.2, 4.5.1".

PAGE 14

4.4.2.1: Add to Drawing Number Block - "9278002".

PAGE 19

* 4.4.2.6: Delete Major 101 in its entirety.

PAGE 22

4.4.2.9 Add Note 1: "See para. 4.5.5, Alternate Method of Inspection."

PAGE 23

4.4.2.10 Add Note 1: "See para. 4.5.5, Alternate Method of Inspection."

Source: https://assist.dla.mil -- Downloaded: 202640-23T02:28Z
Check the source to verify that this is the currentversion before use.

PAGE 29

4.4.2.16: Add Major 106:

"106 Density of explosive (where applicable), 4.5.1, -, 3.2, 4.5.1".

PAGE 39

4.5.1:

After "PA509" add "PA513".

Change "PA515" to "PA516".

PAGE 40

4.5.1, subparagraph 9: Change "$v = r^2h$" to "$v = \pi r^2h$".

4.5.2, line 22: Delete "0.243 + .005" and substitute "0.244 + .002".

PAGE 41

FIGURE 1: Delete ".243 + .005 DIA" and substitute ".244 + .002 DIA"

PAGE 42

TABLE III, Lead, PA 521: Delete ".123 + .002" and substitute ".139 + .002".

PAGE 43

4.5.4:

line 2: After "PA521" add "PA533".

line 11: Delete "(non-colored end)" and substitute "(non-crimped end)".

Source: https://assist.dla.mil -- Downloaded: 202610-23T02:28Z
Check the source to verify that this is the current version before use.

4.5.5 Add the following new paragraphs:

"4.5.5 Alternate Method of Inspection of Cover, Lead. At the start of each shift, a minimum of 5 samples representative of the cover being manufactured by each press shall be checked for the dimensions specified in paragraph 4.4.2.9, 4.4.2.10 and 4.4.2.11 (Cover, Transfer Lead; Cover, Center Lead; and Cover, Main Lead, respectively), to qualify each press prior to its use in production.

In addition, a sample of 5 covers from each press shall be selected after each 4 hours production, and at the end of each shift for dimensional checks.

If any sample fails to comply with the dimesional requirements, the press producing the defective part shall be removed from production for corrective action. Further, that quantity of production represented by the sample shall be returned to the contractor for corrective action.

Any press removed from production may, after corrective action, be returned providing it passes the qualification test above."

PAGE 44

6.2, line 3: Delete "ARRADCOM, ATTN: DRDAR-QAA-I, ... 07801." and substitute "ARDEC, ATTN: AMSMC-QAT-I(D), Dover, NJ 07801-5001".

6.3, line 10: Delete "contraccor .. " and substitute "contractor ..".

PAGE 45

6.4, line 4: Delete "ARRADCOM, ATTN: DRDAR-QAA-Q,.. 07801." and substitute "ARDEC, ATTN: AMSMC-QAT-M(D), Dover, NJ 07801-5001."

Source: https://assist.dla.mil -- Downloaded: 202610-23T02:28Z
Check the source to verify that this is the current version before use.

6.6:

Line 3: Delete "and Development Command (ARRADCOM)" and substitute "Development and Engineering Center (ARDEC)."

Line 4: Add following Edgewood Arsenal "U.S. Army Armament Research and Development Command (ARRADCOM),".

The margins of this amendment are marked with an asterisk or vertical lines to indicate when changes (additions, modifications, corrections, deletions) from previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1375-A316)

Source: https://assist.dla.mil -- Downloaded: 202610-23T02:28Z
Check the source to verify that this is the currenversion before use.