INCH-POUND

MIL-DTL-13791/7A
18 February 2015
SUPERSEDING
MIL-DTL-13791/7
15 January 2009

DETAIL SPECIFICATION SHEET

IGNITION DISTRIBUTOR ASSEMBLY, HEAVY DUTY L. H. 4 CYCLE SUBMERSIBLE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-13791.





FIGURE 1. Heavy duty governor L. H. 4 cycle submersible ignition.

AMSC N/A

FSC 2920


Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.



Inches	mm	Inches	mm
.116	2.95	3.625	92.08
.119	3.02	5.141	130.58
.875	22.23	5.875	149.23
2.562	65.07	6.469	164.31
3.047	77.39	7.826	198.78
3.453	87.71		

FIGURE 1. Heavy duty governor L. H. 4 cycle submersible ignition – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.



Inches	mm	Inches	mm
.005	0.13	.710	18.03
.065	0.165	.775	19.69
.625	15.88		

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are for information only.

FIGURE 1. Heavy duty governor L. H. 4 cycle submersible ignition – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.

Dimensions and configurations: See figure 1.

Referenced document. This document references MIL-DTL-13791.

CONCLUDING MATERIAL

Custodians:
Army - AT
Navy - SH
DLA - CC

Preparing activity:
DLA - CC

(Project 2920-2015-011)

Review activities:
Army - CR, CR4
Navy - MC

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.