INCH-POUND

MIL-DTL-13791/8
15 January 2009

DETAIL SPECIFICATION SHEET

IGNITION DISTRIBUTOR ASSEMBLY, 4 CONNECTOR CAP

This specification is approved for use by all Departments
and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall
consist of this specification sheet and MIL-DTL-13791.





FIGURE 1. Distributor cap assembly.

AMSC N/A

FSC 2920


Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.




Inches	mm	Inches	mm
.003	0.08	2.750	69.85
.010	0.25	3.000	76.20
1.574	39.98	3.064	80.37
1.984	50.39	3.188	80.98
2.562	65.07		

FIGURE 1. Distributor cap assembly - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.





Inches	mm
.08	2.03
.250	6.35
.336	8.53
.344	8.74
.771	19.58
3.438	87.33

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information only.

FIGURE 1. Distributor cap assembly - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.

Dimensions and configurations: See figure 1.

Referenced document. This document references MIL-DTL-13791.

CONCLUDING MATERIAL

Custodians:
Army - AT
Navy - SH
DLA - CC

Preparing activity:
DLA - CC

(Project 2920-2008-010)

Review activities:
Army - CR, CR4
Navy - MC

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.