INCH-POUND

MIL-DTL-13791/8A
18 February 2015
SUPERSEDING
MIL-DTL-13791/8
15 January 2009

DETAIL SPECIFICATION SHEET

# IGNITION DISTRIBUTOR ASSEMBLY, 4 CONNECTOR CAP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-13791.






FIGURE 1. Distributor cap assembly.

AMSC N/A

FSC 2920

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.






| Inches | mm | Inches | mm |
|---|---|---|---|
| .003 | 0.08 | 2.750 | 69.85 |
| .010 | 0.25 | 3.000 | 76.20 |
| 1.574 | 39.98 | 3.064 | 80.37 |
| 1.984 | 50.39 | 3.188 | 80.98 |
| 2.562 | 65.07 | | |

FIGURE 1. Distributor cap assembly - Continued.



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.




| Inches | mm |
|---|---|
| .08 | 2.03 |
| .250 | 6.35 |
| .336 | 8.53 |
| .344 | 8.74 |
| .771 | 19.58 |
| 3.438 | 87.33 |

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information only.

FIGURE 1. Distributor cap assembly - Continued.



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.

Dimensions and configurations: See figure 1.

Referenced document. This document references MIL-DTL-13791.

## CONCLUDING MATERIAL

Custodians:
Army - AT
Navy - SH
DLA - CC

Preparing activity:
DLA - CC

(Project 2920-2015-009)

Review activities:
Army - CR, CR4
Navy - MC

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:22Z
Check the source to verify that this is the current version before use.