MILITARY SPECIFICATION

TABLE, FOLDING LEGS, PORTABLE

This amendment forms a part of Military Specification MIL-T-13795A, dated 28 June 1961, and is mandatory for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1, under listing of Federal Specifications.- Add the following in proper sequence:

"TT-C-490	-	Cleaning Methods and Pretreatment of Ferrous Surfaces for Organic Coatings.
"PPP-B-576	-	Boxes, Wood, Cleated, Veneer, Paper-Overlaid.
"PPP-B-640	-	Boxes, Fiberboard, Corrugated, Triple Wall.
"PPP-T-76	-	Tape, Pressure-Sensitive Adhesive Paper (For Carton Scaling)."

Delete "PPP-B-00640 - Boxes, Corrugated, Triple Wall, 350 Pound Maximum Weight."

Under listing of Military Specifications.- Delete the following:

"MIL-C-490 - Cleaning and Preparation of Ferrous and Zinc Coated Surfaces for Organic Protective Coating
"MIL-B-10377 - Box, Wood, Cleated, Veneer, Paper Overlaid."

Under listing of Military Standards.- Delete "MIL-STD-109 - Inspection Terms and Definitions."

PAGE 2

2.2 Delete "Commerical Standard CS45-60 - Douglas Fir Plywood", and substitute "Product Standard PS 1-66 - Softwood Plywood, Construction and Industrial".

3.1, 3.2 and 3.2.1 Delete and substitute:

"3.1 Preproduction sample.- Unless otherwise specified (see 6.2), before production is commenced, a sample of the finished table covered by this specification shall be submitted or made available to the contracting officer or his authorized representative for approval. The approval of the preproduction sample authorizes the commencement of production, but does not relieve the supplier of responsibility for compliance with all applicable provisions of this specification,

Source: https://assist.dla.mil -- Downloaded: 202610-18T02:24Z
Check the source to verify that this is the current version before use.

PAGE 2 (cont'd)

The preproduction sample shall be manufactured in the same facilities to be used for the manufacture of the production table.

"3.2 Materials.- Materials not definitely specified shall be of the quality normally used for the purpose in standard industry practice. Unless otherwise specified herein, materials shall conform to commercial tolerances.

"3.2.1 Plywood, softwood.- The softwood plywood shall conform to group 1, exterior type, grade AC, sanded two sides, 5/8" thick of Product Standard PS 1-66."

PAGE 3

3.6.1.3 Delete "method of Specification MIL-C-490" and substitute "type of TT-C-490".

3.6.2, line 3.- Delete "enamel" and substitute "primer".

4.1 Delete in its entirety and substitute:

"4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

PAGE 4

4.2, 4.3, and 4.3.1 Delete in their entirety and substitute:

"4.2 Preproduction sample inspection.- When a preproduction sample is required, it shall be examined for defects in 4.3.3.1, dimensions specified, and tested as specified in 4.3.3.5.

"4.3 Inspection.- Sampling for inspection shall be performed in accordance with the provisions set forth in MIL-STD-105, except where otherwise indicated.

"4.3.1 Component and material inspection.- In accordance with 4.1 above, components and materials shall be inspected and tested in accordance with all the requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document."

Source: https://assist.dla.mil -- Downloaded: 202610-18T02:24Z
Check the source to verify that this is the current version before use.

PAGE 5

4.3.2 Add to end of second sentence "to affected items and process."

Delete third sentence up to and including the colon.

4.3.3.4, lines 6 and 7.- Delete "L-4" and substitute "S-2".

PAGE 6

5.1.1, line 4.- Delete "class 2".

Line 20 After "Each" insert "style FTC".

Last sentence.- Delete "3-inch width tape conforming to type III, class 1 of Specification PPP-T-60" and substitute "2-inch width tape conforming to PPP-T-76, or type I, color optional of PPP-T-60."

5.1.3 Delete and substitute:

"5.1.3 Level C.- Tables shall be packaged to afford adequate protection against damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets this requirement."

5.2.1, lines 4, 5, and 6.- Delete "overseas type of Specification PPP-B-591, PPP-B-601, or MIL-B-10377; class 2, style F of Specification PPP-B-00640;" and substitute "overseas type of PPP-B-601; class II of PPP-B-591; class 2, type 2 load of PPP-B-576."

PAGE 7

5.2.3, line 4.- After "destination" insert "at the lowest transportation rate for such supplies".

6.2 Delete "(c) Inspection record details (see 4.1)."

Notice Delete in its entirety.

Custodians:

Army - GL
Navy - YD
Air Force - 84

Preparing activity:

Army - GL

Project No. 7195-0040

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:24Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:24Z
Check the source to verify that this is the current version before use.