MILITARY SPECIFICATION

RECORDING SET, SIGNAL DATA A/A 24U-6

This amendment forms a part of Military Specification MIL-R-38435B (USAF), dated 1 February 1968.

PAGE 1

2.1, under SPECIFICATIONS: Add:

"FEDERAL

PPP-B-601 - Boxes, Wood, Cleated Plywood
PPP-B-636 - Box, Shipping, Fiberboard"

2.1, under SPECIFICATIONS, Military: Add:

"MIL-P-116 - Preservation-Packaging, Methods of"

Delete "MIL-C-22808" and substitute:

"MIL-C-22750 - Coating, Epoxy-polyamide"

2.1, under STANDARDS, Military: Add:

"MIL-STD-129 - Marking for Shipment and Storage"

Add boxed paragraph to bottom center of page:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: HQ AFLC CASO/LODS, Federal Center, Battle Creek, MI 49016, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter."

PAGE 2

2.1, under STANDARDS, Military: Add:

"MIL-STD-794 - Parts and Equipment, Procedures for Packaging and Packing of"

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T12:37Z
Check the source to verify that this is the current version before use.

2.1, under STANDARDS, Military: Delete "MS33586" and substitute:

"MIL-STD-889 - Dissimilar Metals"

3.1, delete and substitute the following:

"3.1 First article. When specified, the contractor shall furnish sample units for first article inspection and approval (see 4.2 and 6.2)."

PAGE 3

3.4.3, line 3, delete "MS33586" and substitute "MIL-STD-889".

3.4.9c., delete "MIL-P-22808" and substitute "MIL-C-22750".

PAGE 13

4.2a., delete "Preproduction" and substitute "first article".

PAGE 14

4.4, 4.4.1, 4.4.2, and 4.4.3, delete all references to "Preproduction" and substitute "first article".

PAGE 24

Add the following new paragraphs to section 4:

"4.7 Packaging inspection.

4.7.1 Quality conformance. The inspection of the preservation-packaging and interior package marking shall be in accordance with group A and B quality conformance inspection requirements, section 4 of MIL-P-116. The sampling and inspection of the packing and marking for shipment and storage shall be in accordance with the quality assurance provisions of applicable container specification and the marking requirements of MIL-STD-129.

4.7.2 First article. When the unit container is capable of serving as the shipping container First Article Inspection and rough handling tests, as outlined in section 4 of MIL-P-116, shall be accomplished followed by a functional test of the unit to insure freedom from operational malfunction."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T12:37Z
Check the source to verify that this is the current version before use.

5., delete and substitute the following:

"5. PACKAGING

5.1 Preservation-packaging. Preservation-packaging shall be level A or C as specified by the procuring activity.

5.1.1 Level A.

5.1.1.1 Cleaning. Unit shall be cleaned in accordance with process C-1 of MIL-P-116.

5.1.1.2 Drying. Immediately after cleaning, the unit shall be dried following any one or combination of the drying procedures of MIL-P-116. The drying procedures employed shall not be injurious to the unit.

5.1.1.3 Preservation application. Not required.

5.1.1.4 Unit packaging. Unless otherwise specified by the procuring activity, each unit shall be packaged in quantity unit packs of one each in accordance with method II-B of MIL-P-116. Overbox each completed pack in a PPP-B-636 fiberboard, weather-resistant class box. Cushioning material between bag and container shall be of a type, density and thickness that will protect the unit from impact shock damage when tested as specified in paragraph 4.7.2 of this specification.

5.1.2 Level C. Units shall be cleaned, dried and individually packaged in a manner that will afford adequate protection against corrosion, deterioration and physical damage during shipment from supply source to the first receiving activity.

5.2 Packing. Packing shall be level A, B or C as specified (see 6.2).

5.2.1 Level A. Units packaged as specified in 5.1 shall be packed in shipping containers conforming to specification PPP-B-636, weather-resistant. Closure and reinforcing requirements shall be in accordance with the appendix of PPP-B-636. For the Army, specification PPP-B-601 plywood box shall be used for the shipping container.

5.2.2 Level B. Units packaged as specified in 5.1 shall be packed in shipping containers conforming to specification

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T12:37Z
Check the source to verify that this is the current version before use.

PPP-B-636, class domestic. Closure and reinforcing requirements shall be in accordance with the appendix of PPP-B-636. For the Army, the shipping containers shall conform to specification PPP-B-636, class weather-resistant.

5.2.3 Level C. Packaged units shall be packed in shipping containers in a manner that will afford adequate protection against damage during direct domestic shipment from the supply source to the first receiving activity. These packs shall conform to applicable carrier rules and regulations.

5.3 Marking. In addition to any special marking required by the contract or order, each unit package and shipping container shall be marked in accordance with MIL-STD-129."

6.2, add the following:

"i. When a first article is required for inspection and approval (see 3.1 and 4.2)."

PAGE 27

Add new paragraph 6.11:

"6.11 Reclaimed materials. The use of reclaimed materials shall be encouraged to the maximum extent possible."

Custodian:
Air Force - 99

Preparing Activity:
Air Force - 99

Project Number:
6610-F304

* U.S. GOVERNMENT PRINTING OFFICE: 1979-603-022/3552

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T12:37Z
Check the source to verify that this is the current version before use.