MILITARY SPECIFICATION

CASE, DRAWING BOARD AND PLANETABLE BOARD, 15- BY 20-INCH

This specification is approved for use by the USA Belvoir Research and Development Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers a carrying case made of vinyl-coated cotton fabric.

2. APPLICABLE DOCUMENTS

2.1. Government documents.

2.1.1. Specifications and standards. Unless otherwise specified, the following specificatins and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this specificatin to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-601	-Boxes, Wood, Cleated-Plywood.

MILITARY

MIL-B-117	- Bags, Sleeves and Tubing-Interior Packaging.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: USA Belvoir Research and Development Center, ATTN: STRBE-DS, Fort Belvoir, VA 22060-5606 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6675

Source: https://assist.dla.mil -- Downloaded: 202640-19T08:08Z
Check the source to verify that this is the currenversion before use.

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-130	- Identification Marking of US Military Property.

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this specification to the extent specified herein.

TA13217E7435	- Case, Drawing Board and Plane Table Board.

(Copies of specifications, standards, and drawings required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the current DoDISS and the supplement thereto, if applicable.

AMERCIAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

D 3951 Standard Practice For Commercial Packaging.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence.

3. REQUIREMENTS

3.1 Description. The case shall be in accordance with Top Assembly TA13217E7435 and as specified herein.

3.1.1 Drawings. The drawings forming a part of this specification are end product drawings. No deviation from the prescribed dimensions or tolerances is permissible without prior approval of the contracting officer. Where tolerances could cumulatively result in incorrect fits, the contractor shall

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:08Z
Check the source to verify that this is the current version before use.

provide tolerances within those prescribed on the drawings to insure correct fit, assembly and operation of the case. Any data (e.g., shop drawings, layouts, flow sheets, processing procedures, etc.) prepared by the contractor or obtained from a vendor to support fabrication and manufacture of the production item shall be made available, upon request, for inspection by the contracting officer or his designated representative.

3.2 First article. When specified (see 6.2), a sample shall be subjected to first article inspection (see 4.3 and 6.3).

3.3 Materials. Materials shall be as specified herein and on the drawings. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification.

3.4 Recovered materials. For the purpose of this requirement, recovered materials are those materials which have been collected from solid waste and reprocessed to become a source of raw materials, as distinguished from virgin raw materials. The components, pieces and parts incorporated in the case may be newly fabricated from recovered materials to the maximum extent practicable, provided the case produced meets all other requirements of this specification. Used, rebuilt or remanufactured components, pieces and parts shall not be incorporated in the case.

3.5 Stitching. The various pockets shall be secured to the front piece by double needle lockstitching using 6 to 8 stitches per inch so that double rows straddle the binding stitching. The binding on the edges of the front and back pieces shall be double needle lockstitched using 6 to 8 stitches per inch. Stitching at the binding overlap shall be continuous.

3.6 Binding. The binding throughout shall be continuous at the edges and shall overlap not less than 1 inch at the center of the pieces.

3.7 Fasteners. Snap fasteners shall be finished with a dark, corrosion-resistant, nonreflecting surface coating.

3.8 Identification marking. The cases shall be identified in accordance with MIL-STD-130.

3.9 Workmanship. Finished cases shall be clean and free from abrasion marks, permanently embedded creases and wrinkles, loopy and loose edges, dye stains, and streaks.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:08Z
Check the source to verify that this is the current version before use.

disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Component and material inspection. The contractor is responsible for insuring that components and materials used are manufactured, examined, and tested in accordance with referenced specifications, standards, and drawings as applicable.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.3).
b. Quality conformance inspection (see 4.4).
c. Inspection of packaging (see 4.6).

4.3 First article inspection.

4.3.1 Examination. The first article case shall be examined as specified in 4.5.1. Presence of one or more defects shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.2 Examination.

4.4.2.1 Samples. Samples selected in accordance with 4.4.1 shall be examined for the defects specified in 4.5.1. AQL shall be 4.0 percent defective.

4.5 Inspection procedure.

4.5.1 Examination. The cases shall be examined as specified herein for the following defects:

101. Material not as specified.
102. Stitching not as specified.
103. Binding not as specified.
104. Finish of snap fasteners not as specified.
105. Identification marking missing, incomplete, or illegible.
106. Workmanship not as specified.

4.6 Inspection of packaging.

4.6.1 Quality conformance inspection of pack.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:08Z
Check the source to verify that this is the current version before use.

4.6.1.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.6.1.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.6.1.3 Examination. Samples selected in accordance with 4.6.1.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

		LEVEL: A	B	Comm.
107.	Case not neatly folded as required.	5.1.1		
108.	Folded case not placed in the bag specified.	5.1.1		
109.	Excess air not removed from bag as specified before the bag is sealed.	5.1.1		
110.	Bag not heat sealed as specified.	5.1.1		
111.	Commercial preservation not as specified.			5.1.2
112.	Shipping container not as specified.	5.2.1	5.2.2	5.2.3
113.	Shipping container closure and strapping not as specified.	5.2.1	5.2.2	
114.	Marking not as specified.	5.3.1	5.3.1	5.3.2

5. PACKAGING

5.1 Preservation. Preservation shall be level A or commercial, as specified (see 6.2).

5.1.1 Level A. Each case shall be compactly and neatly folded and placed in a close-fitting bag conforming to MIL-B-117, type II, class B, style optional. Excessive air shall be exhausted and the bag sealed by heat sealing.

5.1.2 Commercial. Commercial preservation shall be in accordance with ASTM D 3951.

5.2 Packing. Packing shall be level A, B, or commercial, as specified (see 6.2).

5.2.1 Level A. The cases, preserved as specified in 5.1, shall be packed together in a close-fitting box conforming to PPP-B-601, overseas type, style optional. The box shall be closed and strapped in accordance with the appendix to the box specification except that the strapping shall be flat and the finish B.

5.2.2 Level B. The cases, preserved as specified in 5.1, shall be packed as specified in 5.2.1 for level A except that the boxes shall be domestic type and the strapping finish may be A.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:08Z
Check the source to verify that this is the current version before use.

5.2.3 Commercial. The cases, preserved as specified in 5.1, shall be packed in accordance with ASTM D 3951.

5.3 Marking.

5.3.1 Levels A and B. In addition to any special or other identification marking required by the contract or order (see 6.2), each unit pack and exterior container shall be marked in accordance with MIL-STD-129.

5.3.2 Commercial. Commercial shall be in accordance with ASTM D 3951. Additionally each shipping container shall be marked with the gross weight and cube.

6.1 Intended use. The case will be used in carrying one 15- by 20-inch drawing board or planetable board together with navigational accessories.

6.2 Ordering data. Procurement documents should specify the following:

a. Title, number, and date of this specification.
b. When a first article is required for inspection and approval (see 3.2).
c. Degree of preservation and degree of packing required (see 5.1 and 5.2).
d. Any special marking (see 5.3.1).

6.3 First article. When a first article inspection is required, the item should be a preproduction model. The first article should consist of one unit. The contracting officer should include specific instructions in acquisition documents regarding arrangements for examinations and approval of the first article inspection results and disposition of the first article.

Custodian:
Army - ME

Review activity:
DLA - GS

Preparing activity:
Army - ME

Project 6675-A250

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:08Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Belvoir R&D Center
ATTN: STRBE-DS
Ft. Belvoir, VA 22060-5606

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T08:08Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-C-20634D(ME)	Case, Drawing Board and Planetable Board, 15- by 20-Inch

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://nsarchive.gsa.gov/ogd/ogdcat/mil-c-20634d-19t08:08z
Check the source to verify that this is the current version before use.