[INCH-POUND]
A-A-55497B
February 5, 2001
SUPERSEDING
A-A-55497A
April 17, 2000

COMMERCIAL ITEM DESCRIPTION

# FUSE LINK, ELECTRICAL, TYPE K (FAST)

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

1. SCOPE. This CID covers the general requirements for a type K (fast) fuse link. Fuse links covered by this CID are intended for commercial/industrial applications.

2. CLASSIFICATION. This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see 7.1).




3. SALIENT CHARACTERISTICS.

3.1 Interface and physical dimensions. Fuse links supplied to this CID shall be as specified herein and shall meet the requirements of ANSI C37.42 for type K (fast) fuse links (see figure 1).

3.2. Ampere rating. The ampere rating shall be as specified in table I.

3.3 Voltage rating. The voltage rating shall be 27 kilovolts ac maximum.

3.4 Melting-time-current characteristics. The melting-time-current characteristics shall be in accordance with ANSI C37.42 for type K fuse links.

3.5 Minimum overall length. The minimum overall length shall be as specified in table I.

3.6 Marking. Fuse links supplied to this CID shall be marked with the manufacturer's standard commercial PIN.

Beneficial comments recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be addressed to: Defense Supply Center, Columbus, ATTN: DSCC-VAT, Post Office Box 3990, Columbus, OH 43216-5000, or telephone (614) 692-0548, or facsimile (FAX) (614) 692-6939.

AMSC N/A FSC 5920
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.




| Inches | mm |
|---|---|
| .030 | 0.78 |
| .500 | 12.70 |
| .750 | 19.05 |
| 1.000 | 25.40 |

NOTES:

1. Dimensions are in Inches.
2. Tolerance is ± 0.13 mm (0.005 inch), unless otherwise specified.

FIGURE 1. Configuration and dimensions.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

TABLE I. Characteristics.

| CID dash number AA55497- | Ampere rating | Minimum overall length L inches (mm) | CID dash number AA55497- | Ampere rating | Minimum overall length L inches (mm) |
|---|---|---|---|---|---|
| 001 | 1 | 23 (584.20) | 019 | 1 | 26 (660.40) |
| 002 | 2 | | 020 | 2 | |
| 003 | 3 | | 021 | 3 | |
| 004 | 6 | | 022 | 6 | |
| 005 | 8 | | 023 | 8 | |
| 006 | 10 | | 024 | 10 | |
| 007 | 12 | | 025 | 12 | |
| 008 | 15 | | 026 | 15 | |
| 009 | 20 | | 027 | 20 | |
| 010 | 25 | | 028 | 25 | |
| 011 | 30 | | 029 | 30 | |
| 012 | 40 | | 030 | 40 | |
| 013 | 50 | | 031 | 50 | |
| 014 | 65 | | 032 | 65 | |
| 015 | 80 | | 033 | 80 | |
| 016 | 100 | | 034 | 100 | |
| 017 | 140 | | 035 | 140 | |
| 018 | 200 | | 036 | 200 | |

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

5.2 Market acceptance. The following market acceptance criteria are necessary to document the quality of the product to be provided under this CID:

a. The company producing the item must have been producing a product meeting the requirements of this CID for at least 2 years.

b. The company must have sold 1,000 units meeting this CID in the commercial marketplace over the past 2 years.

6. PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

7. NOTES.

7.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See section 2 for PIN format example.

7.2 Commercial and Government Entity (CAGE) code. For ordering purposes, inventory control, and submission of these fuse links to DSCC under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

7.3 Source of documents.

Other Publications

AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)

ANSI C37.42- High Voltage Expulsion Type Distribution Class Fuses, Cutouts, Fuse Disconnecting Switches and Fuse Links, Specification for.

(Applications for copies should be addressed to the American National Standards Institute, 11 West 42nd Street, NY 10036-8002.)

(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

7.4 Ordering data. The contract or order should specify the following:

a. CID document number, revision, and CID PIN.

b. Product conformance provisions.

c. Packaging requirements.

7.5 Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

| MFR's CAGE | MFR's name and address |
|---|---|
| 71400 | Cooper Power Systems<br>P. O. Box 2952<br>Waukesha, WI 53187-1640<br>Phone number (262) 524-3300<br>Facsimile number (262) 524-3319<br>E-mail: copper@cooperpower.com<br>Uniform Resource Locator (URL): www.cooperpower.com |
| 0RUR0 | Hubbell Power Systems, Incorporated<br>A. B. Chance Company<br>210 North Allen Street<br>Centralia, MO 65240-1395<br>Phone number (573) 682-5521<br>Facsimile number (573) 682-8714<br>E-mail: vjengle@hps.hubbell.com<br>URL: hubbel/powersystems.com |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

7.6 Part number (P/N) supersession data. This CID supersedes the following manufacturers' P/N's as shown. This information is being provided to assist in reducing proliferation in the government inventory system.

TABLE II. P/N supersession data.

| CID dash number (see table I) AA55497- | Vendor commercial PIN CAGE 64916 | Vendor commercial PIN CAGE 64916 | Vendor commercial PIN CAGE 0RUR0 |
|---|---|---|---|
| 001 | 31001 | --- | CM1K23 |
| 002 | 31002 | --- | CM2K23 |
| 003 | 31003 | --- | CM3K23 |
| 004 | 31006 | --- | CM6K23 |
| 005 | 31008 | FL12K8 | CM8K23 |
| 006 | 31010 | FL12K10 | CM10K23 |
| 007 | 31012 | FL12K12 | CM12K23 |
| 008 | 31015 | FL12K15 | CM15K23 |
| 009 | 31020 | FL12K20 | CM20K23 |
| 010 | 31025 | FL12K25 | CM25K23 |
| 011 | 31030 | FL12K30 | CM30K23 |
| 012 | 31040 | FL12K40 | CM40K23 |
| 013 | 31050 | FL12K50 | CM50K23 |
| 014 | 31065 | FL12K65 | CM65K23 |
| 015 | 31080 | FL12K80 | CM80K23 |
| 016 | 31100 | FL12K100 | CM100K23 |
| 017 | 31140 | --- | CM140K23 |
| 018 | 31200 | --- | CM200K23 |
| 019 | 31001-29 | --- | CM1K26 |
| 020 | 31002-29 | --- | CM2K26 |
| 021 | 31003-29 | --- | CM3K26 |
| 022 | 31006-29 | --- | CM6K26 |
| 023 | 31008-29 | --- | CM8K26 |
| 024 | 31010-29 | --- | CM10K26 |
| 025 | 31012-29 | --- | CM12K26 |
| 026 | 31015-29 | --- | CM15K26 |
| 027 | 31020-29 | --- | CM20K26 |
| 028 | 31025-29 | --- | CM25K26 |
| 029 | 31030-29 | --- | CM30K26 |
| 030 | 31040-29 | --- | CM40K26 |

See footnote at end of table.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

TABLE II. P/N supersession data – Continued.

| CID dash number (see table I) AA55497- | Vendor commercial PIN CAGE 64916 | Vendor commercial PIN CAGE 64916 | Vendor commercial PIN CAGE 0RUR0 |
|---|---|---|---|
| 031 | 31050-29 | --- | CM50K26 |
| 032 | 31065-29 | --- | CM65K26 |
| 033 | 31080-29 | --- | CM80K26 |
| 034 | 31100-29 | --- | CM100K26 |
| 035 | 311040-29 | --- | CM140K26 |
| 036 | 31200-29 | --- | CM200K26 |

1/ The manufacturer's P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID P/N shown.

7.7 Government users. To acquire information on obtaining these fuse links from the Government inventory system, contact Defense Supply Center, Columbus, ATTN: DSCC-CSBA, Post Office Box 3990, Columbus, OH 43216-5000, or telephone (614) 692-8508.

7.7.1 National stock number (NSN). The following is a list of NSN's assigned which correspond to this CID. The list is for information only and may not be indicative of all possible NSN's associated with the CID. For up to date information on assigned NSN's, please contact the aforementioned DSCC office (See 7.7).

TABLE III. NSN's.

| Dash number (see table I) AA55497- | NSN | Dash number (see table I) AA55497- | NSN |
|---|---|---|---|
| 001 | N/A | 019 | N/A |
| 002 | N/A | 020 | N/A |
| 003 | N/A | 021 | N/A |
| 004 | N/A | 022 | 5920-00-247-9815 |
| 005 | 5920-00-229-8443 | 023 | N/A |
| 006 | 5920-00-068-3005 | 024 | 5920-00-247-9782 |
| 007 | N/A | 025 | N/A |
| 008 | N/A | 026 | 5920-01-308-1453 |
| 009 | 5920-00-068-3007 | 027 | 5920-01-184-6257 |
| 010 | 5920-00-223-2405 | 028 | 5920-00-234-8189 |
| 011 | 5920-00-068-3009 | 029 | 5920-01-223-8588 |
| 012 | 5920-00-234-8191 | 030 | 5920-00-256-9363 |
| 013 | 5920-00-256-9362 | 031 | N/A |
| 014 | N/A | 032 | N/A |
| 015 | N/A | 033 | N/A |
| 016 | 5920-00-519-6932 | 034 | 5920-00-124-0600 |
| 017 | N/A | 035 | N/A |
| 018 | N/A | 036 | N/A |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:
Navy - EC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

Preparing Activity:

DLA - CC

Project 5920-0688



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.