[INCH-POUND]
A-A-55497F
2 May 2017
SUPERSEDING
A-A-55497E
10 November 2012

# COMMERCIAL ITEM DESCRIPTION

## FUSE LINK, ELECTRICAL, TYPE K (FAST)

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description (CID) covers the general requirements for a type K (fast fuse link. Fuse links covered by this CID are intended for commercial/industrial applications.

2. CLASSIFICATION/PART OR IDENTIFICATION NUMBER (PIN). This CID uses a classification system that is included in the PIN as shown in the following example (see 7.1).

| AA55497 | - | 001 |
|---|---|---|
| CID number | | Dash number (see table I) |

3. SALIENT CHARACTERISTICS.

3.1 Interface and physical dimensions. Fuse links supplied to this CID shall be as specified herein and shall meet the requirements of IEEE C37.42 for type K (fast) fuse links (see figure 1).

3.2. Ampere rating. The ampere rating shall be as specified in table I.

3.3 Voltage rating. The voltage rating shall be 27 kilovolts ac maximum.

3.4 Melting-time-current characteristics. The melting-time-current characteristics shall be in accordance with IEEE C37.42 for type K fuse links.

3.5 Minimum overall length. The minimum overall length shall be as specified in table I.


3.6 Marking. Fuse links supplied to this CID shall be marked with the manufacturer's (MFR's) standard commercial PIN. (NOTE: The part number marked on the unit pack shall be the CID PIN.)

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: DLA Land and Maritime, ATTN: VAT, P.O. Box 3990, Columbus, OH 43218-3990, or email CircuitProtect@dla.mil. Since contact information can change you may want to verify the currency of the address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A

FSC 5920

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.




| Inches | mm |
|---|---|
| .030 | 0.78 |
| .500 | 12.70 |
| .750 | 19.05 |
| 1.000 | 25.40 |

NOTES:

1. Dimensions are in Inches.
2. Tolerance is ± 0.13 mm (0.005 inch), unless otherwise specified.

FIGURE 1. Configuration and dimensions.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

TABLE I. Characteristics.

| CID dash number AA55497- | Ampere rating | Minimum overall length L inches (mm) | CID dash number AA55497- | Ampere rating | Minimum overall length L inches (mm) |
|---|---|---|---|---|---|
| 001 | 1 | 23 (584.20) | 019 | 1 | 26 (660.40) |
| 002 | 2 | | 020 | 2 | |
| 003 | 3 | | 021 | 3 | |
| 004 | 6 | | 022 | 6 | |
| 005 | 8 | | 023 | 8 | |
| 006 | 10 | | 024 | 10 | |
| 007 | 12 | | 025 | 12 | |
| 008 | 15 | | 026 | 15 | |
| 009 | 20 | | 027 | 20 | |
| 010 | 25 | | 028 | 25 | |
| 011 | 30 | | 029 | 30 | |
| 012 | 40 | | 030 | 40 | |
| 013 | 50 | | 031 | 50 | |
| 014 | 65 | | 032 | 65 | |
| 015 | 80 | | 033 | 80 | |
| 016 | 100 | | 034 | 100 | |
| 017 | 140 | | 035 | 140 | |
| 018 | 200 | | 036 | 200 | |

3.7 Recycled, recovered, or environmentally preferable, or biobased materials. Recycled, recovered, or environmentally preferable, or biobased materials should be used to the maximum extent possible provided that the material meets or exceeds the operational and maintenance requirements, and promotes economically advantageous life cycle costs

3.8 Workmanship. Fuse links shall be processed in such a manner as to be uniform in quality and shall be free from other defects that will affect life, serviceability, or appearance.

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with 23.403 of the Federal Acquisition Regulation (FAR).

5. PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

5.2 Market acceptance. The following market acceptance criteria are necessary to document the quality of the product to be provided under this CID:

a. The company producing the item must have been producing a product meeting the requirements of this CID for at least 2 years.

b. The company must have sold 1,000 units meeting this CID in the commercial marketplace over the past 2 years.

6. PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

7. NOTES.

7.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See section 2 for PIN format example.

7.2 Commercial and Government Entity (CAGE) code. For ordering purposes, inventory control, and submission of these fuse links to DLA Land and Maritime under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

7.3 Source of documents.

FEDERAL REGULATIONS

FAR - Federal Acquisition Regulations (FAR)

(Copies of this document are available online at http://www.acquisition.gov/comp/far/index.html or from the U.S. Government Printing Office, 732 N. Capital Street, NW, Washington D.C. 20401-0001.)

Other Publications

INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS (IEEE)

IEEE C37.42 - High-Voltage (> 1000V) Expulsion-Type Distribution-Class Fuses, Fuse and Disconnecting Cutouts, Fuse Disconnecting Switches and Fuse Links, and Accessories Used With These Devices.

(Copies of this document are available online at http://www.ieee.org/ or from the Institute of Electrical and Electronics Engineers, 2001 L Street, N.W. Suite 700, Washington, DC, 20036-4910.)

(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

7.4 Ordering data. The contract or order should specify the following:

a. CID document number, revision, and CID PIN.

b. Product conformance provisions.

c. Packaging requirements.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

7.5 Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict acquisition to only the manufacturers shown.)

| MFR's CAGE | MFR's name and address |
|---|---|
| 71400 | Cooper Bussmann, LLC<br>114 Old State Road<br>Ellisville, MO 63021-5915<br>Phone number (636) 394-2877<br>Facsimile number (636) 527-1415<br>E-mail: busscustsat@eaton.com<br>Uniform Resource Locator (URL): http://www.eaton.com |
| 0RUR0 | Hubbell Power Systems, Incorporated<br>A. B. Chance Company<br>210 North Allen Street<br>Centralia, MO 65240-1395<br>Phone number (573) 682-5521<br>Facsimile number (573) 682-8475<br>E-mail: hpscs@hubbell.com<br>URL: http://www.hubbellpowersystems.com/ |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

7.6 Part number (P/N) supersession data. This CID PINs supersede the following MFR's P/N's as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

TABLE II. P/N supersession data.

| CID dash number (see table I) AA55497- | Vendor commercial PIN CAGE 71400 | Vendor commercial PIN CAGE 71400 | Vendor commercial PIN CAGE 0RUR0 |
|---|---|---|---|
| 001 | 31001 | --- | CM1K23 |
| 002 | 31002 | --- | CM2K23 |
| 003 | 31003 | --- | CM3K23 |
| 004 | 31006 | --- | CM6K23 |
| 005 | 31008 | FL12K8 | CM8K23 |
| 006 | 31010 | FL12K10 | CM10K23 |
| 007 | 31012 | FL12K12 | CM12K23 |
| 008 | 31015 | FL12K15 | CM15K23 |
| 009 | 31020 | FL12K20 | CM20K23 |
| 010 | 31025 | FL12K25 | CM25K23 |
| 011 | 31030 | FL12K30 | CM30K23 |
| 012 | 31040 | FL12K40 | CM40K23 |
| 013 | 31050 | FL12K50 | CM50K23 |
| 014 | 31065 | FL12K65 | CM65K23 |
| 015 | 31080 | FL12K80 | CM80K23 |
| 016 | 31100 | FL12K100 | CM100K23 |
| 017 | 31140 | --- | CM140K23 |
| 018 | 31200 | --- | CM200K23 |
| 019 | 31001-29 | --- | CM1K26 |
| 020 | 31002-29 | --- | CM2K26 |
| 021 | 31003-29 | --- | CM3K26 |
| 022 | 31006-29 | --- | CM6K26 |
| 023 | 31008-29 | --- | CM8K26 |
| 024 | 31010-29 | --- | CM10K26 |
| 025 | 31012-29 | --- | CM12K26 |
| 026 | 31015-29 | --- | CM15K26 |
| 027 | 31020-29 | --- | CM20K26 |
| 028 | 31025-29 | --- | CM25K26 |
| 029 | 31030-29 | --- | CM30K26 |
| 030 | 31040-29 | --- | CM40K26 |

See footnote at end of table.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

TABLE II. P/N supersession data – Continued.

| CID dash number (see table I) AA55497- | Vendor commercial PIN CAGE 71400 | Vendor commercial PIN CAGE 71400 | Vendor commercial PIN CAGE 0RUR0 |
|---|---|---|---|
| 031 | 31050-29 | --- | CM50K26 |
| 032 | 31065-29 | --- | CM65K26 |
| 033 | 31080-29 | --- | CM80K26 |
| 034 | 31100-29 | --- | CM100K26 |
| 035 | 311040-29 | --- | CM140K26 |
| 036 | 31200-29 | --- | CM200K26 |

1/ The manufacturer's P/N shall not be used for acquisition to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID P/N shown. For actual part marking requirements see 3.6.

7.7 Government users. To acquire information on obtaining these fuse links from the Government inventory system, contact DLA Land and Maritime, ATTN: DLA Land and Maritime-FMTE, P.O. Box 3990, Columbus, OH 43218-3990, or telephone (614) 692-4023.

7.7.1 National stock number (NSN). The following is a list of NSN's assigned which correspond to this CID. The list is for information only and may not be indicative of all possible NSN's associated with the CID. For up to date information on assigned NSN's, please contact the aforementioned DLA Land and maritime office (See 7.7).

TABLE III. NSN's.

| Dash number (see table I) AA55497- | NSN | Dash number (see table I) AA55497- | NSN |
|---|---|---|---|
| 001 | N/A | 019 | N/A |
| 002 | N/A | 020 | N/A |
| 003 | N/A | 021 | N/A |
| 004 | N/A | 022 | 5920-00-247-9815 |
| 005 | 5920-00-229-8443 | 023 | N/A |
| 006 | 5920-00-068-3005 | 024 | 5920-00-247-9782 |
| 007 | N/A | 025 | N/A |
| 008 | N/A | 026 | 5920-01-308-1453 |
| 009 | 5920-00-068-3007 | 027 | 5920-01-184-6257 |
| 010 | 5920-00-223-2405 | 028 | 5920-00-234-8189 |
| 011 | 5920-00-068-3009 | 029 | 5920-01-223-8588 |
| 012 | 5920-00-234-8191 | 030 | 5920-00-256-9363 |
| 013 | 5920-00-256-9362 | 031 | N/A |
| 014 | N/A | 032 | N/A |
| 015 | N/A | 033 | N/A |
| 016 | 5920-00-519-6932 | 034 | 5920-00-124-0600 |
| 017 | N/A | 035 | N/A |
| 018 | N/A | 036 | N/A |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

7.8 Changes from previous issue. Margins of this CID are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

MILITARY INTERESTS:

Custodians:
Navy - EC
Air Force - 85
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FAS

Preparing activity:

DLA-CC

Project 5920-2017-028

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.