INCH-POUND
MS500106
w/AMENDMENT 1
30 August 2011
SUPERSEDING
MS500106
5 March 1987


MS STANDARD

BAR, METAL, ROUND, STEEL, CARBON 1018

Inactive for new design after 30 August 2011.
For new design, use ASTM A108

This specification is approved for use by all Departments
and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this MS standard and ASTM A108.



AMSC N/A

FSC 9510

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:47Z
Check the source to verify that this is the current version before use.

Table I. Dash number and dimensions.

Dash Number	ØA	Heat treatment	Forming 1/ process
-001	.4375	As fabricated	C
-003	.5000	As fabricated	C
-005	.5625	As fabricated	C
-007	.6250	As fabricated	C
-009	.6875	As fabricated	C
-011	.7500	As fabricated	C
-013	.8125	As fabricated	C
-015	.8750	As fabricated	C
-017	.9575	As fabricated	C
-019	1.0000	As fabricated	C
-021	1.0625	As fabricated	C
-023	1.2500	As fabricated	C
-025	1.6250	As fabricated	C
-027	1.9375	As fabricated	C
-029	2.0000	As fabricated	C
-031	2.2500	As fabricated	C
-033	2.3750	As fabricated	C
-035	2.5000	As fabricated	C
-037	3.2500	As fabricated	C
-039	3.7500	As fabricated	C
-041	4.0000	As fabricated	C
-043	4.2500	As fabricated	C
-045	4.6250	As fabricated	C
-047	5.0000	As fabricated	C

1/ See requirement 3.

REQUIREMENTS:

1. Material: Steel, carbon grade 1018 (UNS G10180) per ASTM A108.
2. Length: Standard length of bar is 10 feet minimum, 12 feet maximum.
3. Forming process: Cold drawn – code "C".
4. Part number: The part number consists of the basic MS number, plus a dash number from Table I.
   EXAMPLE: MS500106-001
   (See Table I)
   Basic MS number
5. Marking: Iron and steel products shall be marked in accordance with SAE-AMS2806 with the exception that a part number from the MS standard shall be included as part of the identification marking.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:47Z
Check the source to verify that this is the current version before use.

NOTES:

1. All dimensions are in inches.
2. In the event of a conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.
3. Referenced Government (or non-Government) documents form a part of this MS standard to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.
4. Amendment notations. The margins of this specification are marked with vertical lines to indicate modifications generated by this amendment. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

Custodians:
Army – MR
Navy – AS
Air Force – 99

Preparing activity:
DLA - IS
(Project 9510-2011-001)

Reviewer:
Army – AR, AT, CR4, MI

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:47Z
Check the source to verify that this is the current version before use.