C-C-1103A
April 18, 1975
SUPERSEDING
Int. Fed. Spec. C-C-001103(AGR-C&MS)
August 16, 1966

FEDERAL SPECIFICATION

CHEESE: CREAM, NEUFCHATEL, AND LOW FAT (IMITATION)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for cream cheese, Neufchatel and low fat cream cheese (imitation) for use by all Federal agencies.

1.2 Classification.

1.2.1 Types. The products covered by this specification shall be of the following types as specified (see 6.1):

Type I - Cream cheese
Type II - Neufchatel cheese
Type III - Low fat cream cheese (imitation)

1.2.2 Styles. The product shall be delivered as specified (see 6.1) in:

(a) 1-ounce (28.4 gram) package
(b) 3-ounce (85.1 gram) package
(c) 8-ounce (226.8 gram) package
(d) 3-pound (1.4 kg) loaf
(e) 30-pound (13.6 kg) block (bulk cube)

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

PPP-B-636 - Boxes, Shipping, Fiberboard
PPP-B-1163 - Box, Corrugated Fiberboard, High Compression Strength, Weather Resistant, Wax-Resin Impregnated

FSC 8910

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

Federal Standard:

FED-STD-123 - Marking for Domestic Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards and Handbooks and the Index of Federal Specification and Standards from established distribution points in their agencies.)

Military Specification:

MIL-L-10547 - Liners, Case and Sheet Overwrap, Water-Vaporproof or Waterproof Flexible

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage
MIL-STD-1162 - Sanitary Standards for Cheese and Cheese Products Plants

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

LAWS AND REGULATIONS

U. S. Department of Health, Education and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

Definitions and Standards, Cheeses and Cheese Products

Sanitation Compliance and Enforcement Ratings of Interstate Milk Shippers

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

Grade A Pasteurized Milk Ordinance - 1965 Recommendations of the U. S. Public Health Service

(Single copies may be obtained from the Division of Food Sanitation, Food and Drug Administration, U.S. Department of Health, Education and Welfare, Washington, DC 20404.)

U. S. Department of Agriculture

General Specifications for Dairy Plants Approved for USDA Inspection and Grading Service
Dairy Plants Surveyed and Approved for USDA Grading Service
U. S. Standards for Grades of Nonfat Dry Milk (Spray Process)
U. S. Standards for Condition of Food Containers

(Application for copies should be addressed to the Dairy Division, Agricultural Marketing Service, U. S. Department of Agriculture, Washington, DC 20250.)

Directory of Consumer Protection Programs, Establishments, Circuits and Officials
Brucellosis Eradication - Recommended Uniform Methods and Rules, Agricultural Research Service, U. S. Department of Agriculture, Bulletin ARS 91-79

(Application for copies should be addressed to the U. S. Department of Agriculture, Agricultural Research Service, Washington, DC 20250.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

Association of Official Analytical Chemists

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, Post Office Box 540, Benjamin Franklin Station, Washington, DC 20044.)

American Public Health Association, Inc.

Standard Methods for the Examination of Dairy Products

(Application for copies should be addressed to the American Public Health Association, Inc., 1015 18th Street, N.W., Washington, DC 20036.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

3. REQUIREMENTS

3.1 Material.

3.1.1 Milk. The raw milk used in the preparation of the products shall be rawn from cows in herds accredited as tuberculosis-free and certified brucellosis-ree by the U. S. Department of Agriculture, or herds that have passed an annual uberculosis test and meet USDA requirements for an individually certified herd, r from cows in herds located in:

(1) A modified accredited tuberculosis area; and
(2) Either (a) A certified brucellosis-free area; or
(b) Modified certified brucellosis area; or
(3) An area in the process of being accredited or certified by the USDA n accordance with USDA Agricultural Research Service Bulletin 91-79. The milk shall be practically free from colostrum, shall be fresh, wholesome, and normal n appearance and odor, and shall be subject to inspection by the procuring agency r duly authorized representative.

3.1.1.1 Source. The raw milk supply shall conform to the requirements for No. 2 milk, as set forth in General Specifications for Dairy Plants Approved for JSDA Inspection and Grading Service or to the grade "A" Pasteurized Milk Ordinance, 1965 Recommendations of the United States Public Health Service. Probational milk shall not be used.

3.1.1.2 Milk products. Milk (cream, skim milk and concentrated milk or skim milk) commonly used in the manufacture of these cheeses shall be produced from milk complying with 3.1.1. At the time of use, all dairy products shall be fresh, sweet and normal in appearance and odor. Dairy product ingredients which may be used for standardization of moisture content of the cheese mass shall consist of such whey products as permitted in the Definitions and Standards, Cheeses and Cheese Products, under the Federal Food, Drug, and Cosmetic Act. The flavor of the whey products used for standardization of cheese moisture shall be clean and characteristic of the specific whey product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

3.1.1.2.1 Nonfat dry milk. Nonfat dry milk, when used, shall conform to the .S. Extra Grade requirements as defined in the U.S. Standards for Grade of Non-fat Dry Milk (Spray Process).

3.1.2 Non-milk ingredients.

3.1.2.1 Optional ingredients if used in the manufacture of the product shall be those permitted by the Definitions and Standards, Cheeses and Cheese Products, under the Federal Food, Drug, and Cosmetic Act.

3.2 Preparation.

3.2.1 Pasteurization. The cream, milk or mixture (containing a blend of more than one dairy product, see 3.1.1.2) used in the manufacture of the finished product shall be pasteurized prior to adding harmless lactic acid producing bacteria.

3.2.1.1 Milk or skim milk. Milk or skim milk shall be pasteurized at a temperature of not less than 145°F. (63°C.) for not less than 30 minutes or at a temperature of not less than 161°F. (72°C.) for not less than 15 seconds, or by some other recognized method of pasteurization which gives equivalent results acceptable to local or state regulatory authority.

3.2.1.2 Cream or concentrated milk or concentrated skim milk. Cream or concentrated milk or concentrated skim milk shall be pasteurized at a temperature of not less than 155°F. (68°C.) for not less than 30 minutes or at a temperature of not less than 166°F. (74°C.) for not less than 15 seconds, or by some other recognized method of pasteurization which gives equivalent results acceptable to local or state regulatory authority. NOTE: For purposes of compliance with the Federal Definitions and Standards, Cheeses and Cheese Products, the use of plastic cream shall be considered in the same category as cream.

3.2.2 Procedure. The finished product shall be manufactured by the hot pack method in accordance with good commercially recognized practices and in accordance with 1.2.1 and 1.2.2 as concerns types and styles. A harmless lactic acid producing culture shall have been used in the formation of the curd. Standardization of the product when necessary, shall be performed before the beginning of the final heat treatment of the fluid cheese mass. After completion of all pertinent processing and packaging procedures, all further handling and storage of the product shall be at temperatures of 45° F. (7°C.) or below. Freezing temperatures shall be avoided.

3.3 Finished product.

3.3.1 Type I. The dairy ingredients used in the manufacture of cream cheese shall be prepared as specified in 3.2 and 3.7. The finished product shall have a delicate butter-like or creamy flavor, shall be moderately salted (see 6.2), shall have a comparatively light texture, reasonably firm body, no free whey, and shall be uniformly creamy-white in color. It may have a very slight, clean, acid flavor and aroma or slight cooked flavor, but shall be free from bitter, sour, flat, yeasty or moldy flavors. The body and texture shall not be coarse, crumbly, excessively smooth, gummy, grainy, sticky, over firm, or too soft. The product shall be in excellent condition, free of mold, slime, discoloration or burnt particles.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

3.3.2 Types II and III. The dairy ingredients used in the manufacture of these types of cheese products shall be prepared as specified in 3.2 and 3.7. The finished product shall have a mild, aromatic flavor and odor suggestive of lactic cultures, shall be moderately salted (see 6.2), shall have a comparatively light to slightly grainy texture, reasonably firm body, no free whey, and be white to creamy white in color. The color shall be uniform. The products shall be free from bitter, sour, flat, yeasty or moldy flavors. The body and texture shall not be coarse, gummy, crumbly, excessively smooth, excessively grainy, sticky, over firm, or too soft. The body and texture of types II and III products may be slightly firmer, slightly grainier and closer textured than type I product. The products shall be in excellent condition, free of mold, slime, discoloration or burnt particles.

3.3.3 Analytical requirements. The finished product shall comply with the following requirements:

	Type I	Type II	Type III
Moisture	Not more than 55 percent.	Not more than 65 percent.	Not more than 66 percent nor less than 64 percent.
Milkfat	Not less than 33 percent.	Not less than 20 percent, but less than 33 percent.	Not more than 12-1/2 percent nor less than 11 percent.
pH	Not more than 4.7 Not less than 4.4	Not more than 4.7 Not less than 4.5	Not more than 5.2 Not less than 5.0
Phosphatase	Less than one microgram per ml. of cheese extract (equivalent to 0.2 gram of cheese)	Less than one microgram per ml. of cheese extract (equivalent to 0.2 gram of cheese)	Less than one microgram per ml. of cheese extract (equivalent to 0.2 gram of cheese)

3.4 Age of product at time of delivery. The finished product shall be delivered within 25 days of packaging, unless otherwise specified by the procuring agency (see 6.1).

3.5 Delivery temperature. The temperature of the products covered by this specification at the time of delivery shall not exceed 50°F. (10°C.).

3.6 Plant qualification. The product shall be processed in establishemnts meeting the requirements of MIL-STD-1162 or in plants which operate under USDA General Specifications for Dairy Plants Approved for USDA Grading Service and listed by the U. S. Department of Agriculture in the document titled "Dairy Plants Surveyed and Approved for USDA Grading Service" and approved for the finished product described in this specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

3.7 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provision of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder, except for type III, for which no standards of identity exist.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Plant qualification conditions. The product furnished under this document shall be unacceptable if not produced and stored in plants which currently meet the qualification conditions of 3.6.

4.2.1 Listing, or eligibility for listing of plants in the current bulletin; Dairy Plants Surveyed and Approved for USDA Grading Service, or plants which have a pasteurization plant compliance rating of 90 or more and are listed in the document titled "Sanitation Compliance and Enforcement Ratings of Interstate Milk Shippers", may be accepted as evidence of compliance with the qualification conditions of 3.6.

4.3 Acceptance inspection.

4.3.1 Condition inspection of containers. When inspection of product for quality and condition is performed by the U. S. Department of Agriculture, the United States Standards for Condition of Food Containers shall apply for the condition inspection of containers.

4.3.2 USDA Grade certificate for nonfat dry milk. The supplier shall furnish a USDA grading certificate as evidence of compliance with the U.S. Extra Grade and low heat classification requirements of 3.1.1.2.1.

4.3.3 Inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.3.4 Component and material inspection. In accordance with 4.1, components and materials shall be inspected and tested in accordance with all the requirements of referenced specifications, drawings, and standards, unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

4.3.4.1 Non-milk ingredients. Examination shall be made to determine compliance with the requirements of 3.1.2. Nonconformance shall be cause for rejection of the component lot or finished product made therefrom, as applicable.

4.3.5 Inspection of milk and milk products.

4.3.5.1 Animal sources. Inspection shall be made to determine that cows supplying the milk used in the preparation of this product are in herds designated by the U.S. Department of Agriculture as tuberculosis-free and from herds designated brucellosis-free or in the process of being so designated. Determination of herd status regarding tuberculosis and brucellosis shall be made by contacting the nearest office of the Agricultural Research Service of the Animal Health Division. (Location of this office may be ascertained by consulting the publication entitled Directory of Consumer Protection Programs, Establishments, Circuits and Officials.) Nonconformance to either of the above requirements shall be cause for rejection of the lot.

4.3.5.2 Establishment sources. Examination shall be made to determine that all milk supplies used in the manufacture of the finished product have been handled, processed, packaged and shipped by establishments approved as military sources of supply as listed in the Directory of Sanitarily Approved Food Establishments for Armed Forces Procurement or listed by the U.S. Department of Agriculture in the document entitled: Dairy Plants Surveyed and Approved for USDA Grading Service and approved for the product to be used in the manufacture of the finished product specified in this document. Nonconformance to the aforementioned establishment sources shall be cause for rejection of the milk supply or the involved quantity of finished product made therefrom, as applicable.

4.3.5.3 Examination of raw whole milk. Examination and testing of raw whole milk shall be made to determine compliance with the requirements of 3.1.1 as concerns appearance and odor and with the referenced requirements of 3.1.1.1 as concerns bacterial and sediment content. Records of all required examinations and tests shall be maintained and made available for review. Failure to comply with one of more of the above referenced requirements, reflected by actual examination and tests or by examination of records, shall be cause for rejection of the involved lot of finished product.

4.3.5.4 Examination of nonfat dry milk. Conformance of nonfat dry milk to the requirements of 3.1.1.2.1 as concerns grade and type shall be determined by examination of USDA grade shield, invoices or other valid documents. Nonconformance to the above referenced requirement shall be cause for rejection of the involved quantity of finished product made therefrom or the component lot as applicable.

4.3.6 In-process examination.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

4.3.6.1 Pasteurization of milk or cream. Unless otherwise specified (see 6.1) examination shall be performed during processing to determine compliance with 3.2 requirements as concerns time and temperature of pasteurization. Records shall be maintained for specific procedures of time and temperature controls covering product included in the purchase contract. Noncompliance with the requirements of 3.2, as determined by examination of records or actual examination shall be cause for rejection of the involved finished product.

4.3.6.2 Procedure. Examination shall be made during manufacture (when specified, see 6.1) to determine compliance with the requirements of 3.2.2. Noncompliance with these referenced requirements shall be cause for rejection of the involved quantity of finished project or the component lot, as applicable.

4.3.7 Examination of the end item.

4.3.7.1 Lot size. An inspection lot shall be one delivery. The size shall be expressed in terms of primary containers. More than one production code may be included in the lot if the number of cases from each code represented in the lot is known.

TABLE I. Single sampling plans

Number of primary containers in the inspection lot	Minimum sample size	Net weight (table III)		Minimum sample size	Product characteristics (table IV)			
					Major		Minor	
		Ac	Re		Ac	Re	Ac	Re
3 - 24	3	0	1	3	0	1	0	1
25 - 150	6	0	1	6	0	1	1	2
151 - and over	9	0	1	13	0	1	2	3

4.3.7.1.1 For Military Agencies. Classification of defects found during examination shall be in accordance with table III and IV and 4.3.7.2 through 4.3.7.6. The examination criteria for the above referenced tables shall be as shown in table II. Acceptable quality levels (AQLs) shall be expressed as defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

TABLE II. End item examination criteria

Table No.	Inspection level	Sample unit	Lot size expressed in	AQLs Major	AQLs Minor
III	S-3	1 primary container	Primary containers	1.5	--
IV	S-3	1 primary container	Primary containers	1.5	6.5

TABLE III. Examination for net weight 1/

Category	Defect
Major	
101	Three pounds (1.4 kg.) net weight: 1.5 percent or more under specified weight. 2/
102	Under one-pound (0.45 kg.) net weight: 2 percent or more under specified weight. 3/
103	30-pound (13.6 kg.) net weight: 1 percent or more under specified weight. 4/

1/ Lot shall be rejected if sample data indicate lot average net weight is less than specified weight.

2/ Report to nearest 1/2 ounce (14.2 grams).

3/ Report to nearest 1/8 ounce (3.5 grams).

4/ Weigh to nearest 1/4 pound (113.4 grams).

TABLE IV. Examination for product characteristics 1/

Category		Defect
Major	Minor	Applicable to all types
101		Not moderately salted.
102		Not a reasonably firm body.
103		Presence of whey.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

TABLE IV. Examination for product characteristics 1/ (cont'd)

Category		Defect
Major	Minor	Applicable to all types
104		Bitter, sour, flat, yeasty or moldy flavor.
105		Body and texture, coarse, crumbly, or excessively smooth.
106		Presence of mold, slime, discoloration or burnt particles.
		Applicable to type I
	201	Not a comparatively light texture.
	202	Not a uniformly creamy light color.
107		Not a very slight clean acid flavor or aroma.
	203	Not a slightly cooked flavor.
		Applicable to types II and III 2/
108		Not a mild, aromatic flavor or odor suggestive of lactic cultures.
	204	Not a comparatively light to slight grainy texture.
	205	Not a white to creamy color.
	206	Color not uniform.
109		Body and texture, coarse, gummy, crumbly or excessively smooth.
110		Excessively grainy, sticky, over firm or too soft.

1/ Presence of foreign materials shall be the basis for rejection of the entire lot.

2/ See 3.3.2.

4.3.7.2 Examination of temperature of product after processing, during storage and at time of delivery and receipt. Examination of temperature during storage (see 3.2.2) shall be ascertained by examination of records or by actual examination. Examination shall be made of temperature at time of delivery and receipt for compliance with 3.5. Lot size shall be expressed in shipping containers. The sample unit shall be one shipping container. The sample size shall be the number of sample units indicated by inspection level S-2. Nonconformance to the above referenced requirements shall be cause for rejection of the lot.

4.3.7.3 Examination of packaging (level C). Examination shall be made to determine compliance with the packaging requirements of 5.1. Lot size shall be expressed in shipping containers. The sample unit shall be one shipping container.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

The sample size shall be the number of sample units indicated by inspection level S-2. Nonconformance to one or more of the above referenced requirements shall be cause for rejection of the lot.

4.3.7.4 Examination of the waterproof case liner (see 5.2.1). Examination of the waterproof case liner shall be in accordance with the examination criteria of MIL-L-10547.

4.3.7.5 Examination of the filled and closed shipping container. Examination of the filled and closed shipping container shall be in accordance with the examination criteria contained in the appendix of PPP-B-636 or PPP-B-1163, as applicable. In addition the following defects shall be included in the table of examination: Major: (1) Marking; missing, incorrect or illegible. (2) Metal stitches not covered as specified. Minor: (1) Not a snug-fitting container. (2) Strapping not as specified. (3) Paperboard pads, when applicable, missing.

4.3.7.6 Examination for age of product at time of delivery. Determination of compliance with requirements of 3.4 shall be made by examining storage records, or code or marked date of pack. Noncompliance with the requirements of 3.4 shall be cause for rejection of the lot.

4.4 Sampling procedure and acceptance criteria for testing of finished product. The finished product shall be tested for compliance with analytical requirements of 3.3.3. Procedures for testing shall be in accordance with 4.5.1. The sample for testing shall be an approximate 8-ounce (226.8 gram) composite of cheese derived from one or more vat lots of one day's production which is part of the government contract or order. The sample container shall be filled to minimize evaporation or condensation until the cheese is tested. Analytical results shall be reported to the nearest one percent. pH shall be determined to the nearest pH unit. Phosphatase test results shall be reported as pass or fail. The lot shall be rejected if one or more test results indicate noncompliance with the requirements.

4.5 Test methods. Test procedures which differ from those specified herein, unless otherwise excepted, may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government contracting officer determines that such procedures and controls do not provide, as a minimum such quality assurance, the supplier will use the procedures set forth herein. In case of dispute as to examination or test results, the procedures specified herein will govern.

4.5.1 Chemical analyses. Chemical analyses, if required by the purchaser, (see 6.1) shall be made in accordance with the Official Methods of Analysis of

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

the Association of Official Analytical Chemists, Chapter: Diary Products, Section: Cheese.

Test	Method
Milkfat	Fat
Moisture	Moisture - Method I
pH	Electrometric method (Chapter: Beverages, Section: Beer)

4.5.1.1 Phosphatase. Compliance with the phosphatase requirement shall be determined by the Scharer Rapid Phosphatase Test as outlined in Standard Methods for the examination of Dairy Products, Chapter: Phosphatase Methods to Determine Pasteurization.

5. PREPARATION FOR DELIVERY

5.1 Packaging, level C. The product shall be packaged to afford adequate protection against deterioration and damage during shipment from the supply source to the first consuming activity. No material shall be used in the packaging of the product which will impart an odor or flavor to the cheese. Interior containers shall be sound and clean and shall adequately protect the contents from contamination. The supplier's commercial practice may be used if it fulfills these requirements.

5.2 Packing. The product shall be packed in accordance with level B or C, as specified (see 6.1).

5.2.1 Level B. Not more than 48 pounds (21.7 kg.) of the product shall be packed into a snug-fitting fiberboard box constructed, closed and reinforced in accordance with style RSC, V3c, V3s or V4s of PPP-B-636. If metal stitches are used for the bottom flaps, the bottom shall be covered with a paperboard pad. A strip of pressure-sensitive tape shall be applied over the metal stitches of the manufacturer's joint. The shipping container shall be provided with a waterproof case liner fabricated and closed in accordance with MIL-L-10547 for subsistence items. Alternatively, the shipping container shall be a snug-fitting, wax-impregnated, fiberboard box constructed in accordance with style RSC, class I, type SWCFI, grade 275 of PPP-B-1163. Closure shall be made with hot melt adhesive in accordance with the appendix of PPP-B-636. The wax-impregnated box shall be reinforced with two lengthwise bands and one girthwise band in accordance with the appendix of PPP-B-636.

5.2.1.1 When specified (see 6.1 and 6.3), the shipping container specified in 5.2.1 shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636, except that for V3c, V3s and V4s boxes two reinforcing bands may be used, one lengthwise and one girthwise.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

5.2.2 Level C. The shipping container shall be in accordance with Uniform reight Classification Rules or National Motor Freight Classification Rules, as pplicable.

5.3 Labeling and marking.

5.3.1 Labeling. Any commercial labeling that complies with the Federal Food, rug, and Cosmetic Act and Regulations Promulgated Thereunder will be acceptable.

5.3.2 Marking. Shipping containers shall be marked in accordance with ED-STD-123 or MIL-STD-129, as applicable.

5.3.2.1 Additional marking. The following marking shall be printed or legibly tenciled in letters not less than one inch high on the shipping container.

KEEP REFRIGERATED

(32° TO 45°F.) (0° TO 7°C.)

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted erein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Type and style of product required (see 1.2).
(c) When other than 25-day delivery is required (see 3.4).
(d) When in-process inspection is not required (see 4.3.6.1 and 4.3.6.2).
(e) When chemical analyses are required (see 4.5.1).
(f) Level of packing required (see 5.2).
(g) When packing specified in 5.2.1.1 is required (see 6.3).

6.2 Technical notes and information. Types I, II and III products are assified as soft, unripened cheese. These types of cheeses are similar in pearance and overall utility except for composition (see 3.3.3). The cheese may made with little or no rennet. The coagulation is brought about mainly by ctic acid development. While types II and III products contain less fat, they so lack proportionately the body, richness and nutty flavor of type I. A moderate lt level for these cream cheese types is considered to be approximately 1 percent. ile this specification calls for the use of the hot-pack method (pasteurization st prior to packaging and generally in aluminum foil wrapped portions of 3- to ounce or 85.1 gram to 226.8 gram size) commercial processing recognizes also a ld-pack method. This latter method produces a fully satisfactory cheese but sults in a product with a short shelf life of up to approximately one week under frigeration. In contrast the hot-pack product has substantially better keeping

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

qualities of several weeks and possibly three to four months. With both methods the product must be kept refrigerated preferably at a temperature in the range of 35° to 40°F. (2° to 4°C.) especially when stored for other than immediate use. Freezing is hazardous because of its ultimate effect on body and texture. These products are popular and find widespread use in such products as cheese cake, combination sandwiches with jelly, etc., salads, low fat spreads, components in the preparation of various dips, icings and baked goods.

6.3 Packing specified in 5.2.1.1 is intended for transfer at sea operations or specific overseas operations.

6.4 Military agencies. Based on the conditions known to be encountered during shipment, handling, and storage of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.28/AFR 71-6/MCO 4030.14D/ DSAR 4145.7.

Custodians:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD
Navy - MC, MS
DP - SS

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

GSA - FSS
VA - DMS
HEW - FDA, NIH
AGR - AMS

Project No. 8910-0356

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 40 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

C-C-1103A - Cheese: Cream, Neufchatel, and Low Fat (Imitation)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:05Z
Check the source to verify that this is the current version before use.