METRIC

MIL-C-83527/3B
8 June 1992
SUPERSEDING
MIL-C-83527/3A
28 December 1988

MILITARY SPECIFICATION SHEET

CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150°C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation MIL-C-83527




FIGURE 1 Connector, plug

(B) denotes changes

DISTRIBUTION STATEMENT A Approved for public release, distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:39Z
Check the source to verify that this is the current version before use.




FIGURE 1 Connector, plug - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:39Z
Check the source to verify that this is the current version before use.




FIGURE 1 Connector, plug - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:39Z
Check the source to verify that this is the current version before use.

Datum T	Datum S		
	100 66 (3 963)	100 64 (3.962)	100.61 (3 961)
69 93 (2 753)	0 30 (012)	0 30 (012)	0.30 (.012)
69 90 (2 752)	0 30 (012)	0 30 (012)	0 30 (012)
69 88 (2 751)	0 30 (012)	0.30 (.012)	0.30 (012)
69 85 (2 750)	0 28 (011)	0.28 (011)	0.28 (010)
69 82 (2 749)	0 25 (010)	0 25 (010)	0 25 (010)
69 80 (2 748)	0 23 (009)	0 23 (009)	0 23 (009)
69 77 (2 747)	0 20 (008)	0 20 (008)	0 20 (.008)
100 58 (3 960)	100 56 (3 959)	100 53 (3 958)	100 51 (3 957)
	Datum S		
0 28 (011)	0 25 (010)	0 23 (009)	0 20 (008)
0 28 (011)	0 25 (010)	0 23 (.009)	0 20 (008)
0 28 (011)	0 25 (010)	0 23 (009)	0 20 (008)
0 25 (010)	0 23 (009)	0 23 (009)	0 20 (008)
0 23 (009)	0 23 (009)	0 20 (008)	0 18 (007)
0.23 (009)	0 20 (008)	0 18 (007)	0 18 (007)
0 20 (008)	0 18 (007)	0.18 (007)	0 15 (006)

FIGURE 1. Connector, plug - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:39Z
Check the source to verify that this is the current version before use.

mm	Inch	mm	Inch	mm	Inch	mm	Inch
0 15	006	3 07	120	13 54	533	40 39	1 590
0 18	007	3 71	146	14 05	553	41 02	1 615
0 20	008	3 88	153	16 10	634	41 88	1 649
0 25	010	3 91	154	17 91	705	42 14	1 659
0.30	012	3 96	156	18.67	735	45 14	1.777
0 38	015	3 99	157	19 18	755	45 24	1 781
0 58	.023	4 67	184	20 70	815	54 79	2.236
0 76	030	4 70	185	21 08	830	57 30	2 256
1 02	040	4 78	188	24 76	975	60 96	2 4
1 45	057	4 93	194	27 69	1 090	80 90	3 185
1 70	067	5 13	202	27 74	1 092	100 51	3 957
1 78	070	5 18	204	28 24	1 112	100 61	3 961
1 83	072	5 44	214	32 64	1 285	100 66	3 963
1 80	074	5 46	215	32 79	1 291	100 71	3 965
2 03	080	5 84	230	33.27	1 310	100 84	3 970
2 16	085	5 94	.234	33 76	1 329	109.88	4.326
2 54	1	8 26	325	33 96	1 337	110 13	4 336
2.62	103	10.80	425	34 06	1.341	120 09	4.728
2 67	.105	12.78	.503	34 46	1 357	120.19	4.732
		13 28	523			130.81	5 15
						131.32	5.170

NOTES
1. Dimensions are in millimeters
2. Inch equivalents are in parentheses
3. Inch equivalents are given for general information only

FIGURE 1 Connector, plug - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:39Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Dimensions and configuration Shall be in accordance with figure 1

Contacts See MIL-C-39029/93, /94, /95, /98, and /100.

Inserts See MIL-STD-1842 and MIL-C-83527/7

Mating connector See MIL-C-83527/4.

Military Part or Identifying Number (PIN)

M83527	/03-	A	002
Basic specification identifier			
	Specification sheet number		
		See footnote 1/	
			Insert designator from DOD-STD-1842

1/ "A" designator for insert with contacts, "B" designator for insert without contacts

CONCLUDING MATERIAL

Custodians:
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - AR, MI
Navy - EC, MC, OS
Air Force - 11, 15, 17, 99
DLA - ES

Preparing activity
Air Force - 85

Agent
DLA - ES

(Project 5935-3802-3)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:39Z
Check the source to verify that this is the current version before use.