COMMERCIAL ITEM DESCRIPTION

BLADES, SAW, ROUND, MACHINE AND HAND

The General Services Administration has authorized the use of this commercial item description in preference to type I, styles B, C, and D of Federal Specification GGG-B-00431b.

1. SCOPE

1.1 Scope. This description covers round saw blades of the standard commercial type, which are intended for general purpose usage in a production environment.

1.2 Classification. The round saw blades shall be of the following types and sizes. The type and size to be furnished shall be as specified (see 6.2).

Type A - Coil stock.
Type B - Welded length.
Type C - Cut length with eyelets.

Size 1 - 13 turns per inch 0.028 inch diameter.
Size 2 - 13 turns per inch 0.040 inch diameter.
Size 3 - 14 turns per inch 0.050 inch diameter.
Size 4 - 16 turns per inch 0.074 inch diameter.

2. APPLICABLE DOCUMENTS

2.1 Documents. The following documents of the issue in effect on the date of invitation for bids or request for proposals form a part of this description to the extent specified herein.

Federal Specification PPP-T-1150	- Tools and Tool Accessories for Power Driven, Metal and Woodworking, Machinery, Packaging and Packing of.
Federal Standard FED-STD-376	- Preferred Metric Units for General Use by the Federal Government.
American Society for Testing and Materials ASTM D 3951	- Standard Practice for Commercial Packaging.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

3. SALIENT CHARACTERISTICS

3.1 Design. The round saw blades shall be new and of the manufacturer's commercial design in effect on the date of the solicitation. The round saw blades shall meet the requirements specified herein and conform to current industrial practice. The round saw blades shall have a helical groove upset 360 degrees around and along the entire cutting length similar to figure 1, except for that portion of type B blades to be welded which shall be blank.

3.1.1 Illustration. The illustration shown is for convenience of identification and is not intended to preclude the purchase of blades that are otherwise in accordance with this description.




Figure 1. Round saw blade.

3.2 Materials. Materials used in the manufacture of round saw blades shall be of a quality necessary to produce a product that conforms to the requirements specified herein.

3.3 Measurement system. All dimensions in this description are given in US units. These measurements may be converted to SI units through the use of conversion factors and methods specified in FED-STD-376.

3.4 Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers' employees to undue hazards from the recovered materials.

3.5 Dimensions. Round saw blades shall conform to all dimensional requirements specified herein.

3.6 Tolerances. The allowable tolerance for turns per inch shall be ±1/2 turn and the allowable diametral tolerance shall be ±0.002 inches.

3.7 Type A. Type A round saw blades shall be furnished in continuous coils 100 -0, +1/2 feet in length without welds.

3.8 Type B. Type B round saw blades shall be furnished with not more than one weld each. The length required shall be as specified (see 6.2).

3.9 Type C. Type C round saw blades shall be furnished with an eyelet permanently attached to each end to facilitate mounting of the blade to a coping saw or hacksaw frame. The length of type C blades shall be measured from the center of the eyelets and shall be as specified (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

3.10 Performance. Each round saw blade shall be capable of making a 3/16 inch deep cut in a section of AISI 304 stainless steel. This cut shall be completed with a maximum of 15 full strokes.

3.11 Workmanship. Workmanship of the round saw blade shall be of a quality equal to that of comparable products furnished to the commercial market.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection, examination, and test requirements specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections, examinations, or tests set forth in this description where such inspections, examinations, and tests are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Sample inspection. A sample blade shall be selected from the same production run as the lot offered for acceptance to determine conformance with the examination requirements in 4.3, the dimensional inspection in 4.4, and the performance test in 4.5. The sample blade to be used for the examination and dimensional inspection shall be not less than one foot in length. The length of the sample blade to be used for the performance test shall be determined by the saw frame used during testing. The sample blade used for the examination and dimensional inspection may also be used for the performance test. If the sample blade fails to pass all requirements specified, two additional sample blades shall be selected from the same production run. The two additional sample blades shall be subjected to the same examinations, inspections, and tests that the failed blade was subjected to. If both additional sample blades pass all requirements specified the entire lot shall be considered suitable for shipment. If either of the two additional sample blades fail to pass all requirements specified, the entire lot shall be rejected and considered unsuitable for shipment. A lot is defined as all blades of the same type and size presented at one time for acceptance.

4.3 Examination. Each round saw blade submitted for sample inspection shall be visually examined to determine conformance with all requirements of this description.

4.4 Dimensional inspection. Each round saw blade submitted for sample inspection shall be inspected to assure conformance with all dimensional and tolerance requirements specified herein.

4.5 Performance test. Each sample test blade shall have an eyelet attached to each end and be mounted to a hacksaw frame of the suppliers choice. Utilizing techniques that are in accordance with standard industrial practice, each test blade shall conform to the requirements specified in 3.10. After being subjected to the performance test the blade shall show no evidence of overheating or physical damage.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

4.6 Packaging inspection. Packaging shall be inspected for conformance with section 5.

5. PACKAGING

5.1 Preservation, packing, and marking. Unless otherwise specified in the contract or purchase order preservation, packing, and marking shall be in accordance with ASTM D 3951. When specified (see 6.2) preservation, packing, and marking shall be in accordance with Federal Specification PPP-T-1150, level as specified.

6. NOTES

6.1 Intended use. Round saw blades covered by this description are intended to be used for sawing metal, plastic, wood, and other similar materials.

6.2 Ordering data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

a. Title, number, and date of this commercial item description.
b. Type, size, and quantity required (see 1.2).
c. Blade length, if required (see 3.8 or 3.9).
d. Packaging in accordance with PPP-T-1150 if required, specify level (see 5.1).

6.3 Cross reference. Items covered by Federal Specification GGG-B-00431b are cross referenced to items covered by this commercial item description as follows:

GGG-B-00431b	A-A-51156
Type I	Deleted
Style A	Deleted
Style B	Type C
Style C	Type A
Style D	Type B
Type II	Deleted
	Sizes 1, 2, 3, and 4 (New sizes)

MILITARY INTEREST:

Custodians

Army - AL
Air Force - 99

Review Activities

Air Force - 84
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

PREPARING ACTIVITY

DLA-IP

Project 3455-0095

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEFENSE LOGISTICS AGENCY
Commander
Defense Industrial Plant Equipment Center
ATTN: DIPEC-SSG
Memphis, TN 38114-5051

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 4966 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Commander
Defense Industrial Plant Equipment Center
ATTN: DIPEC-SSG
Memphis, TN 38114-5051

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.