A-A-51294A
31 January 1989
SUPERSEDING
A-A-51294
12 December 1985

COMMERCIAL ITEM DESCRIPTION

BAG, HOT WATER-ICE

The General Services Administration has authorized the use of this Commercial Item Description as a replacement for Type III of Federal Specification ZZ-B-586D which is cancelled.

This Commercial Item Description covers a hot water bottle/ice bag combination designed for single patient use for medical treatment.

Salient characteristics:

The hot water-ice bag shall be a hot water bottle/ice bag combination designed for single patient use. The bag shall be of the following types:

Type I - oval shaped, general purpose bag.
Type II - rib-knit band designed for extremity use.

Type I Bag

The type I bag shall be a conventional combination hot water bottle and ice bag having a minimum capacity of 1800 milliliters. The bag shall be fabricated principally of natural rubber or synthetic rubber, or a mixture of both. The outside surfaces of the bag shall be free from tackiness and the inside surfaces of the bags shall not stick together. The rubber compound shall be free from any ingredient that might cause irritation of the skin. The bag shall be provided with a leakproof stopperless closure and a suspension tab with reinforced eyelet.

The bag shall have dimensions of 9-3/4 inches (24.76 cm) $\pm$ 1/2 inch (1.27 cm) long by 7-3/4 inches (19.68 cm) $\pm$ 1/2 inch (1.27 cm) wide, excluding suspension tab and closure.

AMSC N/A FSC 6530

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:53Z
Check the source to verify that this is the current version before use.

The bag surface shall be free of unspecified protrusions, occlusions, flash, cuts, holes, imbedded foreign matter, or other imperfections. It shall be free of oil, grease, dirt, or other contamination.

Type II Bag

The type II bag shall be a hot water bottle/ice bag combination used to apply hot water or ice to an extremity and designed for single patient use.

The bag shall consist of an expandable rib-knit extremity band of cotton, acrylic, and spandex with an integral pouch, 4 inches (10.16 cm) +/- 3/4 inch (1.91 cm) by 7 inches (17.78 cm) +/- 3/4 inch (1.91 cm), capable of accepting a supplied vinyl bag. Nylon may be used as a substitute for acrylic.

The vinyl bag shall be suitable for either hot water or ice and shall be provided with a means to prevent leakage.

When used on an extremity, the band shall fit an adult arm or lower leg.

The bag shall be free of cuts, holes, or other imperfections. It shall be free of oil, grease, dirt, or other contamination.

Workmanship. The hot water bottle/ice bag shall be free from defects which detract from its appearance or impair its serviceability.

Unit. For Type I - Each (EA) - One bag, as specified, constitutes one unit.

For Type II - Package (PG) One package containing 50 bags, as specified, constitutes one unit.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:53Z
Check the source to verify that this is the current version before use.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Tests. Tests shall be conducted to determine compliance with specification requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics.

Sampling for examination. Sampling for examination shall be conducted in accordance with MIL-STD-105, with an AQL of 2.5 (percent defective) and an inspection level of I. The unit of product for examination purposes shall be one hot water bottle/ice bag, as specified in this description.

Defects.

Bags not designed and constructed as specified.

Bags not complete with all components.

Type I bag does not have suspension tab.

Type I bag tab eyelet is not reinforced.

Type I bag outer surfaces are not free of tackiness.

Type I bag inner surfaces are not free from sticking together.

Type I bag surface is not free of unspecified protrusions, occlusions, flash, or imbedded foreign matter.

Bags are not free of cuts, holes, or other imperfections.

Bags are not free of oil, grease, dirt, or other contamination.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:53Z
Check the source to verify that this is the current version before use.

Sampling for tests. Sampling for tests, including dimensional test, shall be conducted in accordance with MIL-STD-105, with an AQL of 2.5 (percent defective) and an inspection level of S-1. The unit of product for test purposes shall be one hot water bottle/ice bag.

a. First article. Where a first article sample is required, all tests shall be performed on that unit.

b. Acceptance testing. When a first article sample has not been required, one unit shall be subjected to the performance test specified herein. If a test article sample has successfully passed all tests, performance test shall not be required at acceptance.

Tests

Load Strength of Tab. The type I bag shall be filled with 2 quarts of water and closed. The bag shall be suspended by the eyelet of the tab upside down on a hook. The bag shall be suspended for one hour. Any evidence of tab failure or damage shall constitute a defect.

Leakage. The type I bag shall be filled with 2 quarts of water and closed. All traces of water on the exterior of the bag, including the opening, shall be removed. The bag shall be placed on a flat, horizontal, supporting surface. A flat board shall be placed on top of the bag, but not on the neck. A load of 150 pounds shall be applied onto the board, using weights or a press. The board and the flat supporting surface shall be kept approximately parallel. The load shall be maintained for one hour, and the bag shall be examined for evidence of leakage. Any evidence of leakage shall constitute a defect.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:53Z
Check the source to verify that this is the current version before use.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580, as amended, and as implemented by Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Numbers are covered by this document:

6530-00-770-6425 (Type I)
6530-01-054-6533 (Type II)

Ordering data. Intermediate/exterior package quantities, labeling, and marking must be specified in the contract and/or order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:53Z
Check the source to verify that this is the current version before use.

A-A-51294A

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

Project No. 6530-2038

Location:
CID/HOT/ICE/BAG/H13-33

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:53Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
A-A-51294A	BAG, HOW WATER-ICE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*

5. PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FO... CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:53Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

Fold along this line)

DEFENSE LOGISTICS AGENCY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 4956 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Commander
Defense Personnel Support Center
ATTN DPSC-RSTE
2800 South 20th Street
Philadelphia, Pennsylvania 19101-8419

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:53Z
Check the source to verify that this is the current version before use.