A-A-51312
30 December 1985

COMMERCIAL ITEM DESCRIPTION

WHEEL SET, ABRASIVE (Rubber, Straight Handpiece)

The General Services Administration has authorized the use of this commercial item description.

This commercial item description covers abrasive-impregnated rubber points and detachable mandrels for use with straight dental handpieces.

Salient characteristics:

The wheel set shall consist of an average of 100 abrasive rubber pointsand two (2) detachable mandrels. The points shall be fabricated of an age resistant rubber, impregnated with silicon carbide consisting of 4 parts Grit No. 320 and 6 parts Grit No. 240 by weight. The points shall be cylindrical in shape, and shall conform to dimensions in figure 1. The points shall have a centered blind hole at one end, and centered to within 0.002 inch of the centerline of the point, to accommodate the mandrel. The points shall be within the Shore Durometer, Scale A range of hardness of 90 to 100.

The mandrel shall be made of corrosion-resisting steel, carbon steel, or alloy steel. The carbon or alloy steel mandrel shall be plated, or rendered corrosion resistant by a suitable coating. The operative end shall be pointed and threaded for secure insertion into the hole of the rubber points and shall engage and hold points firmly and concentrically when in use. The thread may have a longitudinal groove, or "flute". The non-operative end shall be rounded and be designed for use in standard, straight dental engine handpieces. The mandrels shall conform to either of the designs illustrated in figure 1.

Workmanship. The points shall be symmetrical, smoothly and properly finished, and shall be free from defects which detract from their appearance or may impair their serviceability. Points shall be free of dirt, grease, oil, or foreign matter. Mandrels shall have no burrs or unspecified sharpness. Mandrel surface shall not be stained or discolored. Plated mandrel surfaces shall exhibit no evidence of peeling.

Unit. Set (SE). One set consisting of one hundred abrasive rubber points and two detachable mandrels as specified, constitutes one unit.

AMSC N/A FSC 6520

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:54Z
Check the source to verify that this is the current version before use.




FIGURE 1. Wheel Set, Abrasive.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:54Z
Check the source to verify that this is the current version before use.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Sampling for inspection. Sampling for inspection shall be conducted in accordance with MIL-STD-105. Where feasible, the same sample shall be used for the determination of two or more inspection characteristics. The unit of product for inspection purposes shall be one wheel set. Unless otherwise specified, sampling for examination shall be conducted at inspection level II, AQL 2.5, and sampling for tests (when applicable) shall be conducted at inspection level S-1, AQL 1.0.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specification, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:54Z
Check the source to verify that this is the current version before use.

requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from the receiving activity and shall conform to the applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Number is covered by this document:

NSN	ITEM IDENTIFICATION
6520-00-299-8204	WHEEL SET, ABRASIVE, Rubber, Straight Handpiece, Set of 100.

Ordering data. Intermediate/exterior quantities, labeling, and marking must be as specified in the contract and/or order.

MILITARY INTERESTS:

Custodians:

Army-MB
Navy-MS
Air Force - 03

Preparing Activity:

DoD-MB

AGENT:

DLA-DM

Civil Agency Coordinating Activity

VA-OSS

Project No. 6520-1888

Location: NCR

47599

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:54Z
Check the source to verify that this is the current version before use.