MIL-T-24558/22(SH)
8 May 1981
SUPERSEDING NAVSHIPS
DRAWING NO. 9000-S6202-74194
REV. L 5 December 1951

MILITARY SPECIFICATION SHEET

TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, SINGLE PHASE

SYMBOL 415 - TWO 75 MCM CABLES, SYMBOL 415.1 - TWO 100 MCM CABLES, SYMBOL 415.2 - TWO 125 MCM CABLES, SYMBOL 415.3 - TWO 150 MCM CABLES AND SYMBOL 415.4 - TWO 200 MCM CABLES

This specification sheet is approved for use by the Naval Sea Systems Command and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquisition of the terminal boxes described herein shall consist of this document and the latest issue of MIL-T-24558(SH)





FIGURE 1. Connection box assembly.

All dimensions in inches.
For tolerances, other than specified herein, see paragraph 3.4.8 of MIL-T-24558.


FSC 5940

Source: https://assist.dla.mil -- Downloaded: 202610-19T22:46Z
Check the source to verify that this is the current version before use.



SH 11642


FIGURE 2. Location of terminal board mounting brackets.



SH 11643


FIGURE 3. Mounting dimensions.

Source: https://assist.dla.mil -- Downloaded: 202610-19T22:46Z
Check the source to verify that this is the current version before use.




SH 11644

FIGURE 4. Terminal board base.



FOR MILITARY PART NO M24558/22-	SIZE CABLE MCM	X DRILL	Y
415	75,	3/8	1/8
415 1	100,	7/16	3/16
415 2	125,	15/32	3/16
415 3	150,	17/32	3/16
415 4	200,	9/16	3/16



SH 11645

FIGURE 5. Terminal lug assembly.

Source: https://assist.dla.mil -- Downloaded: 20261O-19T22:46Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

DESIGN:
Electrical rating: 500-volt rms/DC. The maximum current shall be 350 amperes per terminal lug.
Dimensions and configuration: See figures 1 through 5.
Standard parts: The standard parts shown in table I shall be used in the construction of the connection box specified herein. Numbers in circles shown on the figures are the same as those shown in "Item" column of table I.
Finish: The interior of enclosure may be unpainted or painted at contractor's option.
Enclosure: 15-foot submersible.

QUALITY ASSURANCE: First article inspection and Quality conformance inspection shall be as specified in MIL-T-24558.

GENERAL INFORMATION: Assignment of Military part numbers and general information is as shown in table II.

TABLE II. Parts list.

Item	Description	Qty	Part No. or Spec	Remarks
1	Enclosure assembly, brass with Type A cover	1	MIL-E-24142/6	M24142/6-001
2	Identification plate	1	MIL-T-24558	Figure 6
3	Information plate	1	MIL-T-24558	Figure 6
4	Terminal board base	1	Figure 4	
5	Mounting bracket	2	MIL-T-24558	Figure 2
6	Terminal lug assembly	2	Figure 5	
7	Hex hd mach screw 5/16-18x1-1/4" long	4	COML	Brass
8	RH mach screw #5/16-18x1" long	4	COML	Brass
9	Washer for #5/16" screw	8	COML	Bronze
10	RH mach screw #5/16-18x7/8" long	4	COML	Brass
11	RH mach screw #6-32x3/16" long	4	COML	Brass

TABLE II. Military part numbers and general information.

Military Part No. M24558/22	For Cable Size MCM	Remarks
415	75	1/ 2/ 3/ 4/
415.1	100	1/ 2/ 3/
415.2	125	1/ 2/ 3/
415.3	150	1/ 2/ 3/
415.4	200	1/ 2/ 3/

See footnotes on top of next page.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:46Z
Check the source to verify that this is the current version before use.

1/ Formerly covered on NAVSHIPS Drawing No. 9000-S6202-74194.

2/ Overall terminal box dimensions are approximate. Exact dimensions are shown on Military Specification for item 1, table I.

3/ The weight of the connection box shall be 19.8 lbs. maximum.

4/ Only this connection box will be stocked in the supply system. For other Military Part Numbers, installing activity should drill terminal lugs for "X" and "Y" dimensions shown on figure 5.

Preparing activity:
Navy - SH
(Project 5940-N856-22)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:46Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

MIL-T-24558/22(SH)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 202610-19T22:46Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 3112)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-19T22:46Z
Check the source to verify that this is the current version before use.