INCH-POUND

MIL-DTL-24558/24A
w/AMENDMENT 1
17 February 2006
SUPERSEDING
MIL-DTL-24558/24A
9 December 2004

DETAIL SPECIFICATION SHEET

TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 416, TWO-CIRCUIT, THREE-PHASE BUS LUGS FOR TWO 75 MCM CABLES

This specification sheet is approved for use by all departments and agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-24558, "Terminal Boxes, Connection, for Electrical and Electronic Systems, General Specification for".

REQUIREMENTS: The terminal box shall be as specified herein and in accordance with table I and figures 1 through 6.

1. Electrical rating. The terminal box shall have an electrical rating of 500 volts rms/DC. The maximum current shall be 200 amperes per terminal lug.

2. Dimensions and configuration. For dimensions and configuration see figures 1 through 6. All dimensions in figures 1 through 6 are expressed in inches. Overall terminal box dimensions are approximate. Exact dimensions are shown in MIL-E-24142/3, "Enclosure for Electrical Fittings and Fixtures, Submersible, Size 6 By 9 (15-Foot)".

3. Tolerance. All tolerances, other than specified herein, shall be in accordance with MIL-DTL-24558.

4. Standard parts. The standard parts shown in table I shall be used in the construction of the connection box specified herein. The numbers in circles shown on figures 1 through 6 are the same as those shown in the "Item" column of table I.

5. Enclosure. The enclosure shall be a 15-foot submersible type.

6. Finish. The interior of enclosure may be unpainted or painted at contractor's option.

7. Weight. The weight of the connection box shall be 10.0 lbs. maximum.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:47Z
Check the source to verify that this is the current version before use.

QUALITY ASSURANCE: First article inspection and quality conformance inspection shall be as specified in MIL-DTL-24558.

GENERAL INFORMATION:

1. Drawing. The terminal box specified by MIL-DTL-24558/24A was formerly covered on NAVSHIPS Drawing No. 9000-S6202-74192.

2. Part or identification number (PIN). The PIN to be used for terminal boxes acquired to this specification is created as follows:




TABLE I. Parts list.

Item	Description	Qty.	Part no. or specification	Remarks
1	Enclosure assembly, brass	1	MIL-E-24142/3	M24142/3-001
2	Identification plate	1	MIL-DTL-24558	Figure 6
3	Information plate	1	MIL-DTL-24558	Figure 6
4	Mounting pads	4	Figure 2	
5	Terminal board base	1	Figure 4	
6	Terminal board sub-base	1	Figure 5	
7	Terminal body	6	S6202-73246, Pc 3	Brass
8	Terminal pressure screw assembly	6	S6202-73246, Pc 23	Brass
9	Terminal lug - straight	1	Figure 6	
10	Terminal lug - 30 degree	2	Figure 6	
11	RH mach screw 1/4-20 X 5/8" long	4	COML	Brass
12	Washer for 1/4 screw	4	COML	Bronze
13	RH mach screw #6-32 X 3/16" long	4	COML	Brass
14	RH mach screw #10-24 X 1/2" long	6	COML	Brass
15	Washer for #10 screw	6	COML	Bronze

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:47Z
Check the source to verify that this is the current version before use.

SH 11652




FIGURE 1. Connection box assembly.

SH 11653





FIGURE 2. Location of terminal board mounting pads.


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:47Z
Check the source to verify that this is the current version before use.



SH 11654

MOUNTING BOLTS SHALL BE 3/8-16

FIGURE 3. Mounting dimensions.




MATERIAL: TYPE GME OF MIL-I-24768/1

SH 11655

FIGURE 4. Terminal board base.


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:47Z
Check the source to verify that this is the current version before use.



SH 11656

MATERIAL: TYPE GME OF MIL-I-24768/1

FIGURE 5. Terminal board sub-base.



SH 11657

FIGURE 6. Terminal lug assemblies.

AMENDMENT NOTATIONS. The margins of this specification are marked with vertical lines to indicate modifications generated by this amendment. This was done as a convenience only and the government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:47Z
Check the source to verify that this is the current version before use.

Custodian:
Navy - SH

Preparing Activity:
DLA - GS2

(Project 5940-2005-023)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:47Z
Check the source to verify that this is the current version before use.