MIL-T-24558/26(SH)
8 May 1981
SUPERSEDING NAVSHIPS
DRAWING NO. 9000-S6202-74175
REV. 0 4 APRIL 1951

MILITARY SPECIFICATION SHEET

TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 572.1, SIX BRANCH LUGS FOR TWO 3-CONDUCTOR 40 MCM CABLES, SIX BUS LUGS FOR TWO 3-CONDUCTOR 75 MCM CABLES

This specification sheet is approved for use by the Naval Sea Systems Command and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquisition of the terminal box described herein shall consist of this document and the latest issue of MIL-T-24558(SH).





FIGURE 1. Connection box assembly.

All dimensions in inches.
For tolerances, other than specified herein, see paragraph 3.4.8 of MIL-T-24558.


FSC 5940

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:49Z
Check the source to verify that this is the current version before use.



SH 11665

5 FIGURE 2. Location of terminal board mounting brackets.




MOUNTING BOLTS SHALL BE 1/2-13


SH 11666

FIGURE 3. Mounting dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:49Z
Check the source to verify that this is the current version before use.




4 FIGURE 4. Terminal board base.




6 FIGURE 5 Terminal bus cover.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:49Z
Check the source to verify that this is the current version before use.




SH 11669

7 FIGURE 6. Terminal bus assembly - Phase "A" & "C".



SH 11670


8 FIGURE 7. Terminal bus assembly - Phase "B".



SH 11671


13 FIGURE 8. Terminal board spacer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:49Z
Check the source to verify that this is the current version before use.




SH 11672

(14) FIGURE 9. Barrier.




SH 11673

(15) FIGURE 10. Insert.



SH 11674

(16) FIGURE 11. Barrier.



SH 11675

(17) FIGURE 12. Spacer.

REQUIREMENTS:

DESIGN:
Electrical rating: 500-volt rms/DC. Bus terminals are designed for 75 MCM cable. Branch terminals are designed for 40 MCM cable.
Dimensions and configuration: See figures 1 through 12.
Standard parts: The standard parts shown in table I shall be used in the construction of the connection box specified herein. Numbers in circles shown on the figures are the same as those shown in "Item" column of table I.
Finish: The interior of enclosure may be unpainted or painted at contractor's option.
Enclosure: 15-foot submersible.

QUALITY ASSURANCE: First article inspection and Quality conformance inspection shall be as specified in MIL-T-24558.

GENERAL INFORMATION: Assignment of Military part numbers and general information is as follows:

(a) Military part number: M24558/26-572.1.
(b) Weight: The weight of the connection box shall be 29.9 lbs. maximum.
(c) Formerly covered on NAVSHIPS Drawing No. 9000-S6202-74175.
(d) Overall terminal box dimensions are approximate. Exact dimensions are shown on Military Specification for item 1, table I.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:49Z
Check the source to verify that this is the current version before use.

TABLE I. Parts list.

Item	Description	Qty	Part No. or Spec	Remarks
1	Enclosure assembly, brass with type "A" cover	1	MIL-E-24142/6	M24142/6-004
2	Identification plate	1	MIL-T-24558	Figure 6
3	Information plate	1	MIL-T-24558	Figure 6
4	Terminal board base	1	Figure 4	MIL-P-15037 Type GME
5	Mounting bracket	2	MIL-T-24558	Figure 2
6	Terminal bus cover	1	Figure 5	MIL-P-15037 Type GME
7	Terminal bus assembly - phase "A" and "C"	2	Figure 6	Brass
8	Terminal bus assembly - phase "B"	1	Figure 7	Brass
9	Terminal bus body	6	S6202-73055-2	Brass
10	Terminal bus pressure screw assembly	6	S6202-73055-22	Brass
11	Branch terminal body	6	S6202-73246-3	Brass
12	Branch terminal pressure screw Assembly	6	S6202-73246-23	Brass
13	Terminal board spacer	6	Figure 8	Brass
14	Barrier	4	Figure 9	MIL-P-15037 Type GME
15	Insert	4	Figure 10	Steel
16	Barrier	2	Figure 11	MIL-P-15037 Type GME
17	Spacer	2	Figure 12	Brass
18	RH mach screw .138-32x3/16" long	4	COML	Brass
19	FH mach screw .138-32x1/2" long	8	COML	Steel
20	RH mach screw .190-24x9/16" long	9	COML	Brass
21	Washer for .190 screw	9	COML	Steel
22	FH mach screw .190-24x1-1/4" long	4	COML	Steel
23	RH mach screw 1/4-20x3/4" long	4	COML	Steel
24	Washer for 1/4" screw	4	COML	Steel

Preparing activity:
Navy - SH
(Project 5940-N856-26)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:49Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this docum nt If there are additional papers, attach to form and place both in an envelope addressed to preparing activ y

DOCUMENT IDENTIFIER AND TITLE
MIL-T-24558/26 (SH)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:49Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (CODE 03P)
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20362

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:49Z
Check the source to verify that this is the current version before use.