MILITARY SPECIFICATION SHEET

TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 574.1, EIGHTEEN BRANCH TERMINALS FOR SIX 3-CONDUCTOR 40 MCM CABLES, SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES

This specification sheet is approved for use by the Naval Sea Systems Command and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquisition of the terminal box described herein shall consist of this document and the latest issue of MIL-T-24558(SH).





FIGURE 1. Connection box assembly.

All dimensions in inches.
For tolerances, other than specified herein, see paragraph 3.4.8 of MIL-T-24558.


FSC 5940

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.



SH 11690


FIGURE 2. Location of terminal board mounting brackets.




SH 11691

FIGURE 3. Mounting dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




(4) FIGURE 4. Terminal board base.




(6) FIGURE 5. Terminal bus cover.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




SH 11694

12 FIGURE 6. Terminal bus assembly - Phase B.



SH 11695


13 FIGURE 7. Terminal bus assembly - Phase A & C.



SH 11696


14 FIGURE 8. Terminal board spacer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




SH 11697

(11) FIGURE 9 - SPACER




SH 11698

(15) FIGURE 10 - BARRIER




SH 11699

(16) FIGURE 11 - BARRIER



SH 11700

(17) FIGURE 12 - BARRIER



SH 11701

(18) FIGURE 13 - INSERT

REQUIREMENTS:

DESIGN:

Electrical rating: 500-volt rms/DC. Bus terminals are designed for 75 MCM cables. Branch terminals are designed for 40 MCM cables.

Dimensions and configuration: See figures 1 through 13.

Standard parts: The standard parts shown in table I shall be used in the construction of the connection box specified herein. Numbers in circles shown on the figures are the same as those shown in "Item" column of table I.

Finish: The interior of enclosure may be unpainted or painted at contractor's option.

Enclosure: 15-foot submersible.

QUALITY ASSURANCE: First article inspection and Quality conformance inspection shall be as specified in MIL-T-24558.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.

GENERAL INFORMATION: Assignment of Military part numbers and general information is as follows:

(a) Military part number: M24558/28-574.1.
(b) Weight: The weight of the connection box shall be 36.8 lbs. maximum.
(c) Formerly covered on NAVSHIPS Drawing No. 9000-S6202-74177.
(d) Overall terminal box dimensions are approximate. Exact dimensions are shown on Military Specification for item 1, table I.

TABLE I. Parts list.

Item	Description	Qty	Part No. or Spec	Remarks
1	Enclosure assembly, brass with type "A" cover	1	MIL-E-24142/6	M24142/6-007
2	Identification plate	1	MIL-T-24558	Figure 6
3	Information plate	1	MIL-T-24558	Figure 6
4	Terminal board base	1	Figure 4	MIL-P-15037 Type GME
5	Mounting bracket	2	MIL-T-24558	Figure 2
6	Terminal bus cover	1	Figure 5	MIL-P-15037 Type GME
7	Main terminal body	6	S6202-73246-3	Brass
8	Main terminal pressure screw assembly	6	S6202-73246-23	Brass
9	Branch terminal body	18	S6202-73055-2	Brass
10	Branch terminal presure screw assembly	18	S6202-73055-22	Brass
11	Spacer	18	Figure 9	Brass
12	Terminal bus assembly - phase "B'	1	Figure 6	QQ-B-626 Brass
13	Terminal bus assembly phase "A" & "C"	2	Figure 7	QQ-B-626 Brass
14	Terminal board spacer	2	Figure 8	MIL-P-15037 Type GME
15	Barrier	2	Figure 10	MIL-P-15037 Type GME
16	Barrier	2	Figure 11	MIL-P-15037 Type GME
17	Barrier	12	Figure 12	MIL-P-15037 Type GME
18	Insert	6	Figure 13	Steel

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.

TABLE I. Parts list. Continue

Item	Description	Qty	Part No. or Spec	Remarks
19	RH mach screw #8-32x3/16" long	4	COML	Brass
20	FH mach screw #8-32x1/2" long	22	COML	Brass
21	RH mach screw #10-24x5/8" long	15	COML	Brass
22	Washer for #10 Screw	15	COML	Bronze
23	FH mach screw #10-24x1-1/4" long	6	COML	Brass
24	RH mach screw 1/4-20x3/4" long	10	COML	Brass
25	Washer for 1/4" Screw	10	COML	Bronze

Preparing activity:
Navy - SH
(Project 5940-N856-28)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

MIL-T-24558/28(SH)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 3112)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.