INCH-POUND

MIL-DTL-24558/28B
3 October 2011
SUPERSEDING
MIL-DTL-24558/28A
28 December 2004

DETAIL SPECIFICATION SHEET

TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL NO. 574.1, EIGHTEEN BRANCH TERMINALS FOR SIX 3-CONDUCTOR 40 MCM CABLES, SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-24558, "Terminal Boxes, Connection, for Electrical and Electronic Systems, General Specification for".

REQUIREMENTS: The terminal box shall be as specified herein and in accordance with table I and figures 1 through 13.

1. Electrical rating. The terminal box shall have an electrical rating of 500 volts root mean square, and 500 volts direct current. Bus terminals are designed for 75 thousand circular mils (MCM) cables. Branch terminals are designed for 40 MCM cables.

2. Dimensions and configuration. For dimensions and configuration see figures 1 through 13. All dimensions in figures 1 through 13 are expressed in decimal inches. Overall terminal box dimensions are approximate. Exact dimensions are shown in MIL-E-24142/6, "Enclosure, Submersible (15-Foot), Sizes 8 by 10 Through 14 by 26".

3. Tolerance. All tolerances not specified herein shall be in accordance with MIL-DTL-24558.

4. Standard parts. The standard parts shown in table I shall be used in the construction of the connection box specified herein. The numbers in circles shown on figures 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, and 13 are the same as those shown in the "Item" column of table I.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.

5. Enclosure. The enclosure shall be a 15-foot submersible type.

6. Finish. The interior of the enclosure may be painted or left unpainted at the contractor's option.


7. Weight. The weight of the connection box shall not exceed 36.8 pounds.

QUALITY ASSURANCE: First article inspection and quality conformance inspection shall be as specified in MIL-DTL-24558.

NOTES:

1. Drawing. The terminal box specified by this specification sheet was formerly covered on NAVSHIPS drawing no. 9000-S6202-74177.

2. Part or identifying number (PIN). The PIN to be used for terminal boxes acquired to this specification is created as follows:



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.

TABLE I. Parts list.

Item	Description	Qty	Part number or specification	Remarks
1	Enclosure assembly, brass with type A cover	1	MIL-E-24142/6	M24142/6-007
2	Identification plate	1	MIL-DTL-24558	Figure 6
3	Information plate	1	MIL-DTL-24558	Figure 6
4	Terminal board base	1	Figure 4	MIL-I-24768/1 type GME
5	Mounting bracket	2	MIL-DTL-24558	Figure 2
6	Terminal bus cover	1	Figure 5	MIL-I-24768/1 type GME
7	Main terminal body	6	9000-S6202-73246, pc 3	Brass
8	Main terminal pressure screw assembly	6	9000-S6202-73246, pc 23	Brass
9	Branch terminal body	18	9000-S6202-73055, pc 2	Brass
10	Branch terminal pressure screw assembly	18	9000-S6202-73055, pc 22	Brass
11	Spacer	18	Figure 9	Brass
12	Terminal bus assembly - phase "B"	1	Figure 6	ASTM B36/ B36M
13	Terminal bus assembly - phase "A" and "C"	2	Figure 7	ASTM B36/ B36M
14	Terminal board spacer	2	Figure 8	MIL-I-24768/1 type GME
15	Barrier, 2-hole	2	Figure 10	MIL-I-24768/1 type GME
16	Barrier, 1-hole	2	Figure 11	MIL-I-24768/1 type GME
17	Barrier, 3-hole	12	Figure 12	MIL-I-24768/1 type GME
18	Insert	6	Figure 13	Steel
19	RDH machine screw 8-32 X 0.188	4	Commercial	Brass
20	FLH machine screw 8-32 X 0.500	22	Commercial	Brass
21	RDH machine screw 10-24 X 0.625	15	Commercial	Brass
22	Washer, #10 internal tooth	15	Commercial	Bronze
23	FLH machine screw 10-24 X 1.250	6	Commercial	Brass
24	RDH machine screw1/4-20 X 0.750	10	Commercial	Brass
25	Washer, 1/4 internal tooth	10	Commercial	Bronze

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




FIGURE 1. Connection box assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




FIGURE 2. Location of terminal board mounting brackets.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




FIGURE 3. Mounting dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




FIGURE 4. Terminal board base.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




FIGURE 5. Terminal bus cover.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




FIGURE 6. Terminal bus assembly - phase "B".




FIGURE 7. Terminal bus assembly - phase "A" and "C".




FIGURE 8. Terminal board spacer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




FIGURE 9. Spacer.




FIGURE 10. Barrier, 2-hole.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




FIGURE 11. Barrier, 1-hole.




FIGURE 12. Barrier, 3-hole.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.




Figure 13. Insert.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.

CHANGES FROM PREVIOUS ISSUE. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodians:
Navy - SH
DLA - GS

Preparing Activity:
DLA - GS4

(Project 5940-2011-055)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.daps.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:51Z
Check the source to verify that this is the current version before use.