MILITARY SPECIFICATION SHEET

TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE

SYMBOL 576.1 - TWO CKTS FOR 150 MCM CABLE, ONE CKT FOR 200 MCM CABLE AND ONE CKT FOR 400 MCM CABLE

SYMBOL 577.1 - ONE CKT FOR 150 MCM CABLE, ONE CKT FOR 200 MCM CABLE AND TWO CKTS FOR 250 MCM CABLE

This specification sheet is approved for use by the Naval Sea Systems Command and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquisition of the terminal boxes described herein shall consist of this document and the latest issue of MIL-T-24558(SH).




FIGURE 1. Connection box assembly.

All dimensions in inches.
For tolerances, other than specified herein, see paragraph 3.4.8 of MIL-T-24558.

FSC 5940

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:53Z
Check the source to verify that this is the current version before use.





FIGURE 2. Location of terminal board mounting brackets.




MOUNTING BOLTS SHALL BE 1/2-13

SH 11704


FIGURE 3. Mounting diagram and wiring diagram.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:53Z
Check the source to verify that this is the current version before use.



SH 11705


(4) FIGURE 5. Terminal board base.




SH 11706

(6) (7) (8) (21) FIGURE 5. Terminal lugs.


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:53Z
Check the source to verify that this is the current version before use.



(9) FIGURE 6. Bus assembly - Phase "A"



(10) FIGURE 7. Bus Assembly - Phase "B"



(11) FIGURE 8. Bus assembly - Phase "C"

REQUIREMENTS:

DESIGN:

Electrical rating: 500 volt rms/DC. Terminal lugs are designed for 150 MCM, 200 MCM, 250 MCM and 400 MCM cables.

Dimensions and configuration: See figures 1 through 8.

Standard parts: The standard parts shown in table I shall be used in the construction of the connection box specified herein. Numbers in circles shown on the figures are the same as those shown in "Item" column of table I.

Finish: The interior of enclosure may be unpainted or painted at contractor's option.

Enclosure: 15-foot submersible.

QUALITY ASSURANCE: First article inspection and Quality conformance inspection shall be as specified in MIL-T-24558.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:53Z
Check the source to verify that this is the current version before use.

GENERAL INFORMATION: Assignment of Military part numbers and general information is as follows:

(a) Military part number: M24558/30-576.1 and 577.1.
(b) Formerly covered on NAVSHIPS Drawing No. 9000-S6202-74182.
(c) Overall terminal box dimensions are approximate. Exact dimensions are shown on Military Specification for item 1, table I.
(d) Weight: The weight of the connection box shall be 81.4 lbs. maximum.
(e) The contact surface of the lugs PC's 6, 7, 8, 21 shall be silver plated and the minimum thickness of this plating shall be 0.0005 inch.
(f) Each box shall be furnished complete with terminal lugs installed as shown for 576.1. In addition six 250 MCM lugs PC 21 shall be packaged inside the enclosure for conversion to Symbol 577.1

TABLE I. Parts list.

Item	Description	Qty	Part No. or Spec	Remarks
1	Enclosure assembly, brass	1	MIL-E-24142/7	M24142/7-001
2	Identification plate	1	MIL-T-24558	Figure 6
3	Information plate	1	MIL-T-24558	Figure 6
4	Terminal board base	1	Figure 4	MIL-P-15037 Type GME
5	Mounting bracket	3	MIL-T-24558	Figure 2
6	Terminal lug 150 MCM, solderless	6	Figure 5	QQ-C-502 Copper
7	Terminal lug 200 MCM, solderless	3	Figure 5	QQ-C-502 Copper
8	Terminal lug 400 MCM, solderless	3	Figure 5	QQ-C-502 Copper
9	Terminal bus assembly - phase"A"	1	Figure 6	Copper QQ-C-502
10	Terminal bus assembly - phase"B"	1	Figure 7	Copper QQ-C-502
11	Terminal bus assembly - phase"C"	1	Figure 8	Copper QQ-C-502
12	RH mach screw #6-32x1/4" long	4	COML	Brass
13	RH mach screw 7/16-14x1-3/16" long	8	COML	Steel
14	Washer for 7/16 screw	8	COML	Steel
15	RH mach screw 3/8-16x1-3/16" long	18	COML	Steel
16	Washer for 3/8 screw	18	COML	Steel
17	Stud 3/8-16x2-1/4" long	12	COML	Brass
18	Hex. Hd. nut 3/8-16	22	COML	Brass
19	Washer for 3/8 stud	22	COML	Brass
20	Pin 3/32 dia - length to suit	12	QQ-B-637	Brass
21	Terminal lug 250 MCM, solderless	6	Figure 5	QQ-C-502 Copper

Preparing activity:
Navy - SH
(Project 5940-N856-30)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:53Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE
MIL-T-24558/30(SH)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?
☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and addre - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:53Z
Check the source to verify that this is the current version before use.

OLD

DEPARTMENT OF THE NAVY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 07Z2)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362

OLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:53Z
Check the source to verify that this is the current version before use.