MILITARY SPECIFICATION

CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Chlordiazepoxide Hydrochloride Capsules, USP.

1.2 Classification. The capsules covered by this specification shall be of the following sizes and strengths (see 6.2):

Size 1 - 50s
Size 2 - Individually Sealed, 100s
Size 3 - 500s
Strength 1 - 5 mg
Strength 2 - 10 mg
Strength 3 - 25 mg

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.
PPP-B-566	- Boxes, Folding, Paperboard.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-B-676	- Boxes, Setup.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Headquarters, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 202640-21T11:16Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD- 285 - Capsules (for Medicinal Purposes).

MILITARY

MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following document forms a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACEPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Chlordiazepoxide Hydrochloride Capsules, USP, and shall be in accordance with all applicable requirements of FED-STD-285, and as specified herein.

S2. Classification. Shall be Type I or Type II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:16Z
Check the source to verify that this is the current version before use.

S5.3 The following is added to this paragraph:

Strength 1 shall be capsules containing 5 mg of chlordiazepoxide hydrochloride per capsule, within the applicable assay limits for the capsule.

Strength 2 shall be capsules containing 10 mg of chlordiazepoxide hydrochloride per capsule, within the applicable assay limits for the capsule.

Strength 3 shall be capsules containing 25 mg of chlordiazepoxide hydrochloride per capsule, within the applicable assay limits for the capsule.

3.2 Ingredients.

3.2.1 Chlordiazepoxide hydrochloride. The chlordiazepoxide hydrochloride used in the manufacture of the capsules shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients used in the manufacture of the capsules shall comply with S5.2 of FED-STD-285.

3.4 Expiration dating period. For sizes 1, 2 and 3, the expiration dating period shall be not less than 36 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 20260-21T11:16Z
Check the source to verify that this is the current version before use.

4.2 Sampling. The sampling as shown in FED-STD-285 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue.

5.2.1.1 Size 1, strength 2. One bottle containing fifty capsules constitutes one unit of issue.

5.2.1.2 Size 2, strength 1; size 2, strength 2; or size 2, strength 3. One box containing one hundred capsules constitutes one unit of issue.

5.2.1.3 Size 3, strength 1; size 3, strength 2; or size 3, strength 3. One bottle containing five hundred capsules constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1. The immediate container for size 1 shall be a commercially available immediate container with child-resistant closure, considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:16Z
Check the source to verify that this is the current version before use.

5.2.2.1.2 Size 2. The immediate container for size 2 shall be twenty-five (25) capsules packaged in a commercially available, continuous roll strip package. Each capsule shall be sealed in its own pocket and so designed that the end pocket can be removed and the seal on the adjoining pocket shall not be disturbed. The individual pockets shall be consecutively numbered from one (1) to twenty-five (25). One roll of twenty-five capsules shall be contained in a carton (box) so designed as to be tamperproof, as specified. The numbers on the strip package roll shall be in reverse order so that the first pocket removed shall be number twenty-five (25) and the second number shall be twenty-four (24), etc. The carton (box) shall have one transparent plastic window on the side opposite that of the label. Four such packs shall constitute the unit of issue. As an alternate, one tamperproof box containing reverse numbered strip of one hundred capsules may constitute the unit of issue.

5.2.2.1.3 Size 3. The immediate container for size 3 shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package.

5.2.2.2.1 Size 1 and size 3. At the option of the contractor, a unit package may be furnished for each bottle containing each size 1 or size 3 capsules of the strength specified. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.2.2 Size 2. One hundred individually sealed capsules of the strength specified shall be packaged in a box conforming to PPP-B-566 or PPP-B-676. Closure shall be as specified in the appendix of the applicable box specification.

5.2.2.3 Intermediate package.

5.2.2.3.1 Size 1. Ten units of issue shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.2.3.2 Size 2. Ten unit packages shall be packaged in a box conforming to PPP-B-566, PPP-B-636, class domestic or PPP-B-676. Closure shall be as specified in the appendix of the applicable box specification.

5.2.2.3.3 Size 3. Twelve units of issue of the strength specified shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:16Z
Check the source to verify that this is the current version before use.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A.

5.3.1.1 Size 1 and size 3. Sixty intermediate packages (600 units) for size 1 or four intermediate packages (48 units) of size 3 containing one strength only shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.1.2 Size 2. Eight intermediate packages (80 unit packages) shall be packed in an exterior container designed for a type 2 load and conforming to PPP-B-636, class weather-resistant. Closure, strapping and waterproofing shall be as specified in the appendix of the box specification.

5.3.2 Level B.

5.3.2.1 Size 1. Sixty intermediate packages (600 units) shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186.

5.3.2.2 Size 2 and size 3. Eight intermediate packages (80 unit packages) of size 2 containing one strength only or four intermediate packages (48 units) of size 3 containing one strength only shall be packed in an exterior as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Size 1.

5.4.1.1.1 Immediate container. The label of the immediate container for size 1 shall be a tri-part label consisting of the following: 1/

1) a tab portion which shall remain attached to the immediate container. This portion shall bear:

   a) the National Drug Code (NDC)
   b) the lot or control number
   c) the expiration date

NOTE: Other label information may be included.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:16Z
Check the source to verify that this is the current version before use.

2) a tear-off portion adjacent to the tab portion adjacent to the tab portion or at the extreme end of the label bearing the following:

a) the National Drug Code (NDC)
b) the lot or control number
c) the expiration date

NOTE: No other labeling shall appear thereon.
This portion shall be easily removed for attachment to a prescription.

3) the principal portion connected to the tear-off and/or the tab portion shall bear the following:

a) all other information required by the Federal Food, Drug, and Cosmetic Act.

NOTE: This portion shall be easily removed.

1/ As an alternate to the tri-part label for size 1, a commercially available label bearing the expiration date may be supplied on the immediate container. A commercially available regular, bi-part or tri-part label is considered a commercial alternate.

5.4.1.1.2 Unit packages. Each unit package label for size 1 shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the National Stock Number.

5.4.1.2 Size 2 and Size 3.

5.4.1.2.1 Immediate container. Each immediate container label for size 2 and size 3 shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

(c) for size 2 only, the numbering shall be in reverse order as specified in 5.2.2.1.2.

5.4.1.2.2 Unit package. Each unit package label for size 2 and size 3 shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:16Z
Check the source to verify that this is the current version before use.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied for size 1 or size 3 the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I shelf life markings shall be shown as specified in MIL-STD-129. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking shall be shown as specified in MIL-STD-129. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following items:

NATIONAL STOCK NO.	ITEM IDENTIFICATION	SPECIFICATION DESIGNATION	
6505-00-059-9017	CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP, 10 mg, 500s	Size 3	Strength 2
6505-00-059-9018	CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP, 5 mg, 500s	Size 3	Strength 1
6505-00-059-9019	CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP, 25 mg, 500s	Size 3	Strength 3
6505-00-117-5526	CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP, 5 mg, Individually Sealed, 100s	Size 2	Strength 1
6505-00-117-5530	CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP, 10 mg, Individually Sealed, 100s	Size 2	Strength 2

Source: https://assist.dla.mil -- Downloaded: 202640-21T11:16Z
Check the source to verify that this is the current version before use.

NATIONAL STOCK NO.	ITEM IDENTIFICATION	SPECIFICATION DESIGNATION
6505-00-117-5547	CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP, 25 mg, Individually Sealed, 100s	Size 2 Strength 3
6505-00-133-5437	CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP, 10 mg, 50s	Size 1 Strength 2

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DoD - MB

Preparing activity:
DLA-DM

Project No. 6505-1824

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:16Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:16Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE
MIL-C-37679 CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:16Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:16Z
Check the source to verify that this is the current version before use.