JJJ-T-579c
August 20, 1962

SUPERSEDING
Int. Fed. Spec. JJJ-T-00579b (AGR-AMS)
April 18, 1961 and
Fed. Spec. JJJ-T-579a
August 19, 1954

FEDERAL SPECIFICATION

TOMATO-PASTE; CANNED

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. CLASSIFICATION

1.1 **Types.** Canned tomato-paste shall be of the following types, as specified (see 6.1):

Type 1. Made from the strained liquid obtained from mature tomatoes of red or reddish varieties.

Type II. Made from (or made in part from) residual tomato material from canning.

Type III. Made from (or made in part from) residual tomato material from partial extraction of juice.

1.2 **Concentrations.** Unless a particular intermediate concentration is specified, canned tomato-paste shall be of the following ranges of concentrations as specified (see 6.1):

(a) Heavy. Not less than 33 percent, salt-free tomato solids.

(b) Medium. Not less than 29 percent but less than 33 percent, salt-free tomato solids.

(c) Light. Not less than 25 percent but less than 29 percent, salt-free tomato solids.

1.3 **Texture.** Canned tomato-paste shall be of the following texture, as specified (see 6.1):

(1) Fine texture.

(2) Coarse texture.

1.4 **Grades.** Canned tomato-paste shall be of the following grades, as specified (see 6.1):

Fancy (grade A)
Standard (grade C)

2. APPLICABLE SPECIFICATIONS, STANDARDS, AND OTHER PUBLICATIONS

2.1 **Specifications and standards.** The following specifications and standards, of the issues in effect on date of invitation for bids, form a part of this specification:

Federal Specification:

PPP-C-0029 (Army-QMC) — Canned Subsistence Items, Packaging and Packing of.

Federal Standards:

Fed. Std. No. 102—Preservation, Packaging and Packing Levels.

Fed. Std. No. 123—Marking for Domestic Shipment (Civilian Agencies).

Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications, Standards, and Handbooks and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D.C.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D.C., Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, and Auburn, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications, Standards, and Handbooks from established distribution points in their agencies.)

2.2 Other publications. The following publications, of the issues in effect on date of invitation for bids, form a part of this specification:

Governmental:

Federal Food, Drug, and Cosmetic Act and General Regulations for Its Enforcement.

(Copies of the Federal Food, Drug, and Cosmetic Act and General Regulations for Its Enforcement may be obtained upon application, accompanied by money order, coupon, or cash, to the Superintendent of Documents, Government Printing Office, Washington 25, D.C. Prices may be obtained from the Superintendent of Documents.)

United States Standards for Grades of Canned Tomato-Paste.

Regulations Governing Inspection and Certification of Processed Fruits and Vegetables and Related Products.

Condition Inspection Procedures—Containers.

(Single copies of the United States Standards for Grades of Canned Tomato-Paste, Condition Inspection Procedures-Containers, and applicable Regulations may be obtained without charge from the U.S. Department of Agriculture, Washington 25, D.C.)

Nongovernmental:

Official Methods of Analysis of the Association of Official Agricultural Chemists.

(Official Methods of Analysis of the Association of Official Agricultural Chemists is published by the Association of Official Agricultural Chemists, P.O. Box 540, Benjamin Franklin Station, Washington 4, D.C.)

3. REQUIREMENTS

3.1 Material. Canned tomato-paste shall be properly prepared from clean and sound ingredients, including mature tomatoes or tomato materials from mature tomatoes, and unless otherwise specified shall be of the latest season's pack.

3.2 Fill of container. The product shall occupy not less than 90 percent of the volume capacity of the container.

3.3 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

3.4 Description of grades. Unless otherwise specified, the interpretation of requirements (descriptive terms) contained in 1.2, 1.3, 1.4, 3.5, and 3.6 shall be in accordance with United States Standards for Grades of Canned Tomato-Paste (and lot inspection and certification tolerances applicable thereto as set forth in the Regulations Governing Inspection and Certification of Processed Fruits and Vegetables and Related Products), in effect on the date of invitation for bids.

3.5 Fancy (grade A). Canned tomato-paste of this grade shall possess a good red, ripe tomato color, shall be practically free from defects, and shall possess a good typical canned tomato-paste flavor. A good typical canned tomato paste flavor consists of a distinct flavor and odor characteristic of good quality tomatoes which have not been adversely affected by stems, leaves, crushed

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

seeds, cores, immature tomatoes, or the effect of improper trimming or processing.

3.6 **Standard (grade C).** Canned tomato-paste of this grade shall possess a fairly good red tomato color, shall be fairly free from defects, and shall possess a fairly good typical canned tomato-paste flavor. A fairly good typical canned tomato-paste flavor consists of a characteristic tomato flavor which may be adversely affected but not seriously affected by stems, leaves, crushed seeds, cores, immature tomatoes, or the effects of improper trimming or processing.

3.7 **Workmanship.** Canned tomato-paste shall be processed under sanitary conditions and in accordance with good commercial practice. The product shall be sufficiently processed by heat to assure preservation in hermetically sealed containers, either tin or glass, as specified. Containers shall be sound and clean. Cans shall be free from rust and serious dents, and the ends shall be flat or concave.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 **Sampling.** Samples of finished products covered by this specification and samples of any materials, components, or constituents entering into the preparation of the finished products may be taken at any time by the Government inspector to determine compliance with the requirements.

4.2 **Inspection.**

4.2.1 *General.* Inspection shall be made by the procuring agency or a duly authorized representative at the time and place designed by the procuring agency. It may be made at the site of manufacture, both during and after processing, at any suitable point in transit, and/or after delivery to the point of destination.

4.2.2 *Factory inspection.* The passing as satisfactory of any detail of processing or materials shall not relieve the contractor of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.2.3 *Final inspection.* Unless otherwise specified, final inspection shall be made after delivery to the point of destination (see 6.3 and 6.4).

4.2.4 *USDA Certificate of Quality and Condition.* When specified by the procuring agency the contractor shall furnish a U. S. Department of Agriculture Certificate of Quality and Condition as outlined in procurement documents.

4.2.4.1 *Condition inspection of containers.* When inspection of product for quality and condition is performed by the U. S. Department of Agriculture the "Condition Inspection Procedures—Containers" pertaining to processed fruits and vegetables shall apply.

4.2.5 *Responsibility for inspection.* The supplier is responsible for meeting all the provisions of the specification prior to submission of supplies to the Government for acceptance. Unless otherwise specified in the contract or order, the supplier is required to furnish an official inspection certificate issued by a Federal agency certifying that the grade of the product supplied is as required by the contract or order.

4.2.5.1 Inspection records of the examination and tests shall be complete and made available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.3 **Tests.**

4.3.1 *Chemical analyses.* Unless otherwise specified, chemical analyses, if required by the purchaser, shall be made in

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

accordance with the methods of the Association of the Official Agricultural Chemists in effect on the date of the invitations for bids or in accordance with methods that give equivalent results.

5. PREPARATION FOR DELIVERY

For civil agency procurement the definitions and application of levels of packaging and packing shall be in accordance with Fed. Std. No. 102.

5.1 Packaging. The product shall be packaged in accordance with 5.1.1 or 5.1.2, as specified (see 6.1).

5.1.1 *Levels A and B.* The product shall be packaged in accordance with MIL-P-1501, as specified for tomato-paste.

5.1.2 *Level C.* Unless otherwise specified, commercial packaging is acceptable.

5.2 Packing. The product shall be packed in accordance with 5.2.1 or 5.2.2, as specified (see 6.1).

5.2.1 *Levels A and B.* The cans of the product shall be packed in accordance with PPP-C-0029 (Army-QMC).

5.2.2 *Level C.* The packaged product shall be packed in containers which are acceptable by common carriers for shipment to point of destination specified in shipping instructions at the lowest transportation rate for such supplies.

5.3 Labeling and marking.

5.3.1 *Civil agencies.*

5.3.1.1—*Cans.* Any commercial labeling or additional labeling as specified that complies with the Federal Food, Drug, and Cosmetic Act, and Regulations promulgated thereunder is acceptable. The concentrations in terms of "Heavy", "Medium", or "Light" as the case may be, or in terms of percentage of salt-free tomato solids, or in terms of specific gravity shall appear on the label.

5.3.1.2 *Shipping containers.* Unless otherwise specified, shipping containers shall be marked in accordance with Fed. Std. No. 123 and such other information as specified by individual agencies.

5.3.2 *Military agencies.*

5.3.2.1 *Cans.* Cans shall be labeled in accordance with PPP-C-0029 (Army-QMC).

5.3.2.2 *Shipping containers.* Shipping containers shall be marked in accordance with PPP-C-0029 (Army-QMC).

6. NOTES

6.1 Ordering data. Purchasers should exercise any desired options offered herein and procurement documents should specify the following:

(*a*) Type, concentration or specific gravity desired, texture and grade of product. (see 1.1, 1.2, 1.3, and 1.4).

(*b*) Size of container.

(*c*) Level of packaging and packing (see 5.1 and 5.2).

6.2 If samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated.

6.3 Contractor's inspection. The contractor should be required to assure that the product conforms to the specification prior to submission to the Government for final inspection.

6.4 Destination inspection. When the finished product has been inspected and passed at point other than destination, the contract

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

should require that the product be inspected at destination for condition and quantity.

6.5 **Transportation description.** Transportation descriptions and minimum weights applicable to this commodity are:

Rail:

Tomato paste, canned.
Carload minimum weight 36,000 pounds.

Motor:

Tomato paste, canned.
Truckload minimum weight 25,700 pounds, subject to Rule 34, National Motor Freight Classification.

Notice. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

MILITARY INTERESTS:

Army—Q M
Navy—S MC
Air Force—MAAMA

☆ U.S. GOVERNMENT PRINTING OFFICE: 1962—653347/13

Copies of this specification may be purchased for 5 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

POSTAGE AND FEES PAID
NAVY DEPARTMENT

OFFICIAL BUSINESS

COMMANDING GENERAL
U.S. ARMY NATICK LABORATORIES
ATTN: AMXRE-SS
NATICK, MASS. 07162

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity *(as indicated on reverse hereof)*.

SPECIFICATION

ORGANIZATION *(Of submitter)*

CITY AND STATE

CONTRACT NO.

QUANTITY OF ITEM PROCURED

DOLLAR AMOUNT
$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*

DATE

DD FORM 1 APR 63 1426 REPLACES NAVSHIPS FORM 4863, WHICH IS OBSOLETE PLATE NO. 15419

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:45Z
Check the source to verify that this is the current version before use.