MILITARY SPECIFICATION

DEXTROSE INJECTION, USP
(Large Volume Injection for Single Dose Infusion)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Dextrose Injection, USP (Large Volume Injection for Single Dose Infusion).

1.2 Classification. The injections covered by this specification shall be of the following types, sizes and strengths (See 6.2):

Type I - bottle
Type II - plastic container

Size 1 - 150 ml
Size 2 - 250 ml
Size 3 - 500 ml
Size 4 -1000 ml

Strength 1 - 5%
Strength 2 - 10%

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:45Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

NN-P-71	-	Pallets, Material Handling, Wood, Double Faced, Stringer Construction.
NNM-A-250	-	Adhesive, Water-Resistant, (for Sealing Fiberboard Boxes).
PPP-B-636	-	Boxes, Shipping, Fiberboard.
PPP-C-186	-	Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)
PPP-T-76	-	Tape, Pressure-Sensitive Adhesive Paper, (for Carton Sealing).

MILITARY

MIL-P-15011	-	Pallets, Material Hardwood, Post Construction, 4-Way.

STANDARDS

FEDERAL

FED-STD-142	-	Parenteral Preparations.

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	-	Marking for Shipment and Storage.
MIL-STD-147	-	Palletized Unit Loads for 40" x 48" Pallets.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCTION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:45Z
Check the source to verify that this is the current version before use.

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Dextrose Injection, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein.

S2. Classification. Shall be type I, class 1.

S5.2.1 The following is added to this paragraph:

Strength 1 shall contain 5.0 percent Dextrose within the applicable assay limits for the injection.

Strength 2 shall contain 10.0 percent Dextrose within the applicable assay limits for the injection.

3.2 Ingredients.

3.2.1 Dextrose. The dextrose used in the manufacture of the injection shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.2.2 Other ingredients. All other ingredients used in the manufacture of the injection shall comply with S5.1 of FED-STD-142.

3.3 Expiration dating period.

3.3.1 Type I. For type I, size 2, strength 1, and type I, size 4, strength 1, the expiration dating period shall be not less than 48 months. For type I, size 4, strength 2, the expiration dating period shall be not less than 36 months.

3.3.2 Type II. For all type II items, the expiration dating period shall be 24 months.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:45Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.3 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.4 Sampling. The sampling as shown in FED-STD-142 shall be applicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:45Z
Check the source to verify that this is the current version before use.

4.5 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING.

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One box containing six type 1, size 4, bottles or twelve type I, size 2, bottles or twelve type II plastic containers of one size only, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1° Immediate container.

5.2.2.1.1 Type I. The immediate container for all type I items shall be a commercially available glass bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.1.1 Stopper for type I. The stopper of each immediate container for type I items shall accept and retain the piercing device of the stocklisted intravenous sets (see 6.4).

5.2.2.1.2 Type II. The immediate container for all type II items shall be a commercially available flexible plastic container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:45Z
Check the source to verify that this is the current version before use.

5.2.2.2 Unit package.

5.2.2.2.1 Type 1, size 2. Twelve bottles shall be packed in a fiberboard box constructed in accordance with PPP-B-636, W5c. The interior of each box shall be fitted with full size top and bottom pads, and six full-height scored shells. The shells shall be scored and folded to form two individual cells or one double shell. All corrugations shall be horizontal. Shells shall provide two thicknesses of combined fiberboard between adjacent glass containers, and one thickness between glass containers and the inside faces of the ends and sides of the box. Scored sheets and pads shall be fabricated of the same material as the box. Bottles shall fit snugly in cells. Closure of bottom flaps shall be in accordance with box specification. Top flaps shall be closed with adhesive conforming to MMM-A-250 in such a manner as to permit easy opening of the box. As an alternate, top flaps shall be closed by the application of a 2-inch wide tape conforming to PPP-T-76. The tape shall be centered over the seams formed by the closure of the outer flaps and shall extend over the end panels not less than 2 inches. Strapping shall not be required.

5.2.2.2.2 Type 1, size 4. Six bottles shall be packed in a fiberboard box constructed in accordance with PPP-B-636, W5c. The interior of each box shall be fitted with full size top and bottom pads, and three full-height scored shells. The shells shall be scored and folded to form two individual cells or one double shell. All corrugations shall be horizontal. Shells shall provide two thicknesses of combined fiberboard between adjacent glass containers, and one thickness between glass containers and the inside faces of the ends and sides of the box. Scored sheets and pads shall be fabricated of the same material as the box. Bottles shall fit snugly in cells. Closure of bottom flaps shall be in accordance with box specification. Top flaps shall be closed with adhesive conforming to MMM-A-250 in such a manner as to permit easy opening of the box. As an alternate, top flaps shall be closed by the application of a 2-inch wide tape conforming to PPP-T-76. The tape shall be centered over the seams formed by the closure of the outer flaps and shall extend over the end panels not less than 2 inches. Strapping shall not be required.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:45Z
Check the source to verify that this is the current version before use.

5.2.2.2.3 Type 2, sizes 1 thru 4. Each plastic container shall be packaged in a fiberboard or paperboard box closed at the bottom and which may open at the top. Twelve individually boxed plastic containers of one size and strength shall be nested in a box conforming to PPP-B-636, grade W5c. The box shall include a liner and top and bottom pads. The liner shall be one piece covering the sides and ends of the box. Liners shall be fabricated of doublefaced fiberboard and having a minimum bursting strength of 200 pounds. Top and bottom pads shall be fabricated of the same material as the liner. Closure of the bottom flaps of the box shall be in accordance with the box specification. Top flaps shall be closed with adhesive conforming to MMM-A-250 in such a manner as to permit easy opening of the box. As an alternate, top flaps shall be closed by the application of a 2-inch wide tape conforming to PPP-T-76. The tape shall be centered over the seams formed by the closure of the outer flaps and shall extend over the end panels not less than 2 inches. Strapping shall not be required.

NOTE: Liners and pads shall not be required when individual boxes are fabricated of corrugated fiberboard.

5.2.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.3 Packing. Units packaged as specified in 5.2 shall require no packing.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:45Z
Check the source to verify that this is the current version before use.

5.4.2 Unit package. Each unit package shall be marked with exterior container markings as specified in MIL-STD-129 except that the date cured (for rubber components) is not required. Type I shelf life markings as specified in MIL-STD-129 shall be shown except that the date of manufacture shall not be required. The statement "Caution: Federal law prohibits dispensing without prescription," lot or control number designated as such: "Lot_____ or "Control_____," contract or purchase order number, and name of contractor shall be shown. Marking shall include the legend: "DO NOT PERMIT TO FREEZE": and the legend "GLASS HANDLE WITH CARE" shall also be shown for type I immediate containers.

NOTE: The level of protection shall be marked "A" or "C" as applicable in lieu of "A/A" or "C/C".

5.5 Palletization. Unless otherwise specified, units packaged as specified in 5.2 shall be palletized as specified in MIL-STD-147, load type I. Overall height of pallet load, including the pallet, shall not exceed 54 inches. Pallets shall conform to NN-P-71, type IV, size 2, low density, 40 inches by 48 inches in lieu of pallets conforming to MIL-P-15011.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification	Specification Designation
6505-00-083-6538	Dextrose Injection, USP, 5%, 1000 ml, 12s	Type II, Size 4, Strength 1
6505-00-083-6540	Dextrose Injection, USP, 10%, 1000 ml, 12s	Type II, Size 4, Strength 2
6505-00-116-0882	Dextrose Injection, USP, 10%, 500 ml, 12s	Type II, Size 3, Strength 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:45Z
Check the source to verify that this is the current version before use.

National Stock No.	Item Identification	Specification Designation
6505-00-116-0901	Dextrose Injection, USP, 5%, 150 ml, 12s	Type II, Size 1, Strength 1
6505-00-116-0922	Dextrose Injection, USP, 5%, 250 ml, 12s	Type II, Size 2, Strength 1
6505-00-116-0923	Dextrose Injection, USP, 5%, 500 ml, 12s	Type II, Size 3, Strength 1
6505-00-116-4600	Dextrose Injection, USP, 5%, 1000 ml, 6s	Type I, Size 4, Strength 1
6505-00-116-4610	Dextrose Injection, USP, 10%, 1000 ml, 6s	Type I, Size 4, Strength 2
6505-00-975-0604	Dextrose Injection, USP, 5%, 250 ml, 12s	Type I, Size 2, Strength 1

6.3 The following intravenous injection sets shall be compatible with the type I items covered in this specification:

6515-00-117-9021
6515-00-118-1341
6515-00-140-0887
6515-00-889-7448

In addition, the following pediatric intravenous injection sets shall be compatible with type I, size 2, strength 1.

6515-00-720-7277
6515-00-089-2791
6515-00-089-3433

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1595

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:45Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-D-37457 DEXTROSE INJECTION, USP

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

☆ GPO: 1974— 603-680/6126 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:45Z
Check the source to verify that this is the current version before use.