MILITARY SPECIFICATION

ISOPROPYL ALCOHOL, N.F.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Isopropyl Alcohol, N.F. (See 6.2)

1.2 Classification. The liquid covered by this specification shall be of the following sizes (See 6.2):

Size 1 - 1 pt (473 ml)
Size 2 - 54 gal (204.4 liters)
Size 3 - 1 qt (946 ml)
Size 4 - 5 gal (18.92 liters)

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)
PPP-C-569	- Containers, Plastic; Molded (for Liquids, Pastes and Powders): Overpacked.
PPP-D-729	- Drums, Shipping and Storage, Steel, 55 Gallon.

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Isopropyl Alcohol, N.F., and shall be in accordance with the tests, standards, and requirements of the N.F., including any supplements or revisions thereto.

3.2 Delivery.

3.2.1 Size 1. For size 1, not more than two months shall have elapsed from the date of manufacture of the product to the date of delivery to the Government.

3.2.2 Size 2, size 3 and size 4. For size 2, size 3, and size 4, not more than 6 months shall have elapsed from the date of manufacture of the product to the date of delivery to the Government.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

3.3 Workmanship. The material and its containers shall be free from defects which detract from their appearance or may impair their serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of product produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with MIL-STD-105.

TABLE I. Sampling.

For visual examination	Inspection level	AQL (percent defective)	Unit of product
Major	S-2	1.0	Filled immediate container
Minor	II	2.5	Filled immediate container

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

4.4 Examination. The finished product shall be examined to determine compliance with all requirements of this specification. Nonconformance will be permitted to the extent indicated in 4.4.1.

4.4.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects:

TABLE II. Classification of defects.

Categories	Defects 1/
Major	
101	Liquid not free from foreign matter.
102	Liquid not clear.
103	Liquid not transparent.
Minor	
201	Exterior of immediate container is not free from contents or foreign matter.
202	Label not free from defacing marks and tears.

1/ Inspection is not restricted to the classified possible defects listed above.

4.5 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.6 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for packaging shall be S-2 and the acceptance number shall be zero.

4.7 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:43Z
Check the source to verify that this is the current version before use.

5.2.1 Unit of issue. One bottle containing 1 pint (473 ml), or one can containing one quart (946 ml), or one drum containing 5 gallons or 54 gallons, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1. The immediate container for size 1 shall be a commercially available bottle considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.2 Size 3. The immediate container for size 3 shall be a commercially available metal can considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package.

5.2.2.2.1 Size 1 and size 3. At the option of the contractor, a unit package may be furnished for size 1 or size 3. If a unit package is furnished, each size 1 (bottle) or size 3 (can) shall be packaged in a box conforming to PPP-B-636, type CF, class domestic. Closure shall be as specified in the appendix of the box specification.

5.2.2.2.2 Size 2. Fifty-four (54) gallons of alcohol shall be contained in a steel drum conforming to PPP-D-729, type I. The drum shall be provided with a tamperproof closure. The interior of the drum may be lined with a suitable coating to prevent corrosion. The drum lining, if furnished, and the closure shall not interact physically or chemically with the contents of the container.

5.2.2.2.3 Size 4. Five gallons of alcohol shall be contained in a molded plastic container conforming to PPP-C-596 and further packaged in a box conforming to Type IV, class E, as specified in Table I of PPP-C-596 except as specified below:

(a) Table I. Classification. In column I, line 6, following "Type IV" delete "domestic service" and substitute: "grade V3c or V3s."

(b) 3.1.1.1 Design. At end of paragraph, add: "Each container shall be supplied with a non-integral Flo-rite faucet as manufactured by Rieke Metal Products Corporation, or equal. Each faucet shall be attached to the handle or closure of container."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

(c) 3.4.4 Type IV boxes. Type IV boxes shall meet the requirements of PPP-B-636, class weather-resistant, grade V3c or V3s. Boxes shall be furnished with liners as specified in 3.2.2.2 of PPP-B-636. The body joint of the box shall be secured as specified in 3.4.1.1.1 of PPP-B-636.

(d) 50.1.1 Line 1, following "Class D" insert "or Type IV, class E."

5.2.2.3 Intermediate package.

5.2.2.3.1 Size 1. Twelve units of issue shall be packaged as specified in 5.2.9 of PPP-C-186.

5.2.2.3.2 Size 3. Twelve units of issue shall be packaged as specified in 5.2.14.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A.

5.3.1.1 Size 1 and size 3. Two intermediate packages (24 units) of size 1 or one intermediate package (12 units) of size 3 shall be packed in an exterior container conforming to PPP-B-636, class weather-resistant. Closure, strapping and water-proofing shall be as specified in the appendix of the box specification.

5.3.1.2 Size 2 and size 4. Each unit packaged as specified in 5.2.2 shall require no further packing.

5.3.2 Level B.

5.3.2.1 Size 1 and size 3. Two intermediate packages (24 units) of size 1 or one intermediate package (12 units) of size 3 shall be packed in an exterior container conforming to PPP-B-636, class domestic. Closure shall be as specified in the appendix of the box specification.

5.3.2.2 Size 2 and size 4. Each unit packaged as specified in 5.2.2 shall require no further packing.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Size 1 and size 3.

5.4.1.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.4.1.1.1 Immediate container. Each immediate container shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the date of manufacture prefixed by "MFD".

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

Notes: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied the National Stock Number shall appear on the immediate container.

5.4.1.3 Intermediate package. Each intermediate package shall be marked in accordance with MIL-STD-129. Lot (control) number, contract or purchase order number and name of contractor shall be shown. The date of manufacture shall be shown in lieu of the date packed. Marking shall include applicable marking as specified in the Hazardous Material Regulations of the Department of Transportation. The legends: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59°- 86°F)" and "FLAMMABLE" shall be shown. Marking shall also include arrows as specified in MIL-STD-129.

5.4.1.4 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. Lot (control) number shall be shown. The date of manufacture shall be shown in lieu of the date packed. the legends: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)" and "FLAMMABLE" shall be shown. Arrows as specified in 5.4.24 of MIL-STD-129 shall be shown. The top panel of the box shall be marked "THIS SIDE UP". In addition, marking as required by the Hazardous Material Regulations of the Department of Transportation shall also be shown.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

5.4.2 Size 2.

5.4.2.1 Unit container (Drum). Each steel drum shall be marked as specified in MIL-STD-129 and the requirements of the Federal Food, Drug and Cosmetic Act. Lot (control) number shall be shown. The date of manufacture shall be shown in lieu of the date packed. Marking shall include the legend: "FLAMMABLE" and "STORE AT CONTROLLED ROOM TEMPERATURE (59°- 86°F)". Markings as required by the Hazardous Reg. of the Dept. of Transportation shall also be shown.

5.4.3 Size 4.

5.4.3.1 Plastic drum. Each plastic drum shall be marked with the National Stock No., lot (control) number, item identification, contract number, and name of contractor.

5.4.3.2 Fiberboard box. One side of the fiberboard box shall be marked in accordance with MIL-STD-129 and the requirement of the Federal Food, Drug, and Cosmetic Act. Date of manufacture shall be shown in lieu of the date packed. Lot (control) number and the name and address of the manufacturer shall be shown. Marking as required by the Hazardous Reg. of the Dept. of Transportation shall be shown. The legends: "FLAMMABLE" and "STORE AT CONTROLLED ROOM TEMPERATURE (59°- 86°F)" shall also be shown. Marking shall include arrows as specified in MIL-STD-129. The flash point of the item shall be shown and the top panel of the box shall be marked with the legend: "THIS SIDE UP". The unit of issue shall be shown as one drum and the level of packaging and packing shall be shown as a single "A".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Number and date of this specification.

(b) National Stock Number.

(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock Number	Item Identification	Specification Designation
6505-00-149-1439	ISOPROPYL ALCOHOL, NF, 1 pt (473 ml)	Size 1
6505-00-261-7255	ISOPROPYL ALCOHOL, NF, 54 gal (204.4 liters)	Size 2
6505-00-261-7256	ISOPROPYL ALCOHOL, NF, 1 qt (946 ml)	Size 3
6505-00-299-8095	ISOPROPYL ALCOHOL, NF, 5 gal (18.92 liters)	Size 4

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:43Z
Check the source to verify that this is the current version before use.

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1576

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:43Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-I-37443, ISOPROPYL ALCOHOL, N.F.

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

☆ GPO 1974—603-680/6128 2-1

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:43Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-02-21T10:43Z
Check the source to verify that this is the current version before use.